

DAFTAR PUSTAKA

- Anuchita, M., Natcha, D., Saowarose, K., 2012. *Chemical Compositions, Phytochemicals, and Antioxidant Capacity of Rice Bran, Rice Bran Layer, and Rice Germ*. *APCBEE Procedia* 73-79.
- Astuti M, Andreanyta M, Dalais SF, Wahlqvist ML. 2000. *Tempe, a Nutritious and Healthy Food from Indonesia*. *Asia Pacific J Clin Nutr*. 9(4): 322-325.
- BabuDP, Bhakayaraj R, and Vidhyalakshmi R. 2009. *A Low Cost Nutritious Food “Tempeh”* [review]. *World J Dairy and Food Sci*. 4(1): 22-27, 2009.
- Bastian, F., Ishak, E., Tawali, A.B., Biliang, M., 2013. *Daya Terima dan Kandungan Zat Gizi Formula Tepung Tempe dengan Penambahan Semi Refined arrageenan (SRC) dan Bubuk Kakao*. *Jurnal Aplikasi Teknologi Pangan*, Vol. 2, No. 1.
- Buckle K. A, Edwards R. A, Fleet G.H & M. Wootton. 1987. *Ilmu Pangan*. Indonesia University Press. Jakarta.
- Buckle, K.A. dkk, 2007. *Ilmu Pangan*. Cetakan keempat. Penerjemah : Hari Purnomo dan Andiono. Jakarta: UI Press.
- Borg, I., dan Groenen, P., 2005. *Modern Multidimensional Scaling: Theory and Applications* (2nd ed.). Springer-Verlag, New York. pp. 207–212.
- Damayanti, Evy., Liem, Thiong., Lily, Abrianto. 2007. *Rice Bran*. Jakarta: Penebar Swadaya.
- De Groote, H., & Kimenju, S. (2008). *Comparing Consumer Preferences for Colour and Nutritional Qualit in Maize: Application of Semi-Double-Bound Logistic Model on Urban Consumers in Kenya*. *Food Policy*, 33(4), 362-370.
- Drewnowski A. 1987. *Food Texture: Instrumental and Sensory Measurement*. York (US): Marcell Dekker Inc.

- Dull ., Bob J. 2002. *Brand New Function. Food Industry . Nutritive Value of Rice Bran Narasinga Rao.*
- Eliza, Naila. 2016. *Karakteristik Kimia, Total Senyawa Fenolik, dan Sifat Organoleptik Tempe dengan Penambahan Bekatul, Kitosan, dan Glucono Delta-Lactone.* Universitas Bakrie: Jakarta.
- Fatkurahman *et al.*, *Karakteristik Sensoris dan Sifat Fisikokimia Cookies dengan Substitusi Bekatul Beras Hitam (Oryza sativa L.) dan Tepung Jagung (Zea mays L.).* Jurnal Teknosains Pangan Vol 1 No. 1, Oktober 2012 .
- Geboytz, Robert. 2000. *Multidimensional Scaling.* Laurier Faculty of Science: Canada.
- J. Godber, Z. Xu, D. Hegsted and T. Walker. 2004. *Rice and Rice Bran Oil in Functional Foods Development Louisiana Agriculture*, Vol. 45, No. 4. pp. 9-10.
- Harti, A. S., Nurhidayati, A., Handayani, D., Estuningsih, Kusunawati, H. N., dan Haryati, D. S. 2014. *The fortification tempeh of rice bran chitosan as functional food antihypercholesterolemia in Indonesia.* International Journal of Bioscience, Biochemistry and Bioinformatics, Vol. 4, No. 5.
- Hendriko, S., (2011), *Pemanfaatan Bekatul sebagai Substitusi Tepung Terigu pada Pembuatan Biskuit Crackers dan Penetapan Kadar Protein Serta Lemak*, Skripsi, Fakultas Farmasi, USU, Medan.
- Hermana, M., Mahmud, M., Karyadi, D. 2001. *Composition and Nutritional Value of Tempe. its role in the improvement of the nutritional value of food.* In: Agranoff, J. (Ed.). American Soybean Association. p.27-32.
- Kartika, B., P. Hastuti, dan W. Supartono. 1988. *Pedoman Uji Inderawi Bahan Pangan.* Yogyakarta: Pusat Antar Universitas Pangan dan Gizi Universitas Gadjah Mada.

- Koh, S.P., Jamaluddin, A., Alitheen, N. B., Mohd-Ali, N., H. Mohd. Yusoff, & Long, K. 2012. *Nutritional values of tempe inoculated with different strains of Rhizopus: its γ -aminobutyric acid content and antioxidant property*. J. Trop. Agric. And Fd. Sc. 40: 181-192.
- Kruskal, J.B., dan Wish, M., 1977. *Multidimensional Scaling*. Sage Publications. Beverly Hills.
- Kurniawan, D. 2014. *Utilization Of Vaname Shrimp Head Flour And Lindur Flour For Simulated*. Departemen Ilmu dan Teknologi Pangan, Institut Pertanian Bogor.
- Latief, Fauzan. 2006. *Karakteristik Sifat Fisik Tepung Ikan serta Tepung Daging dan Tulang*. Skripsi. Program Studi Nutrisi Dan Makanan Ternak Fakultas Peternakan. Institut Pertanian Bogor
- Lattimer, J.D., and Mark D.H., 2010. *Effects of Dietary Fiber and Its Components*. on Metabolic Health. Journal. 2. 1266-1289.
- Luh, B. S., 1991. *Rice. Second Edition*. Van Nostrand Reinhold. New York.
- Margono. 2000. *Tempe*. Buku Panduan Teknologi Pangan, Pusat Informasi Wanita dalam Pembangunan PDII-LIPI bekerjasama dengan Swiss Development Cooperation: Jakarta.
- Matz, SA. 1984. *Snack Food and Technology*. The AVI Publishing Company, Wesport. Cpnnecticut.
- Meilgaard, M. C., G. V. Civille dan B. T. Carr. 2006. *Sensory Evaluation Techniques*. Boca Raton: CRC Press.
- Nasiru, A, B.F. Muhammad and Z. Abdullahi, 2011. *Effect Cooking Time and Potash Concentration On Organoleptic Properties of Red and White Meat*. Journal of Food Technology, :119-123.

- Nout MJR, Kiers JL. 2005. *A Review Tempe Fermentation, Innovation, and Functionality: Update into The Third Millenium. Journal of Applied Microbiology.* 98(4):789-805.
- Nouth, M. J. R., Kiers, J. L. 2004. *Tempeh as a functional food.* In: World Soybean Research Confeence, 7., International Soybean Processing And Utilization, 4. Londrina Embrapa Soybean. P. 708-713.
- Pagarra, Halifah. (2011). *Pengaruh lama perebusan terhadap kadar protein tempe kacang tunggak (Vigna unguiculata).* Bionature, Vol. 12(1): 15-20.
- Satiawan, D. 2011. *Tempe.* Wacana Didaktika, Vol. 1, No. 6. Universitas Wiralodra Indramayu: Indramayu.
- Setiawan, Budhi. (2016). *The effect of fermented soybean (tempeh) supplementation among active pulmonary tuberculosis patients with standard therapy in Indonesia.* [Disertasi]. Faculty of Africultural, Nutritional and Environmental Management, Justus-Lieblg-University. Glessen, Germany.
- Setyaningsih, Dwi., Anton Apriyantono dan Maya Puspita Sari., 2010. *Analisis Sensori untuk Industri Pangan dan Agro.* IPB Press. Bogor.
- Setyowati, R., Sarbini, D., & Rejeki, S. (2008). *Pengaruh penambahan bekatul terhadap kadar serat kasar, sifat organoleptik dan daya terima pada pembuatan tempe kedelai (glycine max (l) merrill).* Jurnal Penelitian Sains & Teknologi, Vol. 9, No. 1: 52-61.
- Sharma, S., Goyal, R., & Barwal, S. (2013). *Domestic processing effects on physicochemical, nutritional and anti-nutritional attributes in soybean (Glycine max. L. Merill).* International Food Research Journal, Vol. 20(6): 3203-3209.
- Subagiyo. 2014. *Keripik Tempe Ampas Kedelai dan Bekatul.* [Artikel Penelitian]. Badan Litbang Pertanian, Kementrian Pertanian. Yogyakarta.
- Suprpti, M. L. 2003. *Pembuatan Tempe.* Kanisius, Yogyakarta.

- Tazakori, Z., M. Dehghan, M. Iranparvar, M. Zare Foladi, N. Mohmmadi 2007. Research journal of Biological Sciencier 2 (3):252-255.
- Wanyo, P., Meeso, N., & Siriamornpun, S. (2014). *Effect of different treatments on the antioxidant properties and phenolic compounds of rice bran and rice husk*. Food Chemistry 157: 457-463.
- Winarno, F.G., 1986. *Tempe Bongkrek*. IPB-Press, Bogor.
- Widowati, Sri 2016. *Tenologi Pengolahan Kedelai*. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian. Bogor
- Yuwono, SS, Susanto. 1998. *Pengujian Fisik Pangan*. Fakultas Teknologi Pertanian. Universitas Brawijaya. Malang
- Zoon, H. F., de Graaf, C., & Boesveldt, S. (2016). Food Odours Direct Specific Appetite. *Foods*, 5(12), 1-10.
- Z. Xu. 1988. *Purification and Antioxidant Properties of Rice Bran Y-Oryzanol Components*. Louisiana State University. Baton Rouge.