

DAFTAR PUSTAKA

- Abadio, F. D. B. et al. 2004. *Physical Properties of Powdered Pineapple (Ananas comosus) Juice-Effect of Maltodextrin Concentration and Atomization Speed*. Journal of Food Engineering, v. 64, n.3, p. 285-287.
- Adamiec, J., Kalemba, D. 2006. *Analysis of Microencapsulation Ability of Essential Oils During Spray Drying*. Drying Technology, v. 24, n. 9, p. 1127 – 1132.
- Adamiec, J., Borompichaichartkul, C., Srzednicki, G., Panker, W., Priyapunsakul, S., Zhao, J. 2012. *Microencapsulation of Kaffir Lime Oil and Its Functional Properties*. Drying Technology, v.. 30, n. 9, p. 914 – 920.
- Adhikari, B., Howes, T., Bhandari, B. R., Troung, V. 2004. *Effect of Addition of Maltodextrin on Drying Kinetics and Stickiness of Sugar and Acid-rich Foods during Convective Drying : Experiments and Modelling*. Journal of Food Engineering, v. 62, n. 1, p. 53 – 68.
- Adhikari, B., Howes, T., Shrestha, A. K., Bhandari, B. R. 2007. *Development of Stickiness of Whey Protein Isolate and Lactose Droplets During Convective Drying*. Chemical Engineering and Processing, v. 46, p. 420 – 428.
- Adhikari, B., Howes, T., Shrestha, A. K., Bhandari, B. R. 2007. *Effect of Surface Tension and Viscosity on the Surface Stickiness of Carbohydrate and Protein Solutions*. Journal of Food Engineering, v. 79 p. 1136 – 1143.
- Adhikari, B., Howes, T., Wood, B. J., Bhandari, B. R. 2009. *The Effect of Low Molecular Weight Surfactants and Proteins on Surface Stickiness of Sucrose during Powder Formation Through Spray Drying*. Journal of Food Engineering, v. 94, n. 2, p. 135 – 143.
- Aguilar – Palazuelos, E., Zazueta – Morales, J. J., Jimenez – Arevalo, O. A., Martinez – Bustos, F. 2007. *Mechanical and Structural Properties of Expanded Extrudates Produced from Blends of Native Starches and Natural Fibers on Henequen and Coconut*. Starch / Starke, v. 59, p. 533 – 542.

- Aghabashlo, M., Mobli, H., Madadlou, A., Rafiee, S. 2012. *The Correlation of Bahan penyalut Composition with Flow Characteristics and Encapsulation Behavior of Fish Oil Emulsion*. Food Res International, v. 49, p. 379 – 388.
- Aghabashlo, M., Mobli, H., Madadlou, A., Rafiee, S. 2013. *Influence of Bahan penyalut and Inlet Drying Air Temperature on The Microencapsulation of Fish Oil by Spray Drying*. Food and Bioprocess Technology, v. 6, n. 6, p. 1561 – 1569.
- Anandaraman, S., Reineccius, G. A. 1986. *Stability of Encapsulated Orange Peel Oil*. Food Technology, v. 40, n. 11, p. 88 -93.
- Anandaraman, S., Reineccius, G. A. 1987. *Analysis of The Encapsulated Orange Peel Oil*. Perfumer & Flavorist, v. 12, p. 33 – 39.
- Anandharamakrishnan, C., Rielly, C. D., Stapley, A. G. F. 2007. *Effects of Process Variables on the Denaturation of Whey Proteins during Spray Drying*. Drying Technology, v. 25, p. 799 – 807.
- Avaltroni, F., Bouquerand, P., Normand, V. 2004. *Maltodextrin Molecular Weight Distribution Influence on the Glass Transition Temperature and Viscosity in Aqueous Solutions*. Carbohydrate Polymers, v. 58, p. 323 – 334.
- Badee, A.Z.M., Amal, E. Abd El-Kader., Hanan, M. Aly. 2012. *Microencapsulation of Peppermint Oil by Spray Drying*. Australian Journal of Basic and Applied Sciences, v. 6, n. 12, p. 499-504.
- Bae, E., Lee, S. 2008. *Microencapsulation of Avocado Oil by Spray Drying Using Whey Protein and Maltodextrin*. Journal of Microencapsulation, v. 25, n. 8, p. 549 – 560.
- Bakry, A.M., Abbas, S., Ali, B., Majeed, H., Abouelwafa, M.Y., Mousa, A., Liang, L. 2016. *Microencapsulation of Oils : A Comprehensive Review of Benefits, Techniques, and Applications*. Comprehensive Reviews in Food Science and Food Safety, v. 15, n.1, p. 143-182.
- Balasubramani, P., Palaniswamy, P. T., Visvanathan, R., Tirupathi, V.,

- Subbaravan, A., Prakash, J. 2015. *Microencapsulation of Garlic Oleoresin using Maltodextrin as Bahan penyalut by Spray Drying Technology*. International Journal of Biological Macromolecules, v. 72, p. 210 – 217.
- Bangs, W. E. 1985. *Development and Characterization of Bahan penyaluts for Spray-dried Flavorings Productions*. Ph.D. Thesis, University of Minnesota, Minneapolis.
- Barbona – Canovas, G. V., Ortega – Rivas, E., Juliano, P., Yan, H. 2005. *Food Powders : Physical Properties, Processing, and Functionality*. Kluwer Academic / Plenum Publishers, New York.
- Barbosa, M. I. M. J., Borsarelli, C. D., Mercadante, A. Z. 2005. *Light Stability of Spray-dried Bixin Encapsulated with Different Edible Polysaccharide Preparations*. Food Research International, v. 38, n. 8-9, p. 989 – 994.
- Beristain, C. I., Garcia, H. S., Vernon – Carter, E. J. 2001. *Spray-dried Encapsulation of Cardamom (Elettaria cardamomum) Essential Oil with Mesquite (Prosopis juliflora) Gum*. LWT, v. 34, p. 398 – 401.
- Bernard, C., Regnault, S., Gendreau, S. 2011. *Enhancement of Emulsifying Properties of Whey Proteins by Controlling Spray-drying Parameters*. Food Hydrocolloids, v. 25, p. 758 – 763.
- Bhandari, B. R., Dumoulin, E. D., Richard, H. M. J., Noleau,, I., Lebert, A. M. 1992. *Flavor Encapsulation by Spray Drying – Application to Citral and Linalyl Acetate*. Journal of Food Science, v. 57, n. 1, p. 217 – 221.
- Bhandari, B. R., Senoussi, A., Dumoulin, E. D. 1993. *Spray drying of Concentrated Fruit Juices*. Drying Technology, v. 11, p. 33 – 41.
- Bhandari, P. N., Singhal, R. S. 2002. *Effect of Succinylation on The Corn and Amaranth Starch Pastes*. Carbohydrate Polymers, v. 48, n. 3, p. 233 – 240.
- Bhandari, B., Howes, T. 2005. *Relating the Stickiness Property of Foods Undergoing Drying and Dried Products to Their Surface Energetics*. Drying Technology, v. 23, p. 781 – 797.

- Bhattacharya, K. R. 2013. *Analysis of Rice Quality*. Woodhead Publishing Series : Food Science, Technology, and Nutrition, p. 431-530.
- Bhosale, R., Singhal, R. 2006. *Process Optimization for the Synthesis of Octenyl Succinyl Derivative of Waxy Corn and Amaranth Starches*. Carbohydrate Polymers, v. 66, n. 4, p. 521 – 527.
- Bhosale,, R., Singhal, R. 2007. *Effect of Octenylsuccinylation on Physicochemical and Functional Properties of Waxy Maize and Amaranth Starches*. Carbohydrate Polymers, v. 68, n. 3, p. 447 – 456.
- Bhusari, S. N., Muzaffat, K., Kumar, P. 2014. *Effect of Carrier Agents on Physical and Microstructural Proeprties of Spray Dryied Tamarind Pulp Powder*. Powder Technology, v. 266, p. 354 – 364.
- Bule, M. V., Singhal, R. S., Kennedy, J. F. 2010. *Microencapsulation of Ubiquinone – 10 in Carbohydrate Matrices for Improve Stability*. Carbohydrate Polymers, v. 82, n. 1, p. 1290 – 1296.
- Brazel, C. S. 1999. *Microencapsulation : Offering Solutions for the Food Industry*. Cereal Foods World, v. 44, n. 6, p. 388 – 392.
- Bringas – Lantigua, M., Pino, J. A. 2012. *Microencapsulacion de Saborizantes Mediante Secado Por Atomizacion*. Instituto De Investigacianes Para La industria Alimentaria, v. 11, n. 2, p. 34 – 68.
- Bylaite, E., Venskutonis, P. R., Mapdpieriene, R. 2001. *Properties of Caraway (Carum carvi L.) Essential Oil Encapsulated into Milk Protein – based Matrices*. European Food Research and Technology,, v. 212,, n. 3, p. 661 – 670.
- Calva – Estarada, S. J., Mendoza, M. R., Garcia, O., Jimenez – Fernandez, V. M., Jimenez, M. 2018. *Microencapsulation of Vanilla (Vanilla planifolia Andrews) and Powder Characterization*. Powder Technology, v. 323, p. 416 – 423.
- Calvo, P., Castano. A. L., Lozano, M., Gonzalez – Gomez, D. 2012.

- Microencapsulation of Refined Olive Oil : Influence of Capsule Wall Components and The Addition of Antioxidant Additives on The Shelf Life and Chemical Alteration.* Journal of Science and Food Agriculture, v. 92, p. 2689 – 2695.
- Cano – Chauca, M., Stringheta, P. C., Ramos, A. M., Cal – Vidal, J. 2005. *Effect of the Carriers on The Microstructure of Mango Powder Spray Drying and Its Functional Characterization.* Innovative Food Science and Emerging Technologies, v. 6, n. 4, p. 420 – 428.
- Caparino, O. A., Tang, J., Nindo, C. I., Sablani, S. S., Powers, J. R., Fellman, J. K. 2012. *Effect of Drying Methods on The Physical Properties and Microstructures of Mango Powder.* Journal of Food Engineering, v. 111, p. 135 – 148.
- Carolina, B.C., Carolina, S., Zamora, M. C., Jorge, C. 2007. *Glass Transition Temperatures and Some Physical and Sensory Changes in Stored Spray-dried Encapsulated Flavors.* LWT, v. 40, p. 1792 – 1797.
- Carneiro, H.C.F., Tonon, R.V., Grossos, C.R.F., Hubinger, M.D. 2013. *Encapsulation Efficiency and Oxidative Stability of Flaxseed Oil Microencapsulated by Spray Drying Using Different Combinations of Bahan penyaluts.* Journal of Food Engineering, v. 115, p. 443-451.
- Charve, J., Reineccius, G. A. 2009. *Encapsulation Performance of Proteins and Traditional Materials for Spray-dried Flavours.* Journal of Agricultural and Food Chemistry, v. 57, p. 2486 – 2492.
- Chegini, G. R., Ghobadian, B. 2005. *Effect of Spray Drying Conditions on Physical Properties of Orange Juice Powder.* Drying Technology, v. 23, n.3, p. 657 – 668.
- Chen, Q., McGillivray, D., When, J., Zhong, F., Quek, S. 2013. *Co-Encapsulation of Fish Oil with Phytosterol Esters and Limonene by Milk Proteins.* Journal of Food Engineering, v. 117, n. 4, p. 505 – 512.

- Chranioti, C., Chanioti, S., Tzia, C. 2016. *Comparison fo Spray, Freeze, and Oven Drying as a Means of Reducing Bitter Aftertaste of Steviol Glycosides – Evaluation of the Final Products.* Food Chemistry, v. 190, p. 1151 – 1158.
- Coumans, W.J., Kerkhof, P.J.A.M., Bruin, S. 1994. *Theoretical and Practical Aspects of Aroma Retention in Spray Drying and Freeze Drying.* Drying Technology, v. 12, p. 99-149.
- Cuq, B., Rondet, E., Abecassis, J. 2011. *Food Powders Engineering, between Knowhow and Science : Constraints, Stakes, and Opportunities.* Powder Technology, v. 208, n. 2, p. 244 – 251
- Desai, K. G., Park, H. J. 2004. Tingkat kelarutan *Studies of Valdecoxib in the Presence of Carriers, Co-Solvent, and Surfactants.* Drug Development Research, v. 26, p. 41 – 48.
- Desai, K. G. H., Park, H. J. 2005. *Recent Developments in Microencapsulation of Food Ingredients.* Drying Technology, v. 23, n. 7, p. 1361 – 1394.
- Desorbry, S.A., Netto, F. M., Labuza, T. B. 1997. *Comparison of Spray-Drying, Drum Drying, and Freeze-Drying for (1-3, 1-4)- β -Carotene Encapsulation and Preservation.* Journal of Food Science, v. 62, p. 1158-1162.
- Dickinson, E., Matsumura, Y. 1991. *Time-dependent Polymerization of β -lactoglobulin Through Disulphide Bonds at the Oil-water Interface in Emulsions.* International Journal of Biological Macromolecules, v.. 13, n. 1, p. 26 – 30.
- Dickinson, E. 2003. *Hydrocolloids at Interfaces and The Influence on The Properties of Dispersed Systems.* Food Hydrocolloids, v. 17, p. 25 – 39.
- Ditlitabmas. 2014. *Pedoman Akreditasi Terbitan Berkala Ilmiah.* Direktorat Jenderal Pendidikan Tinggi (Vol. 53). Jakarta : Direktorat Penelitian dan Pengabdian Masyarakat- Dikti.
- Domian, E., Wasak, I. 2008. *Microencapsulation of Rapeseed Oil Based on The Spray Drying Method.* Polish Journal of Food and Nutritional Sciences, v.

- 58, n. 4, p. 477 – 483.
- Dos Santos, A. B., Favaro-Trindade, C. S., Gross, C. R. F. 2005. *Preparo e Caracterizacao de Microcapsulas de Oleoresina de Paprica Obtidas por Atomizacao*. Clencia e Tecnologia de Alimentos, v. 25, n. 2, p. 322 – 326.
- Doublier, J. L., Garnier, C., Renard, D., Sanchez, C. 2000. Curr. Opin Colloid Interface Science, v. 5, p. 202.
- Drusch, S., Schwarz, K. 2006. *Microencapsulation Properties of Two Different Types of n-octenylsuccinate-derivatised Starch*. European Food Research and Technology, v. 222, n. 1- 2, p. 155 – 164.
- Drusch, S., Schwarz, K. 2006. *Microencapsulation Properties of Two Different Types of n-octenylsuccinate-derivatised Starch : Flow Properties and Oxidative Stability*. European Food Research and Technology, v. 108, p. 501 – 512.
- Duchene, D., Bochol, A., Yu, S. C., Pepin, C., Seiller, M. 2003. *Cyclodextrins and Emulsions*. International Journal of Pharmaceutics, v. 266, n. 1-2, p. 85 – 90.
- Ezhilarasi, P. N., Karthik, P., Chhanwal, N., Anandharamakrishnan, C. 2013. Food Bioprocess Technology, v. 6, n. 3, p. 628.
- Ezhilarasi, P.N., Indrani, D., Jena, B. S., Chinnaswamy. 2014. *Microencapsulation of Garcinia Fruit Extract by Spray Drying and Its Effect on Bread Quality*. Journal of the Science of Food and Agriculture, v. 94, n. 6, p. 1116 – 1123.
- Falldt, P., Bergenstahl, B. 1995. *Fat Encapsulation in Spray Dried Powders*. Journal of American Oin Chemists Society, v. 72, n. 2, p. 171 – 176.
- Fang, Z., Bhandari, B. 2012. *Comparing the Efficiency of Protein and Maltodextrin on Spray Drying of Bayberry Juice*. Food Res. International, v. 48, p. 478 – 483.

- Fazaeli, M., Emam – Djomeh, Z., Ashtari, A., Omid, M. 2012. *Effect of Spray Drying Conditions and Feed Composition on The Physical Properties of Black Mulberry Juice Powder.* Food and Bioproducts Processing, v. 90, p. 667 – 675.
- FDA : *International Conference on Harmonisation of Technical Requirements For Registration of Pharmaceuticals For Human Use (ICH).* Q8(R2). 2009.
- Fennema, O. R. 1996. *Water and Ice.* In Food Chemistry (O. R. Fennema, ed.), p. 17 – 93, Marcel Dekker, New York, NY.
- Fernandes, R. V. B. Borges, S. V., Botrel, D. A., Silva, E. K., Costa, J. M. G., Queiroz, F. 2013. *Microencapsulation of Rosemary Essential Oil : Characterization of Particles.* Drying Technology, v. 31, p. 1245 – 1254.
- Fernandes, R. V. D. B., Borges, S. V., Botrel, D. A. 2013. *Influence of Spray Drying Operating Conditions on Microencapsulated Rosemary Essential Oil Properties.* Food Science and Technology, v. 33, p. 171 – 178.
- Fernandes, R. V. D. B., Borges, S. V., Botrel, D. A. 2014. *Gum Arabic / Starch / Maltodextrin / Inulin as Bahan penyaluts on the Microencapsulation of Rosemary Essential Oil.* Carbohydrate Polymers, v. 101, p. 524 – 532.
- Finney, J., Buffo, R., Reineccius, G.A. 2002. *Effects of Type of Atomization and Processing Temperatures on The Physical Properties and Stability of Spray-Dried Flavors.* Journal of Food Science, v.67, n.3, p. 1108-1114.
- Frascareli, E. C., Silva, V. M., Tonon, R. V., Hubinger, M. D. 2012. *Effect of Process Conditions on the Microencapsulation of Coffee Oil by Spray Drying.* Food and Bioproducts Processing, v. 90, n. 3, p. 413 – 424.
- Fuchs, M., Turchiuli, C., Bohin, M., Cuvelier, M. E., Ordonnaud, C., Peyrat-Maillard, M.N., Dumoulin, E. 2006. *Encapsulation of Oil in Powder Using Spray Drying and Fluidized Bed Agglomeration.* Journal of Food Engineering, v. 75, n.1, p. 27-35.
- Gaiani, C., Morand, M., Sanchez, C., Arab Tehrany, E., Jacquot, M., Schuck, P.,

- Jeantet, R., Scher, J. 2010. *How Surface Composition of High Milk Protein Powders is Influenced by Spray Drying Temperature.* Colloid Surface B, v. 75, p. 377 – 384.
- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., Saurel, R. 2007. *Applications of Spray Drying in Microencapsulation of Food Ingredients : An Overview.* Food Res. International, v. 40, n. 9, p. 1107-1121.
- Ghosal, S., Indira, T. N., Bhattacharya, S. 2010. *Agglomeration of A Model Food Powder : Effect of Maltodextrin and Gum Arabic Dispersions on Flow Behavior and Compacted Mass.* Journal of Food Engineering, v. 96, n. 2, p. 222 – 228.
- Gouin, S. 2004. *Microencapsulation : Industrial Appraisal of Existing Technologies and Trends.* Trends in Food Science and Technology, v. 15, p. 330 – 347.
- Goula, A. M., Adamopoulos, K. G., Kazakis, N. A. 2004. *Influence of Spray Drying Conditions on Tomato Powder Properties.* Drying Technology, v. 22, p. 1129 – 1151.
- Goula, A. M., Adamopoulos, K. G. 2005. *Spray Drying of the Tomato Pulp in Dehumidified air : II. The Effect on Powder Properties.* Journal of Food Engineering, v. 66, n. 1, p. 35 – 42.
- Goula, A. M., Adamopoulos, K. G. 2008. *Effect of Maltodextrin Addition During Spray Drying of Tomato Pulp in Dehumidified Air. II. Powder Properties.* Drying Technology, v. 26, p. 726 – 737.
- Goula, A. M., Adamopoulos, K. G. 2010. *A New Technique for Spray Drying Orange Juice Concentrate.* Innovative Food Science and Emerging Technologies, v. 11, p. 342 – 351.
- Goula, A.M., & Adamopoulos, K.G. 2012. *A New Technique for Spray-dried Encapsulation of Lycopene.* Drying Technology, v. 30, p. 641-652.
- Grabowski, J. A., Truong, V. D., Daubert, C. R. 2006. *Spray Drying of Amylase*

- Hydrolized Sweet Potato Puree and Physicochemical Properties of Powder.* Journal of Food Science, v. 71, n. 5, p. 209 – 217.
- Grabowski, J. A., Truong, V. D., Daubert, C. R. 2008. *Nutritional and Rheological Characterization of Spray Dried Sweet Potato Powder.* LWT, v. 41, p. 206 – 216.
- Gunasekaran, S., Ko, S., Xiao, L. 2007. *Use of Whey Proteins for Encapsulation and Controlled Delivery Applications.* Journal of Food Engineering, v. 83, p. 31 – 40.
- Hee, Y. Y., Tan, C. P., Rahman, R. A., Adzahan, N. M., Lai,, W. T., Hean, G. 2015. *Influence of Different Bahan penyaluts on the Microencapsulation of Virgin Coconut Oil by Spray Drying.* International Journal of Food Engineering, v. 11, n. 1, p. 61 – 69.
- Hennings, C., Kockel, T. K., Langrish, T. A. G. 2001. *New Measurement of the Sticky Behavior of Skim Milk Powder.* Drying Technology, v. 19, p. 471 – 484.
- Hogan, S. A., et al. 2001. *Emulsification and Microencapsulation Properties of Sodium Caseinate / Carbohydrate Blends.* International Dairy Journal, v. 11, n. 3, p. 137 – 144.
- Hogan, S. A., O'riordan, E. D., O'sullivan, M. 2003. *Microencapsulation and Oxidative Stability of Spray-dried Fish Oil Emulsions.* Journal of Microencapsulation, v. 20, n. 5, p. 675 – 688.
- Hundre, S. Y., Karthik, P., Anandharamakrishnan, C. 2015. *Effect of Whey Protein Isolate and B-Cyclodextrin Wall Systems on Stability of Microencapsulated Vanillin by Spray-freeze Drying Method.* Food Chemistry, v. 174, p. 16 – 24.
- Huynh, T. V., Caffin, N., Dykes, G. A., Bhandari, B. 2008. *Optimization of The Microencapsulation of Lemon Myrtle Oil Using Response Surface Methodology.* Drying Technology, v. 26, n. 3, p. 357 – 368.

- Ixtaina, V. Y., Julio, K. M., Wagner, J. R., Nolasco, S. M., Tomas, M. C. 2015. *Physicochemical Characterization and Stability of Chia Oil Microencapsulated with Sodium Caseinate and Lactose by Spray Drying.* Powder Technology, v. 271, p. 26 – 34.
- Jafari, S.M., Assadpoor, E., He, Y., Bhandari, B. 2008. *Encapsulation Efficiency of Food Flavours and Oils during Spray Drying.* Drying Technology, v. 26, n.7, p. 816-835.
- Jaya, S., Das, H. 2004. *Effect of Maltodextrin, Glycerol Monostearate, and Tricalcium Phosphate on Vacuum Dried Mango Powder Properties.* Journal of Food Engineering, v. 63, p. 125 – 134.
- Jayasundera, M., Adhikari, B., Aldred, P., Ghandi, A. 2009. *Surface Modification of Spray Dried Food and Emulsion Powders with Surface – Active Proteins : A Review.* Journal of Food Engineering, v. 93, p. 266 – 277.
- Jayasundera, M., Adhikari, B., Howes, T., Aldred, P. 2011. *Surface Protein Coverage and Its Implications on Spray-drying of Model Sugar-rich Foods : Tingkat kelarutan, Powder Production and Characterization.* Food Chemistry, v. 128, p. 1003-1016.
- Kagami, Y., Sugimura, S., Fujishima N., Matsuda, K., Kometani, T., Matsumura, Y. 2003. *Oxidative Stability, Structure, and Physical Characteristics of Microcapsules Formed by Spray Drying of Fish Oil with Protein and Dextrin Bahan penyaluts.* Journal of Food Science, v. 68, p. 2248-2255.
- Karathanos, V. T., Mourtzinos, I., Yannakopoulou, K., Andrikopoulos, N. K. 2007. *Study of the Tingkat kelarutan, Antioxidant Activity, and Structure of Inclusion Complex of Vanillin with β - Cyclodextrin.* Food Chemistry, v. 101, Palaz n. 2, p. 652 – 658.
- Kaushik, P., Dowling, K., Barrow, C. J., Adhikari, B. 2015. *Microencapsulation of Omega-3 Fatty Acids : A Review of Microencapsulation and Characterization Methods.* Journal of Functional Foods, v. 19, p. 868-881.

- Kim, Y. D., Morr, C. V. 1996. *Microencapsulation Properties of Gum Arabic and Several Food Proteins : Spray-dried Orange Oil Emulsion Particles.* Journal of Agriculture and Food Chemistry, v. 44, p 1314 – 1320.
- Klaypradit, W., Huang, Y. W. 2008. *Fish Oil Encapsulation with Chitosan Using Ultrasonic Atomizer.* LWT – Food Science and Technology, v. 41, n. 6, p. 1133 – 1139.
- Klinkesorn, U., Sophanodora, P., Chicachoti, P., Decker, E. A., McClements, D. J. 2006. *Characterization of Spray-dried Tuna Oil Emulsified in Two-layered Interfacial Membranes Prepared using Electrostatic Layer-by-layer Deposition.* Food Research International, v. 39, n. 4, p. 449 – 457.
- Kneifel, W., Paquin, P., Abert, T., Richard, J. P. 1991. *Water-holding Capacity of Proteins with Spherical Regard to Milk Proteins and Methodological Aspects – A Review.* Journal of Dairy Science, v. 74, n. 7, p. 2027 – 2041.
- Krishnan, S., Kshirsagar, A.C., Singhal, R.S. 2005. *The Use of Gum Arabic and Modified Starch in The Microencapsulation of a Food Flavoring Agent.* Carbohydrate Polymers, v. 62, p. 309 - 315.
- Kurozawa, L. E., Park, K. J., Hubinger, M. D. 2009. *Effect of Maltodextrin and Gum Arabic on Water Sorption and Glass Transition Temperature of Spray Dried Chicken Meat Hydrolysate Protein.* Journal of Food Engineering, v. 91, p. 287 – 296.
- Kwapinska, M., Zbicinski, I. 2005. *Prediction of Final Product Properties After Cocurrent Spray Drying.* Drying Technology, v. 23, p. 1653 – 1665.
- Labuza, T. P., McNally, L., Gallagher, D., Hawkes, J., Hurtado, F. 1972. *Stability of Intermediate Moisture Foods. 1. Lipid oxidation.* Journal of Food Science, v. 37, p. 154 – 159.
- .Laozasongkram, K., Mahamaktudsanee, T., Chaiwanichsiri, S. 2011. *Microencapsulation of Macadamia Oil by Spray Drying.* Procedia Food Science, v. 1, p. 1660 – 1665.

- Lee, S. J., Rosenberg, M. 2000. *Microencapsulation of Theophylline in Whey Proteins : Effects of Core to Wall Ratio*. International Journal of Pharmacy, v. 205, p. 147 – 158.
- Liu, X. D., Atarashi, T., Furuta, T., Yoshii, H., Aishima, S., Ohkawara, M., Linko, P. 2001. *Microencapsulation of Emulsified Hydrophobic Flavors by Spray Drying*. Drying Technology, v. 19, n. 7, p. 1361 – 1374.
- Madene, A., M. Jacquot, J. Scher & S. Desorby. 2006. *Flavour Encapsulation and Controlled Release - A Review*. International Journal of Food Science and Technology, v. 41, n. 1, p. 1-21.
- Manojlovic, Verica., Rajic, Nevenka., Djonlagic, Jasna., Obradovic, Bojana., Nedovic, Viktor., Bugraski, Branko. 2008. *Application of Electrostatic Extrusion - Flavour Encapsulation and Controlled Release*. Sensors, v. 8, p. 1488-1496.
- Marcela, Ferrandiz., Lucia, Capablanca., Esther, Franco., Elena, Mira. 2016. *Microencapsulation of L-Ascorbic Acid by Spray Drying Using Sodium Alginate as Bahan penyalut*. Journal of Encapsulation and Adsorption Sciences, v. 6, p. 1-8.
- Martinez, M. L., Curti, M. I., Roccia, P., Llabot, J. M., Penci, M. C., Bodoira, R. M., Ribotta, P. D. 2015. *Oxidative Stability of Walnut (*Juglansregia L.*) and Chia (*Salvia hispanica L.*) Oils Microencapsulated by Spray Drying*. Powder Technology, v. 270, p. 271 – 277.
- Marquez – Gomez, M., Galicia-Garcia, T., Marquez – Melendez, R., Ruiz-Gutierrez, M., Quintero-Ramos, A. 2018. *Spray-dried Microencapsulation of Orange Essential Oil using Modified Rice Starch as Bahan penyalut*. Journal of Food Processing and Preservation, v. 42, n. 2.
- McClements, D. J. 2005. *Food Emulsions : Principles, Practice, and Techniques*, 2nd Ed ; CRC Press.

- McNamee, B., O'Riordan, E. and O' Sullivan, M. 1998. *Emulsification and Microencapsulation Properties of Gum Arabic*. Journal of Agriculture and Food Chemistry, v. 46, n. 11, p. 4551-4555.
- Mezhericher, M., Naumann, M., Peglow, M., Levy, A., Tsotsas, E., Borde, I. 2012. *Continuous Species Transport and Population Balance Models for First Drying Stage of Nanosuspension Droplets*. Chemical Engineering Journal, v. 210, p. 120 – 135.
- Minemoto, Y., Fang, X., Hakamata, K., Watanabe, Y., Adachi, S., Kometani, T., Matsuno, R. 2002. *Oxidation of Linoleic Acid Encapsulated with Soluble Soybean Polysaccharide by Spray-Drying*. Bioscience, Biotechnology, and Biochemistry, v. 66, n. 9, p. 1829-1834.
- Millqvist – Fureby, A., Elofsson, U., Bergenstahl, B. 2001. *Surface Composition of Spray-dried Milk Protein-stabilized Emulsions in Relation to Pre-heat Treatment of Proteins*. Colloids and Surfaces B : Biointerfaces, v. 21, p. 47 – 58.
- Murphy, P. 2000. *Starch*. In : Phillips, G. O., Williams, P. A. (Eds.). Handbook of Hydrocolloids. CRC Press, Boca Raton, FL, p. 41 – 65.
- Nakamura, A., Takahashi, T., Yoshida, R., Maeda, H., Corredig, M. 2004. *Emulsifying Properties of Soybean Soluble Polysaccharide*. Food Hydrocolloids, v. 18, n. 5, p. 795 – 803.
- Nunes, U. L., Mercadante, A. Z. 2007. *Encapsulation of Lycopene using Spray Drying and Molecular Inclusion Processes*. Brazilian Archives of Biology and Technology, v. 50, n. 5, p. 893 – 900.
- Moreau, D. L., Rosenberg, M. 1996. *Oxidative Stability of Anhydrous Milk Microencapsulated in Whey Proteins*. Journal of Food Science, v. 61, p. 39 – 43.
- O'Hagan, P., Hasapidis, K., Coder, A., Helsing, H., Pokraja, G. 2005. *Particle Size Analysis of Food Powders*. Encapsulated and Powdered Foods (C.

- Onwulata, ed.), p. 215-245, Taylor & Francis, Boca Raton, FL.
- Paramera, E. I., Konteles, S. J., Karathanos, V. T. 2011. *Stability and Release Properties of Curcumin Encapsulated in Saccharomyces cerevisiae, β -cyclodextrin and Modified Starch*. Food Chemistry, v. 125, p. 913 – 922.
- Paramita, V., Furuta, T., Yoshii, H. 2012. *High-Oil-Load Encapsulation of Medium-Chain Triglycerides and d-Limonene Mixture in Modified Starch by Spray Drying*. Journal of Food Science, v. 77, n. 2.
- Partanen, R., Ahro, M., Hakala, M., Kallio, H., Forssell, P. 2002. *Microencapsulation of Caraway Extract in Beta-Cyclodextrin and Modified Starches*. European Food Research and Technology, v. 214, n. 3, p. 242 – 247.
- Perez – Alonso, C., Baez – Gonzales, J. G., Beristain, C. I., Vernon-Carter, E. J., Vizcarra – Mendoza, M. G. 2003. *Estimation of the Activation Energy of Carbohydrate Polymers Blends as Selection Criteria for Their Use as Bahan penyalut for Spray-dried Microcapsules*. Carbohydrate Polymers, v. 53, n. 2, p. 197 – 203.
- Phanindrakumar, H. S., Radhakrishna, K., Mahesh, S., Jagannath, J. H., Bawa, A. S. 2005. *Effect of Pretreatments and Additives on the Thermal Behavior and Hygroscopicity of freeze-dried Pineapple Juice Powder*. Journal of Food Processing and Preservation, v. 29, p. 307 – 318.
- Pillai, D. S., Prabhasankar, P., Jena, B. S., Anandharamakrishnan, C. 2012. *Microencapsulation of Garcinia Cow Fruit Extract and Effect of Its Use on Pasta Process and Quality*. International Journal of Food Properties, .v. 15, n. 3, p. 590 – 04.
- Poshadri, A., Kuna, Aparna. 2010. *Microencapsulation Technology : A Review*. J.Res.ANGRAU, v.38, n. 1, p. 8-102.
- Potter, N. N. 1968. Food Science, AVI Publishing Company : Westport, CT.
- Prince, M. V., Thangavel, K., Meda, V., Visvanathan, R., Ananthakrishnan, D.

2014. *Effect of Carrier Blend Proportion and Flavor Load on Physical Characteristics of Nutmeg (*Myristica fragrans* Houtt.) Oleoresin Microencapsulated by Spray Drying.* International Food Research Journal, v. 21, n. 5.
- Quispe – Condori, S., Saldana, M. D. A., Temelli, F. 2011. *Microencapsulation of Flax Oil with Zein Using Spray and Freeze Drying.* LWT – Food Science and Technology, v. 44, p. 1880 – 1887.
- Quek, S. Y., Chok, N. K., Swedlund, P. 2007. *The Physicochemical Properties of Spray Dried Watermelon Powders.* Chem Eng Proc, v. 46, p. 386 – 392.
- Qv, X-Y., Zeng Z-P., Jiang, J-G. 2011. *Preparation of Lutein Microencapsulation by Complex Coacervation Method and Its Physicochemical Properties and Stability.* Food Hydrocolloids, v. 25, n. 6, p. 1596 – 1603.
- Re, M.I. 1998. *Encapsulation by Spray Drying.* Drying Technology, v. 16, n. 6, p. 1195-1236.
- Reineccius, G. A. 1988. *Spray-drying of Food Flavors.* In : Flavor Encapsulation (editer by G. A. Reineccius & S. J. Risch), p. 55 – 66. Washington, DC : American Chemical Society.
- Reineccius, G. A. 2001. *Multiple Core Encapsulation – The Spray Drying of Food Ingredients.* In Microencapsulation of Food Ingredients (P. Vilstrup, ed), p. 151 – 185, Leatherhead Publishing, Surrey, U. K.
- Reineccius, G. A. 2004. *The Spray Drying of Food Flavors.* Drying Technology, v. 22, n. 6, p. 1289 – 1324.
- Reineccius, G. A. 2006. *Flavor Chemistry and Technology*, 2nd ed : CRC Press : Boca Raton, FL.
- Risch, S. J. 1988. *Encapsulation of Flavors by Extrusion.* ACS Symposium Series, v. 370, p. 103 – 109.

- Rocha, G. A., Favaro-Trindade, C. S., Gross, C. R. F. 2012. *Microencapsulation of Lycopene by Spray Drying : Characterization, Stability, and Application of Microcapsules*. Food and Bioproducts Processing, v. 90, p. 37-42.
- Ronkart, S., Blecker, C., Fougnies, C., Van Herck, J. C., Wouters, J., Paquot, M. 2006. *Determination of Physical Changes of Inulin Related to Sorption Isotherms : An X-ray Diffraction, Modulated Differential Scanning Calorimetry and Environmental Scanning Electron Microscopy*. Carbohydrate Polymers, v. 63, n. 2, p. 210 – 217.
- Roos, Y., Karel, M. 1991. *Applying State Diagrams to Food Processing and Development*. Food Technology, v. 45, n. 12, p. 66 – 71.
- Roos, Y. H., Karel, M., Kokini, J. L. 1996. *Glass Transitions in Low Moisture and Frozen Foods : Effect on Shelf Life and Quality*. Food Technology (November), p. 95 – 108.
- Rosenberg, M., Kopelman, I.J., Talman, Y. 1990. *Factors Affecting Retention in Spray-Drying : Microencapsulation of Volatile Materials*. Journal of Agricultural and Food Chemistry, v. 38, p. 1288-1294.
- Rosenberg, M. 1997. *Milk-derived Whey Protein-based Microencapsulating Agents and A Method of Use*. US Patent, v. 5, n. 601, p. 760.
- Runge, F. E. 2004. *Multiple-Core Encapsulation*. In P. Vilstrup, *Microencapsulation of Food Ingredients* (p. 133-145). Surrey : Leatherhead Publishing.
- Ru-yi Li, Yan Shi. 2018. *Microencapsulation of Borage Oil with Blends of Milk Protein, B-Glucan, and Maltodextrin Through Spray Drying : Physicochemical Characteristics and Stability*. Journal of the Science of Food and Agriculture, v. 98, n. 3, p. 896 – 904.
- Santana, A. A., Cano – Higuita, D.. M., de Oliveira, R. A., Telis, V. R. N. 2016. *Influence of Different Combinations of Bahan penyaluts on the Microencapsulation of Jussara Pulp (Euterpe edulsi) by Spray Drying*.

- Food Chemistry, v. 212, p. 1 – 9.
- Sariga, S., Prince, M.V. 2016. *Effect of Flavour Load and Inlet Air Temperature on Microencapsulation of Vanilla Extract With Maltodextrin as Bahan penyalut*. International Journal of Applied And Natural Sciences (IJANS) , v. 5, p. 21-26.
- Schwegman, J.J. 2009. *Understanding The Physical Properties of Freeze-dried Materials*. Innovations in Parmaceutical Technology, v. 29 (72-74), p. 76-77.
- Shamaei, S., Seiiedlou, S. S., Aghbashlo, M., Tsotsas, E. 2017. *Microencapsulation of Walnut Oil by Spray Drying : Effects of Bahan penyalut and Drying Conditions on Physicochemical Properties of Microcapsules*. Innovative Food Science & Emerging Technologies, v. 39, p. 101 – 112.
- Shaikh, J., Bhosale, R., Singhal, R. 2006. *Microencapsulation of Black Pepper Oleoresin*. Food Chemistry, v. 94, n. 1, p. 105 – 110.
- Sheu, T. Y., Rosenberg, M. 1998. *Microstructure of Microcapsules Consisting of Whey Proteins and Carbohydrates*. Journal of Food Science, v. 63, n. 3, p. 491 – 494.
- Shrestha, A. K., Ua-arak, T., Adhikari, B. R., Howes, T., Bhandari, B. R. 2007. *Glass Transition Behavior of Spray-dried Orange Juice Powder Measures by Differential Scanning Calorimetry (DSC) and Thermal Mechanical Compression Test (TMCT)*. International Journal of Food Properties, v. 10, p. 661 – 673.
- Silva, V. M., Vieira, G. S., Hubinger, M. D. 2014. *Influence of Different Combinations of Bahan penyaluts and Homogenisation Pressure on The Microencapsulation of Green Coffee Oil by Spray Drying*. Food Research International, v. 61, p. 132 – 143.
- Singh, J., Anal, A. A. 2007. *Recent Advances in Microencapsulation of Probiotics*

- for Industrial Applications and Targeted Delivery.* Trends in Food Science & Technology, v. 18, n . 5, p. 240 – 251.
- Sitohy, M. Z., El-Saadamy, S. S., Labib, S. M. Y., Ramadan, M. F. 2000. *Physicochemical Properties of Different Types of Starch Phosphatemonoesters.* Starchc, v. 53, n. 4, p. 101 – 105.
- Sliwinski, E. L., Roubos, P. J., Zoet, F. D., Van Boekel, M. A. J. S., Wouters, J. T. M. 2003. *Effects of Heat on Physicochemical Properties of Whey Protein – Stabilized Emulsions.* Colloids and Surfaces B : Biointerfaces, v. 31, p. 231 – 242.
- Soottitantawat, A., Yoshii, H., Furuta, T., Ohkawara, M., Linko.P. 2003. *Microencapsulation by Spray Drying : Influence of Emulsion Size on the Retention of Volatile Compounds.* Journal of Food Science, v. 68, n. 7, p. 2256-2262.
- Soottitantawat, A., Yoshii, H., Furuta, T., Ohkawara M., P. Forsell., R.Partanen. 2004. *Effect of Aktivitas Air on The Release Characteristics and Oxidative Stability of D-Limonene Encapsulated by Spray Drying.* Journal of Agriculture and Food Chemistry, v. 52, p. 1269-127.
- Soottitantawat, A., Bigeard, F., Yoshii, H., Furuta, T., Ohkawara, M., Linko, P. 2005. *Influence of Emulsion and Powder Size on the Stability of Encapsulated D-limonene by Spray Drying.* Innovative Food Science & Emerging Technologies, v. 6, n. 1, p. 107 – 114.
- Sugiyanto, 2004. *Meta-Analysys.* Hand-Out. Faculty of Psychology, UGM Indonesia.
- Szejtli, J. 1981. *Enhancement of Drug Bioavailability by Cyclodextrins.* Starch – Starke, v. 33, n. 11, p. 387 – 390.
- Tari, T. A., Singhal, R. S. 2002. *Starch-based Spherical Aggregates : Stability of a Model Flavouring Compound, Vanillin Entrapped Therein.* Carbohydrate Polymers, v. 50, p. 4, p. 417 – 421.

- Teixeira MI, Andrade LR, Farina M, Rocha-Lea o, M.H.M. 2004. *Characterization of Short Chain Fatty Acid Microcapsules Produced by Spray Drying.* Materials Sci and Engineering C, v. 24, p. 653 – 658.
- Tesch, S., Gerhards, C., Schubert, H. 2002. *Stabilization of Emulsions by OSA Starches.* Journal of Food Engineering, v. 54, n. 2, p. 167 – 174.
- Tonon, R. V., Brabet, C., Hubinger, M. D. 2008. *Influence of Process Conditions on The Physicochemical Properties of Acai (Euterpe oleraceae Mart.) Powder Produced by Spray Drying.* Journal of Food Engineering, v. 88, p. 411 – 418.
- Tonon, R. V., Brabet, C., Pallet, D., Brat, P., Hubinger, M. D. 2009. *Physicochemical and Morphological Characterisation fo Acai (Euterpe oleraceae Mart.) Powder Produced with Different Carrier Agents.* International Journal of Food Science adn Technology, v. 44, n. 10, p . 1950 – 1958.
- Tonon, R. V., Grosso, C. R., Hubinger, M. D. 2011. *Influence of Emulsion Composition and Inlet Air Temperature on The Microencapsulation of Flaxseed Oil by Spray Drying.* Food Research International, v. 44, n. 1, p. 282 – 289.
- Tonon, R. V., Pedro, R. B., Grosso, C. R. F., Hubinger, M. D. 2012. *Microencapsulation of Flaxseed Oil by Spray Drying : Effect of Oil Load and Type of Bahan penyalut.* Dryign Technology, v. 30, n. 13, p. 1491 – 1501.
- Trejo – Espino, J. L., Rodriguez – Monroy, M., Vernon-Carter, E. J., Cruz-Soza, F. 2010. *Emulsifying Properties of the Gum Produced by Prosopis laevigata (Mesquite) Cells Suspension Culture in Bioreactor.* Revista Mexicana de Ingenieria Quimica, v. 9, n. 3, p. 251 – 260.
- Trubiano, P. C. 1986. *Succinate and Substituted Succinate Derivatives of Starch.* In : Whistler, R. L., Bemiller, J. N., Paschall, E. F. (Eds.). *Starch : Chemistry and Technology.* Academic Press, Orlando, FL, p .131 – 147.

- Truong, V., Bhandari, B. R., Howes, T. 2005. *Optimization of Co-Current Spray Drying Process for Sugar – Rich Foods, Part II – Optimization of Spray Drying Process Based on Glass Transition Concept*. Journal of Food Engineering, v. 71, p. 55 – 65.
- Tsotsas, E. 2012. *Influence of Drying Kinetics on Particle Formation : A Personal Perspective*. Drying Technology, v. 30, n. 11 – 12, p. 1167 – 1175.
- Turchiuli, C., et al. 2005. *Oil Encapsulation by Spray Drying and Fluidized Bed Agglomeration*. Innovative Food Science & Emerging Technologies, v. 6 n. 1, p. 29-35.
- Turchiuli, Christelle., Cuvelier, Marie-Elisabeth., Giampaoli, Pierre., Dumoulin, Elisabeth. 2013. *Aroma Encapsulation in Powder by Spray Drying, and Fluid Bed Agglomeration and Coating*. Advances in Food Process Engineering Research and Applications. Springer US.
- Tuchiuli, C. Lemarie, N., Cuvelier, M. E., Dumoulin, E. 2013. *Production of Fine Emulsions at Pilot Scale for Oil Compounds Encapsulation*. Journal of Food Engineering, v. 115, n. 4, p. 452-458.
- Van Aken, G. A. 2003. *Competitive Adsorption of Protein and Surfactants in Highly Concentrated Emulsions : Effect of Coalescence Mechanisms*. Colloids and Surfaces A : Physicochemical and Engineering Aspects, v. 213, p. 209 – 219.
- Vega, C., Kim, E.H.J., Chen. X.D., Roos. Y. H. 2005. *Solid-state Characterization of Spray-dried Ice Cream Mixes*. Colloids Surf B, v. 45, p. 66-75.
- Vega, C., Roos, Y. H. 2006. *Invited Review : Spray-dried Dairy and Dairy-like – Emulsions Compositional Considerations*. Journall of Dairy Science, v. 89, n. 2, p. 383 – 401.
- Venskutonis, P. R., Boceviciute, R. 2001. *Perception, Release, Evaluation, Formation, Acceptance, Nutrition / Health*. Proceedings of the 6th Wartburg

- Aroma Symposium, Eisenach, p. 67.
- Waghmare, J., Kausadikar, S., Gadhav, A. D. 2015. *Microencapsulation of Lemon Oil by Spray Drying and Its Application in Flavour Tea*. Pelagia Reserach Library, Advances in Applied Science Research, v. 6, n. 4, p. 69 – 78.
- Walton, D. E. 2000. *The Morphology of Spray-dried Particles, A Qualitative View*. Drying Technology, v. 18, p. 1943 – 1986.
- Wang, R., Tian, Z., Chen, L. 2011. *A Novel Process for Microencapsulation of Fish Oil with Barley Protein*. Food Research International, v. 44, p. 2735 – 2741.
- Wang, W., Zhou, W. 2012. *Characterization of Spray-dried Soy Sauce Powders Using Maltodextrins as Carrier*. Journal of Food Engineering, v. 109, p. 399 – 405.
- Wani, T. A., Masoodi, F.A., Wani, I. A. 2017. *The Possible Nomenclature of Encapsulated Products*. Food Chemistry, 234, 119-120.
- Werner, S. R. L., Edmonds, R. K., Jones, J. R., Bronlund, J. E., Paterson, A. H. J. 2008. *Single Droplet Drying : Transition from the Effective Diffusion Model to A Modified Receding Interface Model*. Powder Technology, v. 179, p. 184 – 189.
- Williams, P. A., Phillips, G. 2000. *Gum Arabic*. In G. O. Phillips, P. A. Williams (Eds). *Handbook of Hydrocolloids*, p. 155 – 168. Boca Raton : CRC Press.
- Yadav, V. R., Suresh, S., Devi, K., Yadav, S. 2009. *Effect of Cyclodextrin Complexation of Curcumin on Its Tingkat kelarutan and Antiangiogenic and Anti-inflammatory Activity in Rat Colitis Model*. AAPS PharmSciTech, v. 10, n. 3, p. 752 – 762.
- Yallapu, M. M., Jaggi, M., Chauhana, S. C. 2010. *B-Cyclodextrin-curcumin Self-assembly Enhances Curcumin Deliver in Prostate Cancer Cells*. Colloids and Surfaces B, v. 79, p. 113 – 125.

- Yu, S. C. Et al. 2011. *Characteristics of o/w Emulsions Containing Lipophilic Molecules with Cyclodextrins as Emulsifiers*. Stp Pharma Sciences, v. 11, n. 5, p. 385 – 391.
- You-Jin, J, Vasanthan, T., Temelli, F., Song, B. K. 2003. *The Suitability of Barley and Corn Starches in Their Native and Chemically Modified Forms for Volatile Meat Flavor Encapsulation*. Food Research International, v. 36, n.. 4, p. 349 – 355.
- Young, S., Sarda, X., Rosenberg, M. 1993. *Microencapsulating Properties of Whey Proteins : Combination of Whey Proteins with Carbohydrates*. Journal of Dairy Science, v. 76, n. 10, p. 2878 – 2885.
- Yousefi, S., Emam-Djomeh, Z., Mousavi, S.M. 2011. *Effect of Carrier Type and Spray Drying on The Physicochemical Properties of Powdered and Reconstituted Pomegranate Juice (Punica Granatum L.)*. Journal of Food Science and Technology, v. 48, n.6, p. 677-684.