

DAFTAR PUSTAKA

- Abreu, P. M., and Noronha, R. G. (1997). Volatile Constituents of the Rhizomes of *Aframomum albobviolaceum* (Ridley) K. Schum. from Guinea-Bissau. *Flavour and fragrance journal*, 12(2), 79-83.
- Andriani, D. (2016). Karakterisasi Ubi Jalar (*Ipomoea Batatas* L.) Dari Beberapa Varietas Di Kuningan, Jawa Barat. *Undergraduate theses*, Bogor Agricultural University (IPB).
- Antarlina, S. S. (2016). Identifikasi sifat fisik dan kimia buah-buahan lokal Kalimantan. *Buletin Plasma Nutfah*, 15(2), 80-90.
- Arn, H., and Acree, T. E. (1998). Flavornet: a database of aroma compounds based on odor potency in natural products. *Developments in Food Science*, 40, 27-28.
- Arnoldi, A., Arnoldi, C., Baldi, O., and Griffini, A. (1988). Flavor components in the Maillard reaction of different amino acids with fructose in cocoa butter-water. Qualitative and quantitative analysis of pyrazines. *Journal of agricultural and food chemistry*, 36(5), 988-992.
- Association of Official Analytical Chemist [AOAC]. (2005). Official Methods of Analysis (18 Edn). Association of Official Analytical Chemist Inc. Mayland. USA.
- Badan Pusat Statistik [BPS]. (2016). Luas Panen, Produktivitas, dan Produksi Ubi Jalar di Indonesia. *Badan Pusat Statistik. Jakarta*.
- Belgis, M. (2016). Profil Senyawa Volatil Dan Deskripsi Sensori Flavor Dari Beberapa Kultivar Durian (*Durio Zibethinus* Murr.) Dan Lai (*Durio Kutejensis* Hassk.) *Doctoral dissertation*, Bogor Agricultural University (IPB).
- Belitz, H. D., Grosch, W., and Schieberle, P. (2009). Aroma Compounds. *Food Chemistry*, 340-402.
- Binder, R. G., Benson, M. E., and Flath, R. A. (1990). Volatile components of safflower. *Journal of agricultural and food chemistry*, 38(5), 1245-1248.
- Blanda, G., Cerretani, L., Comandini, P., Toschi, T. G., and Lercker, G. (2010). Investigation of off-odour and off-flavour development in boiled potatoes. *Food chemistry*, 118(2), 283-290.

- Chambers IV, E., Sanchez, K., Phan, U. X., Miller, R., Civille, G. V., and Di Donfrancesco, B. (2016). Development of a “living” lexicon for descriptive sensory analysis of brewed coffee. *Journal of sensory studies*, 31(6), 465-480.
- Chan, C. F., Chiang, C. M., Lai, Y. C., Huang, C. L., Kao, S. C., and Liao, W. C. (2014). Changes in sugar composition during baking and their effects on sensory attributes of baked sweet potatoes. *Journal of food science and technology*, 51(12), 4072-4077.
- Choi, H. S. (2005). Characteristic odor components of kumquat (*Fortunella japonica* Swingle) peel oil. *Journal of agricultural and food chemistry*, 53(5), 1642-1647.
- Chu, F. L., and Yaylayan, V. A. (2008). Model studies on the oxygen-induced formation of benzaldehyde from phenylacetaldehyde using pyrolysis GC-MS and FTIR. *Journal of agricultural and food chemistry*, 56(22), 10697-10704.
- Damodaran, S., Parkin, K. L., dan Fennema O. R. (2008). *Fennema's food chemistry*. CRC press.
- Decker, E. A., and Ferruzzi, M. G. (2013). Innovations in food chemistry and processing to enhance the nutrient profile of the white potato in all forms. *Advances in Nutrition*, 4(3), 345S-350S.
- Delgado-Vargas, F., & Paredes-López, O. (2002). *Natural colorants for food and nutraceutical uses*. CRC press.
- Diop, A., and Calverley, D. J. B. (1998). Storage and Processing of Roots and Tubers in the Tropics. *Food and Agriculture Organization of the United Nations, Agro-industries and Post-Harvest Management Service, Agricultural Support Systems Division* [online] [http://www.fao.org/docrep/X5415E/x5415e01.htm#1.4.3_sweet_potato_\(ipomoea_batatas_l.\)](http://www.fao.org/docrep/X5415E/x5415e01.htm#1.4.3_sweet_potato_(ipomoea_batatas_l.)) diakses pada 16 Februari 2018.
- Duckham, S. C., Dodson, A. T., Bakker, J., and Ames, J. M. (2001). Volatile flavour components of baked potato flesh. A comparison of eleven potato cultivars. *Molecular Nutrition & Food Research*, 45(5), 317-323.

- Eiserich, J. P., Macku, C., and Shibamoto, T. (1992). Volatile antioxidants formed from an L-cysteine/D-glucose Maillard model system. *Journal of Agricultural and Food Chemistry*, 40(10), 1982-1988.
- Ginting, E., Yulifianti, R., and Jusuf, M. J. M. (2014). Ubijalar Sebagai Bahan Diversifikasi Pangan Lokal Sweet Potatoes as Ingredients of Local Food Diversification. *Jurnal Pangan*, 23(2), 194-207.
- Gonzalez-Rios, O., Suarez-Quiroz, M. L., Boulanger, R., Barel, M., Guyot, B., Guiraud, J. P., and Schorr-Galindo, S. (2007). Impact of “ecological” post-harvest processing on coffee aroma: II. Roasted coffee. *Journal of Food Composition and Analysis*, 20(3-4), 297-307.
- Ho, C. T., and Chen, Q. (1994). Lipids in food flavors: an overview. Pp 1-13.
- Kanasawud, P., and Crouzet, J. C. (1990). Mechanism of formation of volatile compounds by thermal degradation of carotenoids in aqueous medium. 1.. beta.-Carotene degradation. *Journal of Agricultural and Food Chemistry*, 38(1), 237-243.
- Karlsson, M. F., Birgersson, G., Cotes Prado, A. M., Bosa, F., Bengtsson, M., and Witzgall, P. (2009). Plant odor analysis of potato: response of Guatemalan moth to above-and belowground potato volatiles. *Journal of agricultural and food chemistry*, 57(13), 5903-5909.
- Kataoka, H., Lord, H. L., and Pawliszyn, J. (2000). Applications of solid-phase microextraction in food analysis. *Journal of chromatography A*, 880(1-2), 35-62.
- Katayama, K., Komae, K., Tamiya, S., Khoyama, K., Nakatani, M., and Komaki, K. (2006). Studies on the breeding for improving starch properties in sweet potato. *Japan Agricultural Research Quarterly: JARQ*, 40(2), 115-122.
- Kays, S. J., and Horvat, R. J. (1984). comparison of the volatile constituents and sugars of representative Asian, Central American, and North American sweet potatoes. In *Proceedings, Sixth Symposium of the International Society for Tropical Root Crops/hosted by CIP in Lima, Peru, 21-26 February 1983*. Lima, Peru: International Potato Center (CIP), 1984.

- Lai, Y. C., Huang, C. L., Chan, C. F., Lien, C. Y., and Liao, W. C. (2013). Studies of sugar composition and starch morphology of baked sweet potatoes (*Ipomoea batatas* (L.) Lam). *Journal of food science and technology*, 50(6), 1193-1199.
- Lee, K. G., and Shibamoto, T. (2000). Antioxidant properties of aroma compounds isolated from soybeans and mung beans. *Journal of Agricultural and Food Chemistry*, 48(9), 4290-4293.
- Lee, K. G., Lee, S. E., Takeoka, G. R., Kim, J. H., & Park, B. S. (2005). Antioxidant activity and characterization of volatile constituents of beechwood creosote. *Journal of the Science of Food and Agriculture*, 85(9), 1580-1586.
- Leighton, C. S., Schönfeldt, H. C., & Kruger, R. (2010). Quantitative descriptive sensory analysis of five different cultivars of sweet potato to determine sensory and textural profiles. *Journal of Sensory Studies*, 25(1), 2-18.
- Li, C. U. I., Liu, C. Q., and Li, D. J. (2010). Changes in volatile compounds of sweet potato tips during fermentation. *Agricultural Sciences in China*, 9(11), 1689-1695.
- Liu, X. S., Liu, J. B., Yang, Z. M., Song, H. L., Liu, Y., and Zou, T. T. (2014). Aroma-active compounds in jinhua ham produced with different fermentation periods. *Molecules*, 19(11), 19097-19113.
- Mahmudatussa'adah, A. (2014). Komposisi kimia ubi jalar (*Ipomoea batatas* L) cilembu pada berbagai waktu simpan sebagai bahan baku gula cair (*Chemical composition of cilembu sweet potato (Ipomoea batatas L) at various storage time as raw material of liquid sugar*). *Jurnal Pangan*, 23(1), 53-64.
- Mahmudatussa'adaha, A., Fardiazb, D., Andarwulanc, N., and Kusnandard, F. (2015). Sensory profile of baked purple sweet potato cultivated from three different locations. *International Journal of Sciences: Basic and Applied Research*, 20(2), 87-96.
- Majcher, M., and Jeleń, H. H. (2009). Comparison of suitability of SPME, SAFE and SDE methods for isolation of flavor compounds from extruded potato snacks. *Journal of Food Composition and Analysis*, 22(6), 606-612.

- Nakamura, A., Ono, T., Yagi, N., and Miyazawa, M. (2013). Volatile compounds with characteristic aroma of boiled sweet potato (*Ipomoea batatas* L. cv Ayamurasaki, I. *batatas* L. cv Beniazuma and I. *batatas* L. cv Simon 1). *Journal of Essential Oil Research*, 25(6), 497-505.
- Niponsak, A., Laohakunjit, N., and Kerdchoechuen, O. (2011). Changes of volatile compounds and physicochemical qualities of segar cut pomelo during storage. *Warasan Witthayasat Kaset*.
- Nursten, H. E. (1980). Recent developments in studies of the Maillard reaction. *Food Chemistry*, 6(3), 263-277.
- Onggo, T.M., 2006. Perubahan Komposisi Pati dan Gula Dua Jenis Ubi Jalar “Cilembu” Selama Penyimpanan. *Jurnal Bionatura*, 8 (2), 161-170.
- Oruna-Concha, M. J., Bakker, J., and Ames, J. M. (2002). Comparison of the volatile components of two cultivars of potato cooked by boiling, conventional baking and microwave baking. *Journal of the Science of Food and Agriculture*, 82(9), 1080-1087.
- Osorio, C., Alarcon, M., Moreno, C., Bonilla, A., Barrios, J., Garzon, C., and Duque, C. (2006). Characterization of odor-active volatiles in Champa (*Campomanesia lineatifolia* R. & P.). *Journal of agricultural and food chemistry*, 54(2), 509-516.
- Pelley, J. W. (2012). *Elsevier's Integrated Review Biochemistry*. Elsevier Health Sciences.
- Pozo-Bayón, M. A., Ruíz-Rodríguez, A., Pernin, K., and Cayot, N. (2007). Influence of eggs on the aroma composition of a sponge cake and on the aroma release in model studies on flavored sponge cakes. *Journal of agricultural and food chemistry*, 55(4), 1418-1426.
- Purcell, A. E., Later, D. W., and Lee, M. L. (1980). Analysis of the volatile constituents of baked, "Jewel" sweet potatoes. *Journal of Agricultural and Food Chemistry*, 28(5), 939-941.
- Radovic, B. S., Careri, M., Mangia, A., Musci, M., Gerboles, M., & Anklam, E. (2001). Contribution of dynamic headspace GC–MS analysis of aroma compounds to authenticity testing of honey. *Food Chemistry*, 72(4), 511-520.

- Rahman, M. S. (Ed.). (2007). *Handbook of food preservation*. CRC press.
- Ramasawmy, G., Oburdhun, D., and Ruggoo, A. (1999). Effects of different preparation technologies on proximate composition and calorie content of potato products. *Sci. & Tech. Research J*, 4, 1999.
- Reineccius, G. (1994). *Source book of flavors*. Springer Science & Business Media.
- Reineccius, G. (2006). *Flavor chemistry and technology*. CRC press.
- Salunkhe, D. K., Do, J. Y., and Maga, J. A. (1976). Biogenesis of aroma constituents of fruits and vegetables. *Critical Reviews in Food Science & Nutrition*, 8(2), 161-190.
- Sampaio, K. L., Garruti, D. S., Franco, M. R. B., Janzanti, N. S., and Da Silva, M. A. A. (2011). Aroma volatiles recovered in the water phase of cashew apple (*Anacardium occidentale* L.) juice during concentration. *Journal of the Science of Food and Agriculture*, 91(10), 1801-1809.
- Sanches-Silva, A., Lopez-Hernández, J., and Paseiro-Losada, P. (2005). Profiling flavor compounds of potato crisps during storage using solid-phase microextraction. *Journal of Chromatography A*, 1064(2), 239-245.
- Seck, S., and Crouzet, J. (1981). Formation of Volatile Compounds in Sugar-Phenylalanine and Ascorbic Acid-Phenylalanine Model Systems during Heat Treatment. *Journal of Food Science*, 46(3), 790-793.
- Sekiwa, Y., Kubota, K., and Kobayashi, A. (1997). Characteristic flavor components in the brew of cooked clam (*Meretrix lusoria*) and the effect of storage on flavor formation. *Journal of agricultural and food chemistry*, 45(3), 826-830.
- Shimoda, M., and Shibamoto, T. (1990). Isolation and identification of headspace volatiles from brewed coffee with an on-column GC/MS method. *Journal of Agricultural and Food Chemistry*, 38(3), 802-804.
- Shiratsuchi, H., Shimoda, M., Minegishi, Y., and Osajima, Y. (1993). Isolation and identification of volatile flavor compounds in nonfermented coarse-cut sausage. Flavor as a quality factor of nonfermented sausage. 1. *Journal of agricultural and food chemistry*, 41(4), 647-652.

- Solihin, M. A., Sitorus, S. R. P., Sutandi, A., and Widiatmaka, W. (2017). Karakteristik Lahan dan Kualitas Kemanisan Ubi Jalar Cilembu. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 7(3), 251.
- Solihin, M. A., Sitorus, S. R., and Sutandi, A. (2016). Biophysic Factors Related to a Local Famous Sweet Potato Variety (*Ipomoea batatas* L.) Production: A Study Based on Local Knowledge and Field Data in Indonesia.
- Soria, A. C., González, M., De Lorenzo, C., Martinez-Castro, I., and Sanz, J. (2004). Characterization of artisanal honeys from Madrid (Central Spain) on the basis of their melissopalynological, physicochemical and volatile composition data. *Food Chemistry*, 85(1), 121-130.
- Standar Nasional Indonesia[SNI]. (1992). SNI 01-2891-1992. *Cara Uji Makanan dan Minuman*, 4-16.
- Standar Nasional Indonesia[SNI]. (1998). SNI 01-4493-1998. *Ubi jalar*, 1-8.
- Sumitani, H., Suekane, S., Nakatani, A., and Tatsuka, K. (1994). Changes in composition of volatile compounds in high pressure treated peach. *Journal of Agricultural and Food Chemistry*, 42(3), 785-790.
- Sun, J. B., Severson, R. F., and Kays, S. J. (1993). Quantitative technique for measuring volatile components of baked sweetpotatoes. *HortScience*, 28(11), 1110-1113.
- Sun, J. B., Severson, R. F., Schlotzhauer, W. S., and Kays, S. J. (1995). Identifying Critical Volatiles in the Flavor of Baked Jewel Sweetpotatoes [*Ipomoea batatas* (L.) Lam.]. *Journal of the American society for horticultural science*, 120(3), 468-474.
- Tamura, H., Boonbumrung, S., Yoshizawa, T., and Varanyanond, W. (2000). Volatile components of the essential oils in the pulp of four yellow mangoes (*Mangifera indica* L.) in Thailand. *Food science and technology research*, 6(1), 68-73.
- The FAO Statistical Database [FAOSTAT]. (2017). Top production crops. [Online] <http://www.fao.org/faostat/en/#data/QC> diakses pada 4 Maret 2018.

- The Good Scents Company. (2018). Flavor, Fragrance, Food and Cosmetics Ingredients information. Retrieved July 12, 2018, from <http://www.thegoodscentscompany.com/index.html>
- Tiu, C. S., Purcell, A. E., and Collins, W. W. (1985). Contribution of some volatile compounds to sweet potato aroma. *Journal of Agricultural and Food Chemistry*, 33(2), 223-226.
- Umano, K., Hagi, Y., Nakahara, K., Shyoji, A., and Shibamoto, T. (1995). Volatile chemicals formed in the headspace of a heated D-glucose/L-cysteine Maillard model system. *Journal of Agricultural and Food Chemistry*, 43(8), 2212-2218.
- Valim, M. F., Rouseff, R. L., and Lin, J. (2003). Gas Chromatographic–Olfactometric Characterization of Aroma Compounds in Two Types of Cashew Apple Nectar. *Journal of Agricultural and Food Chemistry*, 51(4), 1010-1015.
- Villière, A., Le Roy, S., Fillonneau, C., Guillet, F., Falquerho, H., Boussey, S., and Prost, C. (2015). Evaluation of aroma profile differences between sué, sautéed, and pan-fried onions using an innovative olfactometric approach. *Flavour*, 4(1), 24.
- Wang, Y., and Kays, S. J. (2000). Contribution of Volatile Compounds to the Characteristic Aroma of Baked 'Jewel' Sweetpotatoes. *Journal of the American Society for Horticultural Science*, 125(5), 638-643.
- Whitfield, F. B., and Mottram, D. S. (1992). Volatiles from interactions of Maillard reactions and lipids. *Critical Reviews in Food Science & Nutrition*, 31(1-2), 1-58.
- Wolski, T., Tambor, K., Rybak-Chmielewska, H., and Kedzia, B. (2006). Identification of honey volatile components by solid phase microextraction (SPME) and gas chromatography/mass spectrometry (GC/MS). *Journal of Apicultural Science*, 50(2), 115-126.
- Wu, Y., Huang, M., and Gallichand, J. (2011). Transpirational response to water availability for winter wheat as affected by soil textures. *Agricultural water management*, 98(4), 569-576.

- Zeng, Z., Xie, R., Zhang, T., Zhang, H., and Chen, J. Y. (2011). Analysis of volatile compositions of *Magnolia biondii* Pamp by steam distillation and headspace solid phase micro-extraction. *Journal of oleo science*, 60(12), 591-596.
- Zhu, G., Xiao, Z., Zhou, R., and Lei, D. (2015). Preparation and simulation of a taro flavor. *Chinese Journal of Chemical Engineering*, 23(10), 1733-1735.
- Zuraida, N. (2009). Status Ubi Jalar sebagai Bahan Diversifikasi Pangan Sumber Karbohidrat. *Iptek Tanaman Pangan*, 4(1).