

DAFTAR PUSTAKA

- AOAC. (2005). Official methods of analysis. 18 th edn. USA: Association of Official Analytical Chemists.
- Astawan, M., dan Febrinda, A. E. (2016). Potensi dedak dan bekatul beras sebagai ingredient pangan dan produk pangan fungsional. *Jurnal Pangan*, 19(1), 14-21.
- Badan Pusat Statistik (BPS). (2016). Produksi padi menurut provinsi (ton), 1993-2015. <http://www.bps.go.id/index.php>. (Diakses pada 25 Januari 2018).
- Bhanja, T., Rout, S., Banerjee, R., and Bhattacharyya, B. C. (2008). Studies on the performance of a new bioreactor for improving antioxidant potential of rice. *Lebensm Wiss Technology-Food Science and Technology*, 41(8), 1459-1465.
- Bhargav, S., Panda, B. P., Ali, M., and Javed, S. (2008). Solid-state fermentation: an overview. *Chemical and Biochemical Engineering Quarterly*, 22(1), 49-70.
- Bobo-Garcia, G., Daidov-Pardo, G., Arroqui, C., Virseda, P., Marin-Arroyo, M.R., and Navarro, M. (2015). Intra-laboratory validation of microplate methods for total phenolic content and antioxidant activity on polyphenolic extracts, and comparison with conventional spectrophotometric methods. *Journal Science Food Agriculture*, 95(1): 204-209.
- Boeing, J. S., Barizão, É. O., e Silva, B. C., Montanher, P. F., de Cinque Almeida, V., and Visentainer, J. V. (2014). Evaluation of solvent effect on the extraction of phenolic compounds and antioxidant capacities from the berries: application of principal component analysis. *Chemistry Central Journal*, 8(1), 48.
- Cicero, A. F. G., and Gaddi, A. (2001). Rice bran oil and γ -oryzanol in the treatment of hyperlipoproteinaemias and other conditions. *Phytotherapy Research*, 15(4), 277-289.
- Cortés, R. M., Chiralt, B. A., and Suarez, M. H. (2009). Influence of storage conditions on freeze-dried apple fortified with vitamin E. *Vitae*, 16(1), 31-41.
- Dey, T. B., and Kuhad, R. C. (2014). Enhanced production and extraction of phenolic compounds from wheat by solid-state fermentation with *Rhizopus oryzae* RCK2012. *Biotechnology Reports*, 4, 120-127.
- Gul, K., Yousuf, B., Singh, A. K., Singh, P., and Wani, A. A. (2015). Rice bran: nutritional values and its emerging potential for development of functional food—A review. *Bioactive Carbohydrates and Dietary Fibre*, 6(1), 24-30.
- Hur, S. J., Lee, S. Y., Kim, Y. C., Choi, I., and Kim, G. B. (2014). Effect of fermentation on the antioxidant activity in plant-based foods. *Food Chemistry*, 160, 346-356.
- Kementerian Pertanian (Kementan). (2017). Produksi padi menurut provinsi 2013-2017. <http://www.pertanian.go.id>. (Diakses pada 3 Februari 2018).

- Kristamtini, T., Basunanda, P., Murti, dan Rudi, H. (2014). Keragaman genetik dan korelasi parameter warna beras dan kandungan antosianin total sebelas kultivar padi beras hitam lokal. *Ilmu Pertanian*, 17(1), 57-70.
- Kumalaningsih, Sri. (2007). *Antioksidan Alami*. Surabaya: Tribus Agrisarana.
- Lee, I. H., Hung, Y. H., and Chou, C. C. (2008). Solid-state fermentation with fungi to enhance the antioxidative activity, total phenolic and anthocyanin contents of black bean. *International Journal of Food Microbiology*, 121(2), 150-156.
- Li, H. B., Wong, C. C., Cheng, K. W., & Chen, F. (2008). Antioxidant properties in vitro and total phenolic contents in methanol extracts from medicinal plants. *LWT-Food Science and Technology*, 41(3), 385-390.
- Manan, M. A., and Webb, C. (2017). Design aspects of solid state fermentation as applied to microbial bioprocessing. *Journal Application Biotechnology Bioengineering*, 4(1), 00091.
- Martins, S., Mussatto, S. I., Martínez-Avila, G., Montañez-Saenz, J., Aguilar, C. N., and Teixeira, J. A. (2011). Bioactive phenolic compounds: production and extraction by solid-state fermentation. A review. *Biotechnology Advances*, 29(3), 365-373.
- Moure, A., Cruz, J.M., Franco, D., Manuel Domínguez, J., Sineiro, J., Domínguez H., José Núñezb, M., and Carlos Parajó, J. (2001). Natural antioxidants from residual sources. *Journal Food Chemistry*, 72, 145–171.
- Oliveira, M. D. S., Feddern, V., Kupski, L., Cipolatti, E. P., Badiale-Furlong, E., and de Souza-Soares, L. A. (2010). Physico-chemical characterization of fermented rice bran biomass-Caracterización fisico-química de la biomasa del salvado de arroz fermentado. *CyTA-Journal of Food*, 8(3), 229-236.
- Oliveira, M. D. S., Feddern, V., Kupski, L., Cipolatti, E. P., Badiale-Furlong, E., and de Souza-Soares, L. A. (2011). Changes in lipid, fatty acids and phospholipids composition of whole rice bran after solid-state fungal fermentation. *Bioresource Technology*, 102(17), 8335-8338.
- Oliveira, M. D. S., Cipolatti, E. P., Furlong, E. B., and Soares, L. D. S. (2012). Phenolic compounds and antioxidant activity in fermented rice (*Oryza sativa*) bran. *Food Science and Technology*, 32(3), 531-537.
- Razak, D. L. A., Rashid, N. Y. A., Jamaluddin, A., Sharifudin, S. A., and Long, K. (2015). Enhancement of phenolic acid content and antioxidant activity of rice bran fermented with Rhizopus oligosporus and Monascus purpureus. *Biocatalysis and Agricultural Biotechnology*, 4(1), 33-38.
- Razak, D. L. A., Rashid, N. Y. A., Jamaluddin, A., Sharifudin, S. A., Kahar, A. A., and Long, K. (2017). Cosmeceutical potentials and bioactive compounds of rice bran fermented with single and mix culture of *Aspergillus oryzae* and *Rhizopus oryzae*. *Journal of the Saudi Society of Agricultural Sciences*, 16(2), 127-134.
- Sánchez, C. (2009). Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnology advances*, 27(2), 185-194.

- Singhania, R. R., Patel, A. K., Soccol, C. R., and Pandey, A. (2009). Recent advances in solid-state fermentation. *Biochemical Engineering Journal*, 44(1), 13-18.
- Schmidt, C. G., Gonçalves, L. M., Prietto, L., Hackbart, H. S., and Furlong, E. B. (2014). Antioxidant activity and enzyme inhibition of phenolic acids from fermented rice bran with fungus *Rizhopus oryzae*. *Food chemistry*, 146, 371-377.
- Shofian, N. M., Hamid, A. A., Osman, A., Saari, N., Anwar, F., Pak Dek, M. S., and Hairuddin, M. R. (2011). Effect of freeze-drying on the antioxidant compounds and antioxidant activity of selected tropical fruits. *International Journal of Molecular Sciences*, 12(7), 4678-4692.
- Sukma, A., Jos, B., & Sumardiono, S. (2018). Kinetic of Biomass Growth and Protein Formation on Rice Bran Fermentation Using *Rhizopus oryzae*. In *MATEC Web of Conferences* (Vol. 156, p. 01023). EDP Sciences.
- Ti, H., Zhang, R., Zhang, M., Wei, Z., Chi, J., Deng, Y., and Zhang, Y. (2015). Effect of extrusion on phytochemical profiles in milled fractions of black rice. *Food chemistry*, 178, 186-194.
- Vattem, D. A., and Shetty, K. (2002). Solid-state production of phenolic antioxidants from cranberry pomace by *Rhizopus oligosporus*. *Food Biotechnology*, 16(3), 189-210.
- Vu, V. H., Pham, T. A., and Kim, K. (2011). Improvement of fungal cellulase production by mutation and optimization of solid state fermentation. *Mycobiology*, 39(1), 20-25.
- Yazid, N. A., Barrena, R., Komilis, D., and Sánchez, A. (2017). Solid-state fermentation as a novel paradigm for organic waste valorization: a review. *Sustainability*, 9(2), 224.
- Zhang, M. W., Zhang, R. F., Zhang, F. X., and Liu, R. H. (2010). Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties. *Journal of agricultural and food chemistry*, 58(13), 7580-7587.