

**DAFTAR PUSTAKA**

- Adkison, L. R. (2012). Genetics of Metabolic Disorders. Elsevier's Integrated Review Genetics (Second Edition).
- Alauddin, M., Shirakawa, H., Koseki, T., Kijima, N., Ardiansyah, Budijanto, S., . . . Komai, M. (2016). Fermented rice bran supplementation mitigates metabolic syndrome in strokeprone spontaneously hypertensive rats. *BMC Complementary and Alternative Medicine*, 16(442), 1-11.
- Ali, S. (2018). Fungal biotransformation of synthetic levodopa to stable dopamine, Fungal biotransformation of synthetic levodopa to stable. *3 Biotech*, 8(8), 370.
- Ammar, H. A., Ezzat, S. M., & Houseny, A. M. (2017). Improved production of kojic acid by mutagenesis of *Aspergillus flavus* HAk1 and *Aspergillus oryzae* HAk2 and their potential antioxidant activity. *3 Biotech*, 7(5), 276.
- Antonisamy, P., Arasu, M. V., Dhanasekaran, M., Choi, K. C., Aravinthan, A., Kim, N. S., . . . Kim, J.-H. (2015). Protective effects of trigonelline against indomethacin-induced gastric ulcer in rats and potential underlying mechanisms. *Food and Function*, 7(1), 398-408.
- Ardiansyah, shirakawa, h., shimeno, t., koseki, t., shiono, y., murayama, t., . . . komai, m. (2009). Adenosine, an Identified Active Component from the Driselase-Treated Fraction of Rice Bran, Is Effective at Improving Metabolic Syndrome in Stroke-Prone Spontaneously Hypertensive Rats. *Journal of Agriculture and Food Chemistry*, 57, 2558–2564.
- Arlt, A., Sebens, S., Krebs, S., Geismann, C., Grossmann, M., Kruse, M.-L., . . . Schafer, H. (2012). Inhibition of the Nrf2 transcription factor by the alkaloid trigonelline renders pancreatic cancer cells more susceptible to apoptosis through decreased proteasomal gene expression and proteasome activity. *Oncogene*, 1-11.
- Ashihara, H. (2006). Metabolism of alkaloids in coffee plants. *Brazilian Journal of Plant Physiology*, 18(1), 1-8.

- Bandeira-Melo, C., Hall, J. C., Penrose, J. F., & F.Weller, P. (2002). Cysteinyl leukotrienes induce IL-4 release from cord blood-derived human eosinophils. *The Journal of Allergy and Clinical Immunology*, 109(6), 975-979.
- Banerjee, S., & Mazumdar, S. (2012). Electrospray Ionization Mass Spectrometry: A Technique to Access the Information beyond the Molecular Weight of the Analyte. *International Journal of Analytical Chemistry*, 1-40.
- Bawazeer, N. A., Choudary, H., Zamzami, M. A., Abdulaal, W. H., Zeyadi, M., ALbukhari, A., . . . Moselhy, S. S. (2016). Possible Regulation of LDL-Receptor by Naringenin in Hepg2 Hepatoma Cell Line. *African Journal of Traditional, Complementary and Alternative Medicines*, 14(1), 278-287.
- Baytas, S. N., Inceler, N., Orhan, D. D., & Ozkan, S. (2011). Synthesis, Characterization and Antioxidant and Antimicrobial Properties of New Ester and Amide Derivatives of Indole-2-Carboxylic Acid. *Fabad Journal of Pharmaceutical Sciences*, 36, 53-61.
- Belenky, P., Bogan, K. L., & Brenner, C. (2006). NAD<sup>+</sup> metabolism in health and disease. *Biochemical sciences*, 32(1), 12-19.
- Belgis, M. (2016). Profil Komponen Volatil Dan Deskripsi Sensori Flavor Dari Beberapa Kultivar Durian (Durio zibethinus Murr.) Dan Lai (Durio kutejensis Hassk.) . *Disertasi, Program Studi Ilmu Pangan, Sekolah Pascasarjana, Institut Pertanian Bogor*, 1-119.
- Bhagavan, N. (2015). Protein and Amino Acid Metabolism. In N. V. Bhagavan, & C.-E. Ha, *Essentials of Medical Biochemistry* (pp. 227-268).
- Bhanja, T., Kumari, A., & Banerjee, R. (2009). Enrichment of phenolics and free radical scavenging property of wheat koji prepared with two filamentous fungi. *Bioresource Technology*, 100(11), 2861-2866.
- Bhatnagar, A., Prabhakar, D., Kumar, P. P., Rajan, R. R., & Krishan, A. (2014). Processing of commercial rice bran for the production of fat and nutraceutical rich rice brokens, rice germ and pure bran. *LWT-Food Science and Technology*, 1-6.
- Bhosale, S., & D.Vijayalakshm. (2015). Processing and Nutritional Composition of Rice Bran. *Nutrition and Food Science*, 3(1), 74-80.

- Boue, S. M., Daigle, K. W., Chen, M.-H., Cao, H., & Heiman§, M. L. (2016). Antidiabetic Potential of Purple and Red Rice (*Oryza sativa* L.) Bran Extracts. *Journal of Agricultural and Food Chemistry*, 64, 5345-5353.
- Boylan, L. M., Hart, S., Porter, K. B., & Driskell, J. A. (2002). Vitamin B-6 Content of Breast Milk and Neonatal Behavioral Functioning. *Journal of The American Dietetic Association*, 102(10), 1433-1438.
- BPS. (2019, Oktober 24). *Luas Panen dan Produksi Padi di Indonesia 2019*. Jakarta, indonesia: Badan Pusat Statistik. Retrieved from Badan Pusat Statistik.
- Brandt, S. L., & Serezan, C. H. (2017). Too much of a good thing: How modulating LTB4 actions restore host defense in homeostasis or disease. *Semin Immunol*, 33, 37-43.
- Burdock, G. A., Soni, M. G., & Carabin, I. G. (2001). Evaluation of Health Aspects of Kojic Acid in Food. *Regulatory Toxicology and Pharmacology*, 33, 80-101.
- Byers, D. M., & Gong, H. (2007). Acyl carrier protein (ACP) is a universal and highly conserved carrier of acyl intermediates during fatty acid synthesis. *Biochemistry and cell biology*, 85(6), 649-662.
- Cantabrana, I., Perise, R., & Hernández, I. (2015). Uses of Rhizopus oryzae in the kitchen. *Internationa Journal of Gastronomy and Food Science*, 103-111.
- Cantó, C., Gerhart-Hines, Z., Feige, J. N., Lagouge, M., Noriega, L., Milne, J. C., . . . Auwerx, J. (2009). AMPK regulates energy expenditure by modulating NAD<sup>+</sup> metabolism and SIRT1 activity. *Nature*, 1056-1060.
- Chang, E. Y.-C., Chang, Y.-C., Shun, C.-T., Tien, Y.-W., Tsai, S. H., Hee, S.-W., . . . Chuang, L.-M. (2016). Inhibition of Prostaglandin Reductase 2, a Putative Oncogene Overexpressed in Human Pancreatic Adenocarcinoma,Induces Oxidative Stress-Mediated Cell Death Involving xCT and CTH Gene Expressions through 15-Keto-PGE2. *PloS one*, 11(1).
- Chen, C. D., Wan-Norafikah, O., Lau, K. W., Lee, H. L., Heo, C. C., Leong, C. S., & Sofian-Azirun, M. (2017). Laboratory Study on the Repellent Bioefficacy of Diethyl Phenyl Acetamide (DEPA) against Aedes (*Stegomyia*) aegypti (*Linnaeus*). *Journal of Mosquito Research*, 7(2), 9-14.

- Chen, S., Ding, Y., Tao, W., Zhang, W., Liang, T., & Liu, C. (2012). Naringenin inhibits TNF- $\alpha$  induced VSMC poliferation and migration via induction of HO-1. *Food and Chemical Toxicology*, 50, 3025-3031.
- Cheng, J., Choi, B.-K., Yang, S. H., & Suh, J.-W. (2016). Effect of Fermentation on the Antioxidant Activity of Rice Bran by Monascus pilosus KCCM60084. *Applied Biological Chemistry*, 59(1), 57-62.
- Choi, J. S., Jung, M. J., Park, H. J., Chung, H. Y., & Kang, S. S. (2002). Further Isolation of Peroxynitrite and 1,1-Diphenyl-2-picrylhydrazyl Radical Scavenging Isohamnetin 7-O-glucoside from the Leaves of Brassica juncea L. *Achieves of Pharmaceutical Research*, 25(5), 625-627.
- Coskun, O. (2016). Separation techniques: Chromatography. *North Clin Istanbul*, 3(2), 156–60.
- Costa, J. A., Treichel, H., Kumar, V., & Pandey, A. (2018). Advances in Solid-State Fermentation. In A. Pandey, C. Larroche, & C. R. Soccol (Eds.), *Current Developments in Biotechnology and Bioengineering* (pp. 1-17). Elsevier.
- Costa, J. P., Rodrigues, A. P., Farias, L. H., Fradea, P. C., Silva, B. J., Nascimento, J. L., & Silva, E. O. (2018). Biological effects of kojic acid on human monocytes in vitro. *Biomedicine & Pharmacotherapy*, 101, 100-106.
- Dahlén, S.-E. (2006). Treatment of asthma with antileukotrienes: First line or last resort therapy? *European Journal of Pharmacology*, 533(1-3), 40-56.
- Denardi-Souzaa, T., Massaroloa, K. C., Tralamazzab, S. M., & Badiale-Furlonga, E. (2018). Monitoring of fungal biomass changed by Rhizopus oryzae in relation to amino acid and essential fatty acids profile in soybean meal, wheat and rice. *Journal of Food*, 16(1), 156-164.
- Edwards, R. L., Lyon, T., Litwin, S. E., Rabovsky, A., Symons, J. D., & Jalili, T. (2007). Quercetin Reduces Blood Pressure in Hypertensive Subjects. *The Journal of Nutrition* *Nutrition and Disease*, 2405-2411.
- Ene, I. V., Brunke, S., Brown, A. J., & Hube, B. (2014). Metabolism in Fungal Pathogenesis. *Cold Spring Harbor perspectives in medicine*, 4(12).

- Epstein, S., Castillon, G. A., Qin, Y., & Riezman, H. (2012). An essential function of sphingolipids in yeast cell division. *Molecular Microbiology*, 84(6), 1018–1032.
- Evans, A., Bridgewater, B., Liu, Q., Mitchell, M., Robinson, R., Dai, H., . . . Miller, L. (2014). High Resolution Mass Spectrometry Improves Data Quantity and Quality as Compared to Unit Mass Resolution Mass Spectrometry in HighThroughput Profiling Metabolomics. *Metabolomics*, 4(2), 1-7.
- Fahanik-Babaei, J., Baluchnejadmojarad, T., Nikbakht, F., & Roghani, M. (2018). Trigonelline protects hippocampus against intracerebral A $\beta$ (1–40) as a model of Alzheimer’s disease in the rat: insights into underlying mechanisms. *Metabolic Brain Disease*, 34(1), 191-201.
- FAO. (2020, July 6). *Crops production*. Retrieved from Food And Agricultural Organization of United States: <http://www.fao.org/faostat/en/#data/QC/visualize>
- Fauziyah, S. (2016). Peningkatan Total Fenolik dan Aktivitas Antioksidan Bekatul Fermentasi Dari Varietas Padi Inpari 6, Inpari 30 dan Inpara 1 Menggunakan R.oligosporus. *Tugas Akhir, Program Studi ilmu dan Teknologi Pangan, Fakultas Teknik dan Ilmu Komputer, Universitas Bakrie*, 1-34.
- Frabasile, S., Koishi, A. C., Kuczera, D., Silveira, G. F., Jr., W. A., Santos, C. N., & Bordignon, J. (2017). The citrus flavanone naringenin impairs dengue virus replication in human cells. *Scientific Reports*, 7, 41864.
- Gaki, B., Hao, J., Bont, L. d., Petriacq, P., Nunes-Nesi, A., & Fernie, A. R. (2018). NAD Biosynthesis and Signaling in Plants. *Critical Reviews in Plant Sciences*, 37(4), 259–307.
- Ghatak, S. B., & Panchal, S. S. (2012). Anti-diabetic activity of oryzanol and its relationship with the antioxidant property. *International Journal of Diabetes in Developing Countries*, 185-192.
- Goldberg, I., & Rokem, J. S. (2009). Organic and Fatty Acid Production, Microbial. In M. Schaechter (Ed.), *Encyclopedia of Microbiology* (3 ed., pp. 422-442). Academic Press.

- Gueron, G., Anselmino, N., Chiarella, P., Ortiz, E. G., Vickers, S. fi., Paez, A. V., . . . Vazquez, E. (2018). Game-changing restraint of Ros-damaged phenylalanine, upon tumor metastasis. *Cell Death & Disease*, 9(2).
- Gusdinar, T., Herowati, R., Kartasasmita, R., & Adnyana, I. (2011). Anti-inflammatory and Antioxidant Activity of Quercetin-3, 3', 4'-Triacetate. *Journal of Pharmacology and*, 6(2), 182-188.
- Hamoud, S., Kaplan, M., Meilin, E., Hassan, A., Torgovicky, R., Cohen, R., & Hayek, T. (2013). Niacin Administration Significantly Reduces Oxidative Stress in Patients With Hypercholesterolemia and Low Levels of High-Density Lipoprotein Cholesterol. *The American Journal of the Medical Science*, 345(3), 195-199.
- Harzevili, F. D., & Chen, H. (2017). *Microbial Biotechnology : Progress and Trends*. CRC Press.
- Haustein, K.-o. (1999). Pharmacokinetic and Pharmacodynamic Properties of Oral Anticoagulants, Especially Phenprocoumon. *Seminars in thrombosis and hemostasis*, 25(1), 5-12.
- Hegde, S., Kavita, S., Varadaraj, M., & Muralikrishma, G. (2006). Degradation of cereal bran polysaccharide-phenolic acid complexes by Aspergillus niger CFR 1105. *Food Chemistry*, 96(1), 14-19.
- Henderson, A. J., Ollila, C. A., Kumar, A., Borresen, E. C., Raina, K., Agarwal, R., & Ryan, E. P. (2012). Chemopreventive Properties of Dietary Rice Bran: Current Status and Future Prospects. *Advances in Nutrition*, 3, 643-653.
- Herrero-Martín, G., HøyerHansen, M., 'a-Garcı, C. G., Fumarola, C., Farkas, T., 'pez-Rivas, A. L., & Jaattela, M. (2009). TAK1 activates AMPK-dependent cytoprotective autophagy in TRAIL-treated epithelial cells. *The EMBO Journal*, 28, 675-685.
- Hogan, K. L., Leiske, D., & Salisbury, C. M. (2017). Characterization of N-Acetyl-Tryptophan Degradation in Protein Therapeutic Formulations. *Journal of Pharmaceutical Sciences*, 106(17), 3499-3506.
- Huang, L., Su, T., & Li, X. (2013). Natural Products as Sources of New Lead Compounds for the Treatment of Alzheimer's Disease. *Current Topics in Medicinal Chemistry*, 13(15), 1864 - 1878.

- Huang, R.-Y., Yu, Y.-L., Cheng, W.-C., OuYang, C.-N., Fu, E., & Chu, C.-L. (2010). Immunosuppressive Effect of Quercetin on Dendritic Cell Activation and Function. *The Journal of Immunology*, 184, 6815-6821.
- Huang, Z.-L., Urade, Y., & Hayaishi, O. (2011). The Role of Adenosine in the Regulation of Sleep. *Current Topics in Medicinal Chemistry*, 11, 1047-1057.
- Ismail, L., Osman, R., & Saim, N. (2013). Tandem solid phase extraction for the determination of pharmaceuticals in wastewater. *The Malaysian Journal of Analytical Science*, 17(12), 262-271.
- Ito, M., Shimura, H., Watanabe, N., Tamai, M., Takahashi, A., Tanaka, Y., . . . Hanada, K. (1991). 2-Acetylpyrrole, a Hepatoprotective Compound from Streptomyces sp. A-5071. *Agricultural and Biological Chemistry*, 55(8), 2117-2121.
- Junne, S., Klingner, A., Itzeck, D., Brand, E., & Neubauer, P. (2012). Consistency of Scale - Up from Bioprocess Development to Production. In G. Subramanian (Ed.), *Biopharmaceutical Production Technology*. Wiley-VCH Verlag GmbH & Co.
- Kanaoka, Y., & Austen, K. F. (2019). Chapter Three- Roles of cysteinyl leukotrienes and their receptors in immune cell-related functions. In *Advances in immunology* (Vol. 142, pp. 65-84).
- Kang, M.-S., irai, S., Goto, T., Kuroyanagi, K., & Kawada, J.-Y. L. (2008). Dehydroabietic acid, a phytochemical, acts as ligand for PPARs in macrophages and adipocytes to regulate inflammation. *Biochemical and Biophysical Research Communications*, 369(2), 333-338.
- Khan, M. M., Ali, S., Fakhru'l-Razi, A., & Alam, M. Z. (2007). Use of fungi for the bioconversion of rice straw into. *Journal of Environmental Science and Health, Part B*, 42, 381–386.
- Killeen, D. P., Larsen, L., Dayan, F. E., Gordon, K. C., Perry, N. B., & Klin, J. W. (2015). Nortriketones: Antimicrobial Trimethylated Acylphloroglucinols from Mānuka (*Leptospermum scoparium*). *Journal of Natural Products*, 1-6.
- Kim, D., & Dong Han, G. (2014). Fermented Rice Bran Attenuates Oxidative Stress. In R. Watson, V. Preedy, & S. Zibad (Eds.), *Wheat and Rice in Disease Prevention and*

- Health: Benefits, risks and mechanisms of whole grains in health promotion* (1 ed., pp. 467-480). Elsevier.
- Kim, J., Kang, Y.-G., Lee, J.-y., Choi, D.-h., Cho, Y.-u., Shin, J.-M., . . . No, K. T. (2015). The natural phytochemical dehydroabietic acid is an anti-aging reagent that mediates the direct activation of SIRT1. *Molecular and Cellular Endocrinology*.
- Kim, S., Hong, I., Hwang, J. S., Choi, J. K., Rho, H. S., Kim, D. H., . . . Hwang, J. S. (2006). Phytosphingosine Stimulates the Differentiation of Human Keratinocytes and Inhibits TPA-Induced Inflammatory Epidermal Hyperplasia in Hairless Mouse Skin. *Function of Phytosphingosine in the Epidermis*, 12((1-3)), 17-24.
- Kono, Y., Uzawa, J., Kobayashi, K., Suzuki, Y., Uramoto, M., Sakurai, A., . . . Kondo, H. (1991). Structures of Oryzalides A and B, and Oryzalic Acid A, a Group of Novel Antimicrobial Diterpenes, Isolated from Healthy Leaves of a Bacterial Leaf Blight-resistant Cultivar of Rice Plants. *Agricultural and biological chemistry*, 55(3), 803-811.
- Kuete, V., Metuno, R., Ngameni, B., Tsafack, A. M., Ngandeu, F., Fotso, G. W., . . . Beng, P. (2007). Antimicrobial activity of the methanolic extracts and compounds from *Treculia africana* and *Treculia acuminata* (Moraceae). *Journal of Ethnopharmacology*, 112, 531-536.
- Kupski, L., Cipolatti, E., Meritaine da Rocha, M. d., & Leonor. (2012). Solid-State Fermentation for the Enrichment and Extraction of Proteins and Antioxidant Compounds in Rice Bran by *Rhizopus oryzae*. *Brazilian Archives of Biology and Technology*, 55, 937-942.
- Lee, S. M., Hwang, Y. R., Kim, M. S., Chung, M. S., & Kim, Y.-S. (2019). Comparison of Volatile and Nonvolatile Compounds in Rice Fermented by Different Lactic Acid Bacteria. *Molecules*, 24(6), 1183.
- Lei, L., Chen, J., Liu, Y., Wang, L., Zhao, G., & Chen, Z.-Y. (2018). Dietary Wheat Bran Oil is equally effective as Rice Bran Oil in Reducing Plasma Cholesterol. *Journal of Agricultural and Food Chemistry*, 66(11), 2765-2774.
- Li, W., Chen, Z., Yan, M., He, P., Chen, Z., & Dai, H. (2016). The protective role of isorhamnetin on human brain microvascular endothelial cells from cytotoxicity

- induced by methylglyoxal and oxygen–glucose deprivation. *Journal of Neurochemistry*, 136, 651–659.
- Lim, W., Park, S., Bazer, F. W., & Song, G. (2017). Naringenin-Induced Apoptotic Cell Death in Prostate Cancer Cells Is Mediated via the PI3K/AKT and MAPK Signaling Pathways. *Journal of Cellular biochemistry*, 118, 1118-1131.
- Linden, J. M. (1999). Purine Release and Metabolism. In G. J. Siegel, B. W. Agranoff, R. W. Albers, S. K. Fisher, & M. D. Uhler (Eds.), *Basic Neurochemistry*, 6th edition. Philadepia: Lippincott-Raven.
- Litwack, G. (2018). Chapter 20 - Vitamins and Nutrition. In G. Litwack (Ed.), *Human Biochemistry* (pp. 645-680). Academic Press.
- MacLeod, E., & Ney, D. (2010). Nutritional Management of Phenylketonuria. *Annales Nestle*, 68, 58-69.
- Michaelson, L. V., Napier, J. A., Molino, D., & Faure, J.-D. (2016). Plant sphingolipids: Their importance in cellular organization and adaption. *Biochimica Et Biophysica Acta*, 1861((9Part B)), 1329–1335.
- Michan, S., & Sinclair, D. (2007). Sirtuins in mammals: insights into their biological function. *Biochemical Journal*, 404(1), 1-13.
- Miller, J. W., & Rucker, R. B. (2012). Panthothenic Acid. In *Present Knowledge in Nutrition, 10th Edition* (pp. 375-389). Wiley-Blackwell.
- Montagna, D. R., Duarte, A., Todero, M. F., Ruggiero, R. A., Istoriz, M., & Rearte, B. (2020). Meta-tyrosine modulates the immune response induced by bacterial endotoxins. *Immunobiology*, 225(1).
- Montuschi, P., Sala, A., Dahlén, S.-E., & Folco, G. (2007). Pharmacological modulation of the leukotriene pathway in allergic airway disease. *Drug Discovery Today*, 12(9-10), 404-412.
- Moura, C. S., Lollo, P. C., Morato, P. N., Risso, E. M., & Amaya-Farfan, J. (2017). Bioactivity of food peptides: biological response of rats to bovine milk whey peptides following acute exercise. *Food and Nutrition Research*, 61(1).

- Moura, C. S., Lollo, P. C., Morato, P. N., Risso, E. M., & JaimeAmaya-Farfán. (2016). Functional effects of milk bioactive peptides on skeletal muscle of rats. *Food Research International*, 84, 18-25.
- Nascimento, G. G., Locatelli, J., Freitas, P. C., & Silva, G. L. (2000). Antibacterial activity of plant extracts and phytochemicals on antibioticresistant bacteria. *Brazilian Journal of Microbiology*, 31, 247-256.
- Noverr, M. C., Toews, G. B., & Huffnagle, G. B. (2002). Production of Prostaglandins and Leukotrienes by Pathogenic Fungi. *Infection and Immunity*, 70(1), 200-202.
- Ntaios, G. (2015). Homocysteine, B Vitamins, and Cardiovascular Risk. In R. Watson (Ed.), *Foods and Dietary Supplements in the Prevention and Treatment of Disease in Older Adults* (1 ed., pp. 2309-318).
- Nyhan, W. L., & Haas, R. (2015). Chapter 56 - Inborn Errors of Amino Acid Metabolism. In R. N. Rosenberg, & J. M. Pascual (Eds.), *Rosenberg's Molecular and Genetic Basis of Neurological and Psychiatric Disease* (5 ed., pp. 627-632). Academic Press.
- Oberacher, H., Pitterl, F., Erb, R., & Plattner, S. (2015). Mass Spectrometric Methods For Monitoring Redox Processes In Electrochemical Cells. *Mass Spectrometry Reviews*, 34, 64–92.
- Oikawa, A., Otsuka, T., Nakabayashi, R., Jikumaru, Y., Isuzugawa, K., Murayama, H., . . . Shiratake, K. (2015). Metabolic Profiling of Developing Pear Fruits Reveals Dynamic Variation in Primary and Secondary Metabolites, Including Plant. *PLoS ONE*, 10(7), 1-18.
- Oktriani, A. (2018). Perubahan Komponen Bioaktif Bekatul Fermentasi Dari Varietas Padi Inpari 30 dan Beras Hitam Menggunakan Rhizopus Oryzae, Rhizopus Oligosporus dan Kombinasinya. *Tugas akhir, Program Studi Ilmu dan Teknologi Pangan, Fakultas Teknik dan Ilmu Komputer, Universitas Bakrie*, 1-57.
- Oliveira, M. d., Cipolatti, E. P., Furlong, E. B., & Soares, L. d. (2012). Phenolic compounds and antioxidant activity in fermented rice (*Oryza sativa*) bran. *Ciência e Tecnologia de Alimentos*, 32(3), 531-537.
- Oliveira, M. d., Feddern, V., Kupski, L., Cipolatti, E. P., Badiale-Furlong, E., & Souza-Soare, L. A. (2011). Changes in lipid, fatty acids and phospholipids composition of whole

- rice bran after solid-state fungal fermentation. *Bioresource Technology*, 102(17), 8335-8338.
- Oliveira, M. d., Feddern, V., Kupski, L., Cipolatti, E. P., Badiale-Furlong, E., & Souza-Soares, L. A. (2010). Physico-chemical characterization of fermented. *Cyta - Journal of Food*, 8(3), 229-236.
- Olsen, I., & Jantzen, E. (2001). Sphingolipids in Bacteria and Fungi. *Anaerobe*, 7(2), 103–112.
- Oura, T., & Kajiwara, S. (2010). Candida albicans sphingolipid C9-methyltransferase is involved in hyphal elongation. *Microbiology*, 156, 1234–1243.
- Park, C., Jeong, N. Y., Kim, G.-y., Han, M. H., Chung, I.-m., Kim, W.-j., . . . Choi, Y. H. (2014). Momilactone B induces apoptosis and G1 arrest of the cell cycle in human monocytic leukemia U937 cells through downregulation of pRB phosphorylation and induction of the cyclin-dependent kinase inhibitor p21Waf1/Cip1. *Oncology Reports*, 31(4), 1653-1660.
- Pavicic, T., Wollenweber, U., Farwick, M., & Korting, H. C. (2007). Anti-microbial and -inflammatory activity and efficacy of phytosphingosine: an in vitro and in vivo study addressing acne vulgaris. *International Journal of Cosmetic Science*, 181-190.
- Peters-Golden, M., & Henderson, W. R. (2013). Mechanisms of Disease Leukotrienes. *The New England Journal of Medicine*, 357(18), 1841-1854.
- Piluzza, G., & Bullitta, S. (2011). Correlations between phenolic content and antioxidant properties in twenty-four plant species of traditional ethnoveterinary use in the Mediterranean area. *Pharmaceutical Biology*, 49(3), 240-247.
- Poewe, W., Antonini, A., Zijlmans, J. C., Burkhard, P. R., & Vingerhoets, F. (2010). Levodopa in the treatment of Parkinson's disease:an old drug still going strong. *Clinical Interventions in Aging*, 5, 229–238.
- Pokrovskiy, M. V., Korokin, M. V., Tsepeleva, S. A., Pokrovskaya, T. G., Gureev, V. V., Konovalova, E. A., . . . Terehova, E. G. (2011). Arginase Inhibitor in the Pharmacological Correction of Endothelial Dysfunction. *International Journal of Hypertension*, 1-4.

- Porstmann, T., Santos, C. R., Griffiths, B., Cully, M., Wu, M., Leevers, S., . . . Schulze, A. (2008). SREBP Activity Is Regulated by mTORC1 and Contributes to Akt-Dependent Cell Growth. *Cell Metabolism*, 8(3), 224-236.
- Quan, N. V., Tran, H.-D., Xuan, T. D., Ahmad, A., Dat, T. D., Khanh, T. D., & Teschke, R. (2019). Momilactones A and B Are  $\alpha$ -Amylase and  $\alpha$ -Glucosidase Inhibitors. *Molecules*, 24(3), 482.
- Ramadhan, F. P. (2017). Aktivitas Antioksidan dan Komponen Bioaktif Bekatul Beras Putih, Merah, dan Hitam Utuh dan Rendah Lemak yang Difermentasi dengan Rhizopus oligosporus. *Tugas Akhir, Program Studi Ilmu dan Teknologi Pangan, Fakultas Teknik dan Ilmu Komputer, Universitas Bakrie*, 1-59.
- Rashmi, R., Magesh, S. B., Ramkumar, K. M., Suryanarayanan, S., & SubbaRao, M. V. (2018). Antioxidant Potential of Naringenin Helps to Protect Liver Tissue from Streptozotocin-Induced Damage. *Reports of Biochemistry & Molecular Biology*, 7(1).
- Razak, D. L., N. Y., Jamaluddin, A., Sharifudin, S. A., Kahar, A. A., & Long, K. (2017). Cosmeceutical potentials and bioactive compounds of rice bran fermented with single and mix culture of Aspergillus oryzae and Rhizopus oryzae. *Journal of the Saudi Society of Agricultural Sciences*, 16(2), 127-134.
- Razak, D. L., Rashid, N. Y., Jamaluddin, A., Sharifudin, S. A., & KamariahLong. (2014). Enhancement of phenolic acid content and antioxidant activity of rice bran fermented with Rhizopus oligosporus and Monascus purpureus. *Biocatalysis and Agricultural Biotechnology*, 4(1), 33-38.
- Reilly, M. C., & Doering, T. L. (2010). Chapter 22 - Biosynthesis of fungal and yeast glycans. In P. J. Otto Holst, & M. v. Itzstein (Eds.), *Microbial Glycobiology* (pp. 393-412). Academic Press.
- Renugadevo, J., & Prabu, S. M. (2010). Cadmium-induced hepatotoxicity in rats and the protective. 62, 171-181.
- Robbins, W. J., & Kavanagh, V. (1942). Vitamin Deficiencies of the Filamentous Fungi. *Botanical Review*, 8(7), 411-471.

- Rollin-Pinheiro, R., Singh, A., Barreto-Bergter, E., & Poeta, M. D. (2016). Sphingolipids as targets for treatment of fungal infections. *Future Medicinal Chemistry*, 8(12), 1469–1484.
- Ryan, E. P., Heuberger, A. L., Weir, T. L., Barnett, B., Broeckling, C. D., & Prenni, J. E. (2011). Rice Bran Fermented with *Saccharomyces boulardii* Generates Novel Metabolite Profiles with Bioactivity. *Journal of Agricultural and Food Chemistry*, 59(5), 1862-1870.
- Rychen, G., Aquilina, G., Azimonti, G., Bampidis, V., Bastos, M. d., Bories, G., ... Gropp, J. (2018). Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. *EFSA Journal*, 16(3), 1-18.
- Saeedia, M., Eslamifar, M., & Khezr, K. (2019). Kojic acid applications in cosmetic and pharmaceutical preparations. *Biomedicine & Pharmacotherapy*, 582-593.
- Sánchez, C. (2009). Lignocellulosic residues: Biodegradation and bioconversion by fungi. *Biotechnology Advances*, 27(2), 185-194.
- Sargent, M. (2013). *Guide to achieving reliable quantitative LC-MS measurement, RSC Analytical Methods Committee*. Teddington: LGC.
- Saroglou, V., Karioti, A., Rancic, A., Dimas, K., Koukoulitsa, C., Zervou, M., & Skaltsa, H. (2009). Sesquiterpene Lactones from *Anthemis melanolepis* and Their Antibacterial and Cytotoxic Activities. Prediction of Their Pharmacokinetic Profile. *Journal of Natural Products*, 73(2), 242-246.
- Schmidt-Dannert, C. (2015). Advances in Biochemical Engineering/Biotechnology. In T. Scheper (Ed.), *Biotechnology of Isoprenoids* (Vol. 148, pp. 19-61). Springer.
- Seliger, J. M., Cicek, S. S., Witt, L. T., Martin, H.-J., Maser, E., & Hintz peter, J. (2018). Selective Inhibition of Human AKR1B10 by n-Humulone, Adhumulone and Cohumulone Isolated from *Humulus lupulus* Extract. *Molecules*, 23(11).
- Shao, Y., Xu, F., XiaoSun, Bao, J., & Beta, T. (2014). Identification and quantification of phenolic acids and anthocyanins as antioxidants in bran, embryo and endosperm of white, red and black rice kernels (*Oryza sativa* L.). *Journal of Cereal Science*, 211-218.

- Shin, Y., & Lee, Y. (2013). Cytotoxic Activity from Curcuma zedoaria Through Mitochondrial Activation on Ovarian Cancer Cells. *Toxicological Research*, 29(4), 257-261.
- Silva, G. N., Pozzatti, P., Rigatti, F., Hörner, R., Alves, S. H., Mallmann, C. A., & Heinzmann, B. M. (2015). Antimicrobial evaluation of sesquiterpene  $\alpha$ -curcumene and its synergism with imipenem. *Journal of Microbiology, Biotechnology and Food Sciences*, 4(5), 434-436.
- Sivamaruthi, B. S., Kesika, P., & Chaiyasut, C. (2018). A comprehensive review on functional properties of fermented rice bran. *Pharmacognosy Review*, 12(24), 218-224.
- Slominski, A., Zmijewski, M., & Pawelek, J. (2012). L-tyrosine and L-DOPA as hormone-like regulators of melanocytes functions. *Pigment Cell Melanoma Research*, 25(1), 14–27.
- Sperlágh, B., & Vizi, E. S. (2011). The Role of Extracellular Adenosine in Chemical Neurotransmission in the Hippocampus and Basal Ganglia: Pharmacological and Clinical Aspects. *Current Topics in Medicinal Chemistry*, 11, 1034-1046.
- Strauss, E. (2010). Coenzyme A Biosynthesis and Enzymology. In H.-W. (. Liu, & L. Mander (Eds.), *Comprehensive Natural Products II* (Vol. 7, pp. 351-410). Elsevier Ltd.
- Strauss, J. F., & FitzGerald, G. A. (2019). Steroid Hormones and Other Lipid Molecules Involved in Human Reproduction. In J. F. Strauss, & R. L. Barbieri, *Yen and Jaffe's Reproductive Endocrinology (Eighth Edition)* (pp. 75-123).
- Toda, A., Terawaki, K., Yamazaki, S., Saeki, K., Shimizu, T., & Yokomizo, T. (2010). Attenuated Th1 induction by dendritic cells from mice deficient in the leukotriene B4 receptor 1. *Biochimie*, 92, 682-691.
- Tung, Y.-T., Wu, J.-H., Kuo, Y.-H., & Chang, S.-T. (2006). Antioxidant Activities of Natural Phenolic Compounds from Acacia confusa bark. *Bioresource Technology*, 98, 1120-1123.

- Uzbekov, V. V., Talipov, S. A., Ibragimov, B. T., Stipanovic, R. D., & Bell, A. A. (2013, August 7). Lacinilene C 7-methyl ether. *Acta crystallographica. Section E, Structure reports online*, 69.
- Varzakas, T. (1998). Rhizopus oligosporus mycelial penetration and enzyme diffusion in soya bean tempe. *Process Biochemistry*, 33(77), 741-747.
- Vidyashankar, S., Varma, R., & Patki, P. S. (2013). Quercetin ameliorate insulin resistance and up-regulates cellular antioxidants during oleic acid induced hepatic steatosis in HepG2 cells. *Toxicology in Vitro*, 27(2), 945-953.
- Wang, J., Wang, H., Zhang, C., Wu, T., Ma, Z., & Chen, Y. (2019). Phospholipid homeostasis plays an important role in fungal development, fungicide resistance and virulence in Fusarium graminearum. *Phytopathology Research*, 1(16), 1-12.
- Williams-Karnesky, R. L., & Stenzel-Poore, M. P. (2009). Adenosine and Stroke: Maximizing the Therapeutic Potential of Adenosine as a Prophylactic and Acute Neuroprotectant. *Current Neuropharmacology*, 7, 217-227.
- Wilza, A., Pritchardb, E. M., Lia, T., Lana, J.-Q., Kaplanb, D. L., & Boisona, D. (2008). Silk polymer based adenosine release: therapeutic potential for epileps. *Biomaterials*, 29(26), 3609-3616.
- Wlodarska, M., Luo, C., Kolde, R., d'Hennezel, E., Annand, J. W., Heim, C. E., . . . Xavier, R. J. (2017). Indoleacrylic Acid Produced by Commensal Peptostreptococcus Species Suppresses Inflammation. *Cell Host Microbe*, 22(1), 25-37.
- Yihua Li, M., & Jianwen Wang, M. (2019). Efficacy of aminocaproic acid in the control of bleeding after total knee and hip arthroplast. *Medicine*, 98(9).
- Yoon, L. W., Ang, T. N., Ngoh, G. C., & Chua, A. S. (2014). Fungal Solid-State Fermentation and Various Methods of Enhancement in Cellulase Production. *Biomass and Bioenergy*, 67, 319-338.
- Zandi, K., Teoh, B.-T., Sam, S.-S., Wong, P.-F., Mustafa, M. R., & AbuBakar, S. (2011). Antiviral activity of four types of bioflavonoid against dengue virus type-2. *Virology Journal*, 8(560), 1-11.

- Zarei, I., Brown, D. G., Nealon, N. J., & Ryan, E. P. (2017). Rice Bran Metabolome Contains Amino Acids, Vitamins & Cofactors, and Phytochemicals with Medicinal and Nutritional Properties. *Rice*, 10(24).
- Zarei, I., Luna, E., McClung, A., Vichez, S., Koita, O., & Ryan, E. P. (2018). Comparative Rice Bran Metabolomics across Diverse Cultivars and Functional Rice Gene–Bran Metabolite Relationships. *Metabolites*, 8(4), 1-22.
- Zhang, M. W., Zhang, R. F., Zhang, F. X., & Liu, R. H. (2010). Phenolic Profiles and Antioxidant Activity of Black Rice Bran of Different Commercially Available Varieties. *Agricultural and Food Chemistry*, 58, 7580-7587.
- Zhou, J., Zhou, S., & Zeng, S. (2011). Experimental diabetes treated with trigonelline: effect on b cell and pancreatic oxidative parameters. *Fundamental & Clinical Pharmacology*, 27(3), 279-287.
- Zuska, Z., Kopcin'ska, J., Dacewicz, E., Skowera, B., Wojkowski, J., & Ziernicka-Wojtaszek, A. (2019). Application of the Principal Component Analysis (PCA) Method to Assess the Impact of Meteorological Elements on Concentrations of Particulate Matter (PM10): A Case Study of the Mountain Valley (the Sa<sub>c</sub>z Basin, Poland). *Sustainability*, 11(23), 1-12.
- Žwir-Ferenc, A., & Biziuk, M. (2006). Solid Phase Extraction Technique – Trends, Opportunities and Applications. *Polish Journal of Environmental Studies*, 15(5), 677-690.