

**DAFTAR PUSTAKA**

- A. Idris., Takai, Z. I., Idris A. (2019). Effect ff Drying Methods on The Chemical Constituent and Antioxidant Activity of Ginger (*Zingiber Officinale*). *FUDMA Journal of Agriculture and Agricultural Technology*, 5(2): 84-91
- Ajay M, Gilanui AH, Mustafa MR. (2003). Effect of Flavonoids on Vascular Smooth Muscles of the Isolated Rat Thoracic Aorta. *Life Sci.* 74: 603-612.
- An. Keijing, Dandan Zhao, Zhengfu Wang, Jijun Wu, Yujuan Xu, Gengsheng Xiao. (2015). Comparison of Different Drying Methods on Chinese Ginger (*Zingiber officinale Roscoe*): Changes in Volatils, Chemical Profile, Antioxidant Properties, and Microstructure. *Food Chemistry*.
- Bartley, J. P. & Jacobs, A. L. (2000). Effects of Drying on Flavour Compounds in Australian-grown Ginger (*Zingiber officinale*). *Journal of the Science of Food and Agriculture*. 80: 209-215.
- Bevilacqua, A., Petruzzi, L., Perricone, M., Speranza, B., Campniello, D., Sinigaglia, M., & Corbo, M. R. (2018). Nonthermal Technologies for Fruit and Vegetale Juices and Beverages: Overview and Advances. *Comprehensive Reviews in Food Science and Food Safety*, 17(1): 2-62.
- Bhandary U., Sharma J. N., dan Zafar R. (1997). Effect of Protection Action of Ethanolic Ginger (*Zingiber officinale*) Extract in Cholestered Fed Rabbits. *Journal Ethnopharm*, 61(2): 167-175.
- Chan, E., Lim, Y. Y., Wong, S. K., Lim, K. K., Tan, S. P., Lianto, F. S., Yong, M. Y. (2009). Effects of Different Drying Methods on The Antioxidant Properties of Leaves and Tea of Ginger Species. *Food Chem.* 113: 166–172.
- Chumreonphat, Theeraphan., Intha Khanprom, Luchai Bukthup. (2011). Stability of Phytochemicals and Antioxidant Properties in Ginger (*Zingiber officinale Roscoe*) with Different Drying Methods. *Journal of Herbs, Spices & Medicinal Plants*, 17: 361-374.
- Cosmovici, Amalia & Sonia Amariei. (2017). Study on The Influence of Heat Treatment on The Antioxidant Properties of Ginger. *Journal of Faculty of*

- Food Engineering, Stefan cel Mare University of Suceava, Romania.*  
16(3): 153-159.
- Dahlan, M. Sopiyudin. (2012). Pengantar Meta-Analisis: Disertai Aplikasi Meta-Analisis Epiyudin. Jakarta: PT. Epidemiologi Indonesia.
- Ding, S. H., An, K. J., Zhao, C. P., Li, Y., Guo, Y. H., Wang, Z. F. (2012). Effect of Drying Methods on Volatiles of Chinese Ginger. *Journal of Food and Bioproducts Processing*, 90: 515-524.
- Dugasani, S., Pichika, M. R., Nadarajah, V. D., Balijepalli, M. K., Tandra, S., & Korlakuntab, J. N. (2009). Comparative Antioxidant and Anti-Inflammatory Effects of 6-Gingerol, 8-Gingerol, 10-Gingerol and 6-Shogaol. *Journal of Ethnopharmacology*, 127, 515-520.
- Eze J. I. & Agbo K. E. (2011). Comparative Studies of Sun and Solar Drying of Peeled and Unpeeled Ginger. *American Journal of Scientific and Industrial Research*. 2(2): 136-143.
- Famurewa A. V., Emuekele P. O., Jaiyeoba K. F. (2011). Effect of Drying and Size Reduction on The Chemical and Volatil Oil Contents of Ginger (*Zingiber officinale*). *Journal of Medicinal Plants Research*. 5(14): 2941-2944.
- FAO. (2002). *Ginger: Post-Production Management for Improved Market Access*.
- Firdiyani, Fiya., Tri W. A., dan Widodo F. M. (2015). Ekstraksi Senyawa Bioaktif Sebagai Antioksidan Alami Spirulina plantesis Segar dengan Pelarut yang Berbeda. *PHP* 2015: 18(1):1-10.
- Ghafoor, Kashiif, Fahad Al Juhaimi, Mehmet Musa Ozcan, Nurhan Uslu, Elfadil Babiker, Isan A. Muhamed Ahmed. (2020). Total Phenolics, Total Carotenoids, Individual Phenolics and Antioxidant Activity of Ginger (*Zingiber Officinale*) Rhizome as Affected by Drying Methods. *Journal LWT – Food Science and Technology*, 126:109354.
- Ghasemzadeh, Ali., Hawa Z. E. Jaafar, Asmah Rahmat. (2016). Variation of the Phytochemical Constituents and Antioxidant Activities of *Zingiber Officinale Var. Rubrum* Theilade Associated With Different Drying Methods and Polyphenol Oxidase Activity. *Molecules*, 21:780.

- Gilani AH, Ghayur MN. (2005). Ginger: from Myth to Reality. In: Ethnotherapies in The Cycle of Life. *Gottshalk-Batsschkus, CE; Green, J.C.; Eds; Ethnomed Institute fur Ethnomedzirine.* V. Munich. 307-315.
- Goff, Stephem A. & Harry J. Klee. (2006). Plant Volatile Compounds: Sensory Cues for Health and Nutritional Value. *Science*, 311(5762): 815-819.
- Gong, F., Fung, Y. S., & Liang, Y. Z. (2004). Determination of Volatile Components in Ginger Using Gas Chromatography–Mass Spectrometry with Resolution Improved by Data Processing Techniques. *Journal of Agricultural and Food Chemistry*, 52(21), 6378–6383.
- Gumusay, O. A., Borazan, A.A., Ercal, N., Demirkol, O. (2014). Drying Effects on The Antioxidant Properties of Tomatoes and Ginger. *Food Chemistry*.
- Haidich, A. B. (2010). Meta-analysis in Medical Research. *Hippokratia*, 14(1): 29-37.
- Huang, Baokang., Guowei Wang, Zhiyong Chu, Luping Qin. (2012). Effect of Oven Drying, Microwave Drying, and Silica Drying Methods on the Volatile Components of Ginger by HS-SPME-GC-MS. *Journal of Drying Technology*.
- Jelled A, Fernandes Â, Barros L, Chahdoura H, Achour L, Ferreira IC, et al. (2015). Chemical and Antioxidant Parameters of Dried Forms of Ginger Rhizomes. *Ind Crops Prod*, 77: 30-5.
- Jihene, Litaem., Touil Amira, Chemkhi Saber, Zagrouba Fethi. (2013). Impact of Infra-red Drying Temperature on Total Phenolic and Flavonoid Content, on Antioxidan and Antimicrobial Activities of Ginger. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 6(5): 38-46.
- Jolad, S. D., Lantz, R. C., Chen, G. J., Bates, R. B., & Timmermann, B. N. (2005). Commercially Processed Dry Ginger (*Zingiber officinale*): Composition and Effects on LPS-Stimulated PGE2 Production. *Phytochemistry*, 66: 1614-1635.
- Julianto, Tatang Shabur. (2019). *Fitokimia: Tinjauan Metabolit Sekunder dan Skrining Fitokimia*. Yogyakarta: Universitas Islam Indonesia.
- Kaufman, Sylvan. (2016). *Zingiber officinale (Ginger)*. Dikutip 19 Juni 2020, dari CAB International: <https://www.cabi.org/isc/datasheet/57537>

- Kurniawati, N. (2010). *Sehat & Cantik Alami Berkat Khasiat Bumbu Dapur*. Bandung: Qanita.
- Mustafa, Iswaibah., Nyuk Ling Chin, Sharida Fakurazi, Arulselvan Palanisamy. (2019). Comparison of Phytochemicals, Antioxidant and Anti-Inflammatory Properties of Sun-, Oven- and Freeze-Dried Ginger Extracts. *MDPI Journal Foods*.
- Osae, Richard., Chunsan Zhou, Raphael N. Alolga, Baoguo Xu, William Tchabo, Ernest Bonah, Evan Adingba Alenyorege, Haile Ma. (2019<sup>b</sup>). Effects of Various Nonthermal Pretreatments on the Physicochemical Properties of Dried Ginger (*Zingiber Officinale Roscoe*) Slices from Two Geographical Locations. *Journal of Food Science the Institute of Food Technology*, 84(10).
- Osae, Richard., Gloria Essilfie, Raphael N. Alolga, Ernest Bonah, Haile Ma, Cunshan Zhou. (2019<sup>a</sup>). Drying of Ginger Slices-Evaluation of Quality Attributes, Energy Consumption, and Kinetics Study. *Journal of Food Process Engineering*.
- Park, M., Bae, J., & Lee, D. S. (2008). Antibacterial Activity of 10-Gingerol and 12-Gingerol Isolated from Ginger Rhizome Against Periodontal Bacteria. *Phytotherapy Research*, 22: 1446-1449.
- Parwata, A., Manuaba, P., Yasa, S., dan Bidura I. (2016). Characteristics and Antioxidant Activities of Gaharu (*Gyrinops versteegii*) Leaves. *Journal of Biology and Chemistry Research*, 33(1):294-301.
- Phoungchandang, S. & Saentaweesuk, S. (2011). Effect Of Two Stage, Tray and Heat Pump Assisted-Dehumidified Drying on Drying Characteristics and Qualities Of Dried Ginger. *Food Bioprod. Process*. 89(4): 429-437.
- Pichersky, Eran., Joseph P. Noel., and Natalia Dudareva. (2006). Biosynthesis of Plant Volatiles: Nature's Diversity and Ingenuity. *Science*, 311(5762): 808-811.
- Pinela, J., Barros, L., Carvalho, A. M., Ferreira I. C. F. R. (2011). Influence of The Drying Method in The Antioxidant Potential and Chemical Composition of Four Shrubby Flowering Plants from The Tribe Genisteae (*Fabaceae*). *Food Chem Toxicol*. 49: 2983-2989.

- Prakash, A., Rigelhof, F., Miller, E. (2001). Antioxidant Activity: Medallion Laboratories, *Analithycal Progress*. 19(2):1-4.
- R. Offei-Okyne, J. Patterson, L. T. Walker, Martha Verghese. (2015). Processing Effects on Phytochemical Content and Antioxidative Potential of Ginger (*Zingiber officale*). *Journal of Food and Nutrition Sciences*, 6: 445-451.
- Sida, Sirinapa, Rajnibhas Sukeaw Samakradamrongthai, Niramon Utama-ang. (2019). Influence of Maturity and Drying Temperature on Antioxidant Activity and Chemical Compositions in Ginger. *Journal of Current Applied Science and Technology*, 19(1): 28-42.
- Soysal, Y. & Öztekin, S. (2001). Technical and Economic Performance of A Tray Dryer For Medicinal and Aromatic Plants. *J. Agric. Eng. Res.* 79: 73–79.
- Stoilova I, Krastanov A, Stoyanova A, Denev P, Gargova S. (2007). Antioxidant Activity of A Ginger Extract (*Zingiber officinale*). *Food Chem*, 102: 764-70.
- Sun, Yanan., Min Zhang, Bhesh Bhandari, Peiqiang Yang. (2019). Intellegent Detection of Flavor Changes in Ginger during Microwave Vacuum Drying based on LF-NMR. *Journal of Food Reasearch International*, 119: 417-425.
- Thuwapanichayanan, Ratiya., Charotorn Phowong, Donludee Jaisut, Jiri Stencl. (2014). Effects of Pretreatments and Drying Temperatures on Drying Characteristics, Antioxidant Properties and Color of Ginger Slice. *Acta Universitatis Agriculturae Mendelianae Brunensis*, 62(5): 1125.1134.
- Wartini, N. M., Ina, P. T., & Putra, G. P. (2010). Perbedaan Kandungan Senyawa Volatil Daun Salam (*Eugenia polyntha* Wight.) Pada Beberapa Proses Curing. *Agritech*, 30(4): 231-236.
- Weiqiao Lv., Shujun li, Qinghua Han, Youbin Zhao, Haihua Wu. (2016). Study of The Drying Process of Ginger Slices in Microwave Fluidized Bed Dryer. *Journal of Drying Technology*, 34(14): 1690-1699.
- Yuxin Li, Yang Hong, Yanquan Han, Yongzhong Wang, Lunzhu Xia. (2016). Chemical Characterization and Antioxidant Activities Comparison in Fresh, Dried, Stir-frying and Carbonized Ginger. *Journal of Chromatography*. 1011: 223-232.