

Bibliography

- [1] U. Stankov and U. Gretzel, "Tourism 4.0 technologies and tourist experiences: a human-centered design perspective," *Information Technology Tourism*, vol. 22, 2020. <https://doi.org/10.1007/s40558-020-00186-y>.
- [2] w3c, "Owl," Dec 2012. <https://www.w3.org/OWL/>.
- [3] G. Petasis, V. Karkaletsis, G. Paliouras, A. Krithara, and E. Zavitsanos, "Ontology population and enrichment: State of the art," pp. 134–166, 01 2011. doi: 10.1007/978-3-642-20795-2_6.
- [4] G. P. Kuntarto, S. Isyahrani, and I. P. Gunawan, "Performance of k-means clustering algorithm in enriching a new concept of amenities into dwipa ontology iii within the indonesia tourism domain," in *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, pp. 334–339, 2019. doi: 10.1109/ISRITI48646.2019.9034563.
- [5] C. Jeong, S.-E. Jang, S. Na, and J. Kim, "Korean tourist spot multi-modal dataset for deep learning applications," *Data*, vol. 4, no. 4, 2019. doi: 10.3390/data4040139.
- [6] J. Filali, H. B. Zghal, and J. Martinet, "Ontoannclass: ontology-based image annotation driven by classification using hmax features," *Multimedia Tools and Applications*, vol. 80, 2020. <https://doi.org/10.1007/s11042-020-09864-9>.
- [7] D. Buhalis, *eTourism: Information technology for strategic tourism management*. Pearson education, 2003. https://www.researchgate.net/publication/270392994_Buhalis_D_2003eTourism_information_technology_for_strategic_tourism_managementPearson_Financial_TimesPrentice_Hall_London_ISBN_0582357403_httpgooglHNCPcb.
- [8] V. Kazandzhieva, H. Santana, and A. Prof, "E-tourism: Definition, development and conceptual framework," 12 2019. <https://www.researchgate.net/>

- profile/Velina-Kazandzhieva/publication/338078686_E-tourism_Definition_development_and_conceptual_framework/links/5dfcde1c4585159aa48d044b/E-tourism-Definition-development-and-conceptual-framework.pdf.
- [9] T. Berners-Lee, J. Hendler, and O. Lassila, “The semantic web: A new form of web content that is meaningful to computers will unleash a revolution of new possibilities,” *ScientificAmerican.com*, 05 2001. https://www.researchgate.net/publication/225070375_The_Semantic_Web_A_New_Form_of_Web_Content_That_is_Meaningful_to_Computers_Will_Unleash_a_Revolution_of_New_Possibilities.
- [10] M. Uschold and M. Grüninger, “Ontologies: Principles, methods and applications,” *The Knowledge Engineering Review*, vol. 11, 01 1996. https://www.researchgate.net/publication/302937543_Ontologies_Principles_methods_and_applications.
- [11] E. Alatrish, “Comparison of ontology editors,” *ERAF Journal on Computing*, vol. 4, pp. 23–38, 01 2012. https://www.researchgate.net/publication/311100273_Comparison_of_Ontology_Editors.
- [12] S. Tartir, I. Arpinar, M. Moore, A. Sheth, and B. Aleman-Meza, “Ontoqa: Metric-based ontology quality analysis,” 11 2005. https://www.researchgate.net/publication/266795541_OntoQA_Metric-Based_Ontology_Quality_Analysis.
- [13] A. Shareha, R. Mandava, and D. Ramachandram, “Multimodal integration (image and text) using ontology alignment,” *American Journal of Applied Sciences*, vol. 6, 06 2009. doi: 10.3844/ajassp.2009.1217.1224.
- [14] R. Diouf, E. N. Sarr, O. Sall, B. Birregah, M. Bousso, and S. N. Mbaye, “Web scraping: State-of-the-art and areas of application,” in *2019 IEEE International Conference on Big Data (Big Data)*, pp. 6040–6042, 2019. doi: 10.1109/BigData47090.2019.9005594.
- [15] SeleniumDev, “Seleniumhq,” Aug 2022. <https://www.selenium.dev/>.
- [16] w3c, “Webdriver,” Jun 2018. <https://www.w3.org/TR/webdriver1/>.
- [17] H. Tanaka, “X-brot: Prototyping of compatibility testing tool for web application based on document analysis technology,” in *2019 International Conference on Document Analysis and Recognition Workshops (ICDARW)*, vol. 7, pp. 18–21, 2019. doi:10.1109/ICDARW.2019.60126.
- [18] R. Chugh, V. Bhatia, K. Khanna, and V. Bhatia, “A comparative analysis of classifiers for image classification,” pp. 248–253, 01 2020. doi: 10.1109/Confluence47617.2020.9058042.

- [19] L. Breiman, "Random forests," *Machine Learning*, vol. 45, pp. 5–32, 10 2001. doi: 10.1023/A:1010950718922.
- [20] N. Hassan, W. Gomaa, G. Khoriba, and M. Haggag, "Supervised learning approach for twitter credibility detection," pp. 196–201, 12 2018. doi: 10.1109/ICCES.2018.8639315.
- [21] M. Maragoudakis and I. Maglogiannis, "A medical ontology for intelligent web-based skin lesions image retrieval," *Health Informatics Journal*, vol. 17, no. 2, pp. 140–157, 2011. <https://doi.org/10.1177/1460458211405009>.
- [22] M. N. Asim, M. Wasim, M. U. G. Khan, W. Mahmood, and H. M. Abbasi, "A survey of ontology learning techniques and applications," *Database*, vol. 2018, 10 2018. <https://doi.org/10.1093/database/bay101>.
- [23] J. Euzenat, "Semantic precision and recall for ontology alignment evaluation," in *Proceedings of the 20th International Joint Conference on Artificial Intelligence, IJCAI'07*, (San Francisco, CA, USA), p. 348–353, Morgan Kaufmann Publishers Inc., 2007. <https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.75.9448&rep=rep1&type=pdf>.
- [24] G. P. Kuntarto, Y. Alrin, and I. P. Gunawan, "The key role of ontology alignment and enrichment methodologies for aligning and enriching dwipa ontology with the weather concept on the tourism domain," in *2019 3rd International Conference on Informatics and Computational Sciences (ICICoS)*, pp. 1–6, 2019. doi: 10.1109/ICICoS48119.2019.8982437.
- [25] C. Pramatha, "Pengembangan ontologi tujuan wisata bali dengan pendekatan kulkul knowledge framework," *SINTECH (Science and Information Technology) Journal*, vol. 3, pp. 77–89, 10 2020. doi: 10.31598/sintechjournal.v3i2.592.
- [26] Y. Kalfoglou and M. Schorlemmer, "Ontology mapping: The state of the art," in *Semantic Interoperability and Integration* (Y. Kalfoglou, M. Schorlemmer, A. Sheth, S. Staab, and M. Uschold, eds.), no. 04391 in Dagstuhl Seminar Proceedings, (Dagstuhl, Germany), Internationales Begegnungs- und Forschungszentrum für Informatik (IBFI), Schloss Dagstuhl, Germany, 2005. <http://drops.dagstuhl.de/opus/volltexte/2005/40>.
- [27] T. Slimani, "Ontology development: A comparing study on tools, languages and formalisms," *Indian Journal of Science and Technology*, vol. 8, pp. 1–12, 02 2015. doi: 10.17485/ijst/2015/v8i1/54249.

- [28] B. Qolomany, A. Al-Fuqaha, A. Gupta, D. Benhaddou, S. al wajidi, J. Qadir, and A. Fong, "Leveraging machine learning and big data for smart buildings: A comprehensive survey," *IEEE Access*, vol. PP, pp. 1–1, 07 2019. doi: 10.1109/ACCESS.2019.2926642.
- [29] M. Gilbert and D. Williams, "A flexible biomedical ontology selection tool," *Strengthening the Role of ICT in Development*, 01 2009. https://www.researchgate.net/publication/237645987_A_Flexible_Biomedical_Ontology_Selection_Tool.
- [30] J. Garcia, F. García-Peñalvo, and R. Therón, "A survey on ontology metrics," vol. 111, pp. 22–27, 09 2010. doi: 10.1007/978-3-642-16318-0_4.
- [31] S. Isyahrani, "Penerapan metode ontology enrichment dengan konsep amenities pada ontologi di domain tourism(case study: Dwipa ontology)," 2019. <http://repository.bakrie.ac.id/id/id/eprint/3067>.
- [32] B. Chandrasekaran, J. Josephson, and V. R. Benjamins, "What are ontologies, and why do we need them?," *Intelligent Systems and their Applications, IEEE*, vol. 14, pp. 20 – 26, 02 1999. doi: 10.1109/5254.747902.
- [33] I. Condratov, "E-tourism: Concept and evolution," *Ecoforum*, vol. 2, p. 10, 2013. <http://www.ecoforumjournal.ro/index.php/eco/article/viewFile/25/20>.