

# Bibliography

- [1] U. EPA, *Basic information about visibility*, en, 2015. [Online]. Available: <https://www.epa.gov/visibility/basic-information-about-visibility>.
- [2] Libelium, *New particle matter - dust sensor (PM1 / PM2.5 / PM10)*, en, May 2015. [Online]. Available: <https://www.libelium.com/libeliumworld/particle-matter-dust-sensor-pm1-pm25-pm10-air-quality-smart-cities/>.
- [3] *Primary vs. secondary pollutants*, en. [Online]. Available: <https://pollution.ucr.edu/primary-vs-secondary>.
- [4] University of Chicago, “AQLI indonesia fact sheet 2022,” en, 2022. [Online]. Available: <https://aqli.epic.uchicago.edu/wp-content/uploads/2020/07/IndonesiaFactSheet2020.pdf>.
- [5] IQAir, “2022 world air quality annual report,” en, 2022. [Online]. Available: [https://www.iqair.com/2022/2022\\_World\\_Air\\_Quality\\_Report\\_INT.pdf](https://www.iqair.com/2022/2022_World_Air_Quality_Report_INT.pdf).
- [6] M. Greenstone and C. Fan, “Indonesia’s worsening air quality and its impact on life expectancy,” en, Mar. 2019. [Online]. Available: [https://aqli.epic.uchicago.edu/wp-content/uploads/2021/09/AQLI\\_Indonesia\\_Report.English.pdf](https://aqli.epic.uchicago.edu/wp-content/uploads/2021/09/AQLI_Indonesia_Report.English.pdf).
- [7] M. Greenstone, C. Hasenkopf, and K. Lee, “Air quality life index 2022 annual update,” en, Jun. 2022. [Online]. Available: [https://aqli.epic.uchicago.edu/wp-content/uploads/2022/06/AQLI\\_2022\\_Report-Global.pdf](https://aqli.epic.uchicago.edu/wp-content/uploads/2022/06/AQLI_2022_Report-Global.pdf).
- [8] H. B. R. A. Service, “The internet of eyes: Applied computer vision in the enterprise,” Harvard University, 2019. [Online]. Available: <https://hbr.org/resources/pdfs/comm/gumgum/Theinternetofeyes.pdf>.

- [9] J. Mao, "Study on image dehazing with the self-adjustment of the haze degree," Ph.D. dissertation, Muroran Institute of Technology, 2015. DOI: <https://doi.org/10.15118/00005126>.
- [10] J. El Khoury, "Model and quality assessment of single image dehazing," Ph.D. dissertation, Université de Bourgogne Franche-Comté, 2016. [Online]. Available: [https://www.researchgate.net/publication/323825533\\_Model\\_and\\_quality\\_assessment\\_of\\_single\\_image\\_dehazing](https://www.researchgate.net/publication/323825533_Model_and_quality_assessment_of_single_image_dehazing).
- [11] E. Hulburt, "Optics of atmospheric haze," *Journal of the Optical Society of America*, vol. 31, no. 7, pp. 467–476, 1941. DOI: <https://doi.org/10.1364/JOSA.31.000467>.
- [12] K. He, J. Sun, and X. Tang, "Single image haze removal using dark channel prior," en, in *IEEE Conference on Computer Vision and Pattern Recognition*, vol. 33, IEEE, 2011, pp. 2341–2353. DOI: [10.1109/CVPR.2009.5206515](https://doi.org/10.1109/CVPR.2009.5206515).
- [13] J. Liu, S. Wang, X. Wang, M. Ju, and D. Zhang, "A review of remote sensing image dehazing," *Sensors*, vol. 21, no. 11, p. 3926, 2021. DOI: <https://doi.org/10.3390/s21113926>.
- [14] Z. H. Arif, M. A. Mahmoud, K. H. Abdulkareem, *et al.*, "Comprehensive review of machine learning (ml) in image defogging: Taxonomy of concepts, scenes, feature extraction, and classification techniques," *IET Image Processing*, vol. 16, no. 2, pp. 289–310, 2022. DOI: <https://doi.org/10.1049/ipr2.12365>.
- [15] C. Ancuti, C. O. Ancuti, R. Timofte, and C. D. Vleeschouwer, "I-HAZE: A dehazing benchmark with real hazy and haze-free indoor images," in *Advanced Concepts for Intelligent Vision Systems*, Springer, Springer International Publishing, 2018, pp. 620–631. DOI: [https://doi.org/10.1007/978-3-030-01449-0\\_52](https://doi.org/10.1007/978-3-030-01449-0_52).
- [16] D. Singh and V. Kumar, "Comprehensive survey on haze removal techniques," *Multimedia Tools and Applications*, vol. 77, no. 8, pp. 9595–9620, 2018. DOI: <https://doi.org/10.1007/s11042-017-5321-6>.
- [17] M. Reda and Y. Zhao, "Haze removal methods: A comprehensive review," in *2018 IEEE CSAA Guidance, Navigation and Control Conference (CGNCC)*, IEEE, IEEE, 2018, pp. 1–7. DOI: [10.1109/GNCC42960.2018.9018690](https://doi.org/10.1109/GNCC42960.2018.9018690).

- [18] M. Yang, J. Hu, C. Li, G. Rohde, Y. Du, and K. Hu, "An in-depth survey of underwater image enhancement and restoration," *IEEE Access*, vol. 7, pp. 123 638–123 657, 2019. DOI: [10.1109/ACCESS.2019.2932611](https://doi.org/10.1109/ACCESS.2019.2932611).
- [19] Y. Wang, W. Song, G. Fortino, L.-Z. Qi, W. Zhang, and A. Liotta, "An experimental-based review of image enhancement and image restoration methods for underwater imaging," *IEEE Access*, vol. 7, pp. 140 233–140 251, 2019. DOI: [10.1109/ACCESS.2019.2932130](https://doi.org/10.1109/ACCESS.2019.2932130).
- [20] J. Gui, X. Cong, Y. Cao, *et al.*, "A comprehensive survey on image dehazing based on deep learning," *arXiv preprint arXiv:2106.03323*, 2021. DOI: [10.48550/arXiv.2106.03323](https://doi.org/10.48550/arXiv.2106.03323).
- [21] K. H. Abdulkareem, N. Arbaiy, Z. H. Arif, *et al.*, "Mapping and deep analysis of image dehazing: Coherent taxonomy, datasets, open challenges, motivations, and recommendations," *International Journal of Interactive Multimedia and Artificial Intelligence*, vol. 7, no. 2, p. 172, 2021. DOI: [10.9781/ijimai.2021.11.009](https://doi.org/10.9781/ijimai.2021.11.009).
- [22] S. Karavarsamis, I. Gkika, V. Gkitsas, K. Konstantoudakis, and D. Zarpalas, "A survey of deep learning-based image restoration methods for enhancing situational awareness at disaster sites: The cases of rain, snow and haze," *Sensors*, vol. 22, no. 13, p. 4707, 2022. DOI: <https://doi.org/10.3390/s22134707>.
- [23] R. Gonzalez and R. Woods, *Digital Image Processing (4th, Illustr ed.)* Pearson, 2018, p. 1192, ISBN: 9780133356724.
- [24] V. Kehar, V. Chopra, B. K. Singh, and S. Tiwari, "Efficient single image dehazing model using metaheuristics-based brightness channel prior," *Mathematical Problems in Engineering*, vol. 2021, H. Gritli, Ed., pp. 1–12, 2021. DOI: <https://doi.org/10.1155/2021/5584464>.
- [25] J. Li, G. Li, and H. Fan, "Image dehazing using residual-based deep CNN," *IEEE Access*, vol. 6, pp. 26 831–26 842, 2018. DOI: [10.1109/ACCESS.2018.2833888](https://doi.org/10.1109/ACCESS.2018.2833888).
- [26] C. Ancuti, C. O. Ancuti, and C. De Vleeschouwer, "D-HAZY: A dataset to evaluate quantitatively dehazing algorithms," in *2016 IEEE international conference on image processing (ICIP)*, IEEE, IEEE, 2016, pp. 2226–2230. DOI: [10.1109/ICIP.2016.7532754](https://doi.org/10.1109/ICIP.2016.7532754).

- [27] C. Ancuti, C. O. Ancuti, and R. Timofte, "NTIRE 2018 challenge on image dehazing: Methods and results," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops*, IEEE, 2018, pp. 891–901. DOI: [10.1109/CVPRW.2018.00134](https://doi.org/10.1109/CVPRW.2018.00134).
- [28] D. Berman, D. Levy, S. Avidan, and T. Treibitz, "Underwater single image color restoration using haze-lines and a new quantitative dataset," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 43, no. 8, pp. 2822–2837, 2020. DOI: [10.1109/TPAMI.2020.2977624](https://doi.org/10.1109/TPAMI.2020.2977624).
- [29] S. Fayaz, S. A. Parah, G. Qureshi, and V. Kumar, "Underwater image restoration: A state-of-the-art review," *IET Image Processing*, vol. 15, no. 2, pp. 269–285, 2021. DOI: [10.1049/ipr2.12041](https://doi.org/10.1049/ipr2.12041).
- [30] C. O. Ancuti, C. Ancuti, F.-A. Vasluianu, and R. Timofte, "NTIRE 2020 challenge on non-homogeneous dehazing," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops*, IEEE, 2020, pp. 490–491. DOI: [10.1109/CVPRW50498.2020.00253](https://doi.org/10.1109/CVPRW50498.2020.00253).
- [31] Y. Zhang, L. Ding, and G. Sharma, "HazeRD: An outdoor scene dataset and benchmark for single image dehazing," in *2017 IEEE International Conference on Image Processing (ICIP)*, IEEE, IEEE, 2017, pp. 3205–3209. DOI: [10.1109/ICIP.2017.8296874](https://doi.org/10.1109/ICIP.2017.8296874).
- [32] C. O. Ancuti, C. Ancuti, R. Timofte, and C. De Vleeschouwer, "O-HAZE: A dehazing benchmark with real hazy and haze-free outdoor images," in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, IEEE, 2018, pp. 754–762. DOI: [10.1109/CVPRW.2018.00119](https://doi.org/10.1109/CVPRW.2018.00119).
- [33] C. O. Ancuti, C. Ancuti, and R. Timofte, "NH-HAZE: An image dehazing benchmark with non-homogeneous hazy and haze-free images," in *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, IEEE, 2020, pp. 444–445. DOI: [10.1109/CVPRW50498.2020.00230](https://doi.org/10.1109/CVPRW50498.2020.00230).
- [34] C. O. Ancuti, C. Ancuti, F.-A. Vasluianu, and R. Timofte, "NTIRE 2021 non-homogeneous dehazing challenge report," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, 2021, pp. 627–646. DOI: [10.1109/CVPRW53098.2021.00074](https://doi.org/10.1109/CVPRW53098.2021.00074).
- [35] Z. Rong and W. L. Jun, "Improved wavelet transform algorithm for single image dehazing," *Optik*, vol. 125, no. 13, pp. 3064–3066, 2014. DOI: <https://doi.org/10.1016/j.ijleo.2013.12.077>.

- [36] H. Lu, A. Yamawaki, and S. Serikawa, "Curvelet approach for deep-sea sonar image denoising, contrast enhancement and fusion," *Journal of International Council on Electrical Engineering*, vol. 3, no. 3, pp. 250–256, 2013. DOI: [10.5370/JICEE.2013.3.3.250](https://doi.org/10.5370/JICEE.2013.3.3.250).
- [37] J. Li, H. Zhang, H. Chen, Y. Yang, and M. Sun, "Haze removal based on sparse representation prior," in *2015 3rd IAPR Asian Conference on Pattern Recognition (ACPR)*, IEEE, 2015. DOI: [10.1109/ACPR.2015.7486609](https://doi.org/10.1109/ACPR.2015.7486609).
- [38] D. Berman, T. Treibitz, and S. Avidan, "Non-local image dehazing," in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, vol. 23, IEEE, 2016, pp. 79–83. DOI: [10.1109/CVPR.2016.185](https://doi.org/10.1109/CVPR.2016.185).
- [39] J. Cai, W. He, J. Li, G. Yu, and X. Wu, "Dehazenet: An end-to-end system for single image haze removal," *IEEE Transactions on Image Processing*, vol. 25, no. 6, pp. 2965–2977, 2016. DOI: <https://doi.org/10.48550/arXiv.1601.07661>.
- [40] J. Li, G. Yu, and X. Wu, "Aod-net: All-in-one dehazing network," *IEEE Transactions on Image Processing*, vol. 26, no. 11, pp. 5501–5514, 2017. DOI: [10.1109/ICCV.2017.511](https://doi.org/10.1109/ICCV.2017.511).
- [41] W. Ren, L. Ma, J. Zhang, *et al.*, "Gated fusion network for single image dehazing," in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, 2018. DOI: [10.1109/CVPR.2018.00343](https://doi.org/10.1109/CVPR.2018.00343).
- [42] X. Liu, Y. Ma, Z. Shi, and J. Chen, "Griddehazenet: Attention-based multi-scale network for image dehazing," *IEEE Transactions on Image Processing*, vol. 27, no. 10, pp. 4451–4462, 2018. DOI: <https://doi.org/10.48550/arXiv.1908.03245>.
- [43] H. Xu, J. Ma, Z. Le, J. Jiang, and X. Guo, "FusionDN: A unified densely connected network for image fusion," *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, no. 07, pp. 12 484–12 491, 2020. DOI: [10.1609/aaai.v34i07.6936](https://doi.org/10.1609/aaai.v34i07.6936).
- [44] Y.-F. Chen, A. K. Patel, and C.-P. Chen, "Image haze removal by adaptive CycleGAN," in *2019 Asia-Pacific Signal and Information Processing Association Annual Summit and Conference (APSIPA ASC)*, IEEE, 2019. DOI: [10.1109/APSIPAASC47483.2019.9023296](https://doi.org/10.1109/APSIPAASC47483.2019.9023296).

- [45] J. Zhang and D. Tao, "Famed-net: A fast and accurate multi-scale end-to-end dehazing network," 2019. DOI: <https://doi.org/10.48550/arXiv.1906.04334>.
- [46] Z. Liu, B. Xiao, M. Alrabeiah, K. Wang, and J. Chen, "Single image dehazing with a generic model-agnostic convolutional neural network," *IEEE Signal Processing Letters*, vol. 26, no. 6, pp. 833–837, 2019. DOI: [10.1109/LSP.2019.2910403](https://doi.org/10.1109/LSP.2019.2910403).
- [47] D. Engin, A. Genç, and H. Kemal Ekenel, "Cycle-dehaze: Enhanced CycleGAN for single image dehazing," in *Proceedings of the IEEE conference on computer vision and pattern recognition workshops*, IEEE, 2018, pp. 825–833. DOI: [10.1109/CVPRW.2018.00127](https://doi.org/10.1109/CVPRW.2018.00127).
- [48] S. Jain, *Image dehazing using gman-net*, 2020. [Online]. Available: <https://github.com/sanchitvj/Image-Dehazing-using-GMAN-net.git>.
- [49] G. TensorFlow, *CycleGAN*, 2022. [Online]. Available: <https://www.tensorflow.org/tutorials/generative/cyclegan>.
- [50] K. Liu and X. Li, "De-hazing and enhancement method for underwater and low-light images," *Multimedia Tools and Applications*, vol. 80, no. 13, pp. 19421–19439, 2021. DOI: <https://doi.org/10.1007/s11042-021-10740-3>.
- [51] Z. Anvari and V. Athitsos, "Evaluating single image dehazing methods under realistic sunlight haze," in *Advances in Visual Computing*, Springer, Springer International Publishing, 2020, pp. 436–447. DOI: [10.1007/978-3-030-64556-4\\_34](https://doi.org/10.1007/978-3-030-64556-4_34).
- [52] B. Li, W. Ren, D. Fu, *et al.*, "Benchmarking single-image dehazing and beyond," *IEEE Transactions on Image Processing*, vol. 28, no. 1, pp. 492–505, 2018. DOI: [10.1109/TIP.2018.2867951](https://doi.org/10.1109/TIP.2018.2867951).
- [53] X. Chen, Q. Zhang, M. Lin, G. Yang, and C. He, "No-reference color image quality assessment: From entropy to perceptual quality," *EURASIP Journal on Image and Video Processing*, no. 1, 2019. DOI: [10.1186/s13640-019-0479-7](https://doi.org/10.1186/s13640-019-0479-7).
- [54] S. Tang, C. Li, and Q. Tian, "Underwater image quality assessment based on human visual system," in *2020 13th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics (CISP-BMEI)*, IEEE, 2020. DOI: [10.1109/CISP-BMEI51763.2020.9263539](https://doi.org/10.1109/CISP-BMEI51763.2020.9263539).

- [55] K. Panetta, C. Gao, and S. Agaian, "Human-visual-system-inspired underwater image quality measures," *IEEE Journal of Oceanic Engineering*, vol. 41, no. 3, pp. 541–551, 2016. DOI: [10.1109/JOE.2015.2469915](https://doi.org/10.1109/JOE.2015.2469915).
- [56] M. Yang and A. Sowmya, "An underwater color image quality evaluation metric," *IEEE Transactions on Image Processing*, vol. 24, no. 12, pp. 6062–6071, 2015. DOI: [10.1109/TIP.2015.2491020](https://doi.org/10.1109/TIP.2015.2491020).
- [57] C. O. Ancuti, C. Ancuti, C. De Vleeschouwer, and P. Bekaert, "Color balance and fusion for underwater image enhancement," *IEEE Transactions on Image Processing*, vol. 27, no. 1, pp. 379–393, 2017. DOI: [10.1109/TIP.2017.2759252](https://doi.org/10.1109/TIP.2017.2759252).
- [58] C. O. Ancuti, C. Ancuti, M. Sbert, and R. Timofte, "Dense-haze: A benchmark for image dehazing with dense-haze and haze-free images," in *2019 IEEE international conference on image processing (ICIP)*, IEEE, IEEE, 2019, pp. 1014–1018. DOI: [10.1109/ICIP.2019.8803046](https://doi.org/10.1109/ICIP.2019.8803046).
- [59] C. Li, C. Guo, W. Ren, *et al.*, "An underwater image enhancement benchmark dataset and beyond," *IEEE Transactions on Image Processing*, vol. 29, pp. 4376–4389, 2019. DOI: [10.1109/TIP.2019.2955241](https://doi.org/10.1109/TIP.2019.2955241).