

DAFTAR PUSTAKA

- Alabi, O. O., & Amonsou, E. O. (2024). Gel-forming properties of Bambara groundnut globulin and protein subfractions: structural and rheological characterisation. *International Journal of Food Science and Technology*, 59(7), 5143–5154. <https://doi.org/10.1111/ijfs.17254>
- Arise, A. K., Nwachukwu, I. D., Aluko, R. E., & Amonsou, E. O. (2017). Structure, composition and functional properties of storage proteins extracted from bambara groundnut (*Vigna subterranea*) landraces. *International Journal of Food Science and Technology*, 52(5), 1211–1220. <https://doi.org/10.1111/ijfs.13386>
- Astuti, R. M., Palupi, N. S., Suhartono, M. T., Kusumaningtyas, E., & Lioe, H. N. (2023). Effect of processing treatments on the allergenicity of nuts and legumes: A meta-analysis. *Journal of Food Science*, 88(1), 28–56. <https://doi.org/10.1111/1750-3841.16381>
- Astuti, R. M., Palupi, N. S., & Zakaria, F. R. (2016). Allergic reactivity of bambara groundnut (*Vigna subterranea*) proteins. *Food and Agricultural Immunology*, 27(4), 535–546. <https://doi.org/10.1080/09540105.2015.1129601>
- Badan Pusat Statistik Indonesia. (2024). *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2024 - Tabel Statistik*. Bps.go.id; Badan Pusat Statistik Indonesia. <https://www.bps.go.id/id/statistics-table/1/OTUwIzE=/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting--2007-2022.html>
- Barre, A., Sordet, C., Culerrier, R., Rancé, F., Didier, A., & Rougé, P. (2008). Vicilin allergens of peanut and tree nuts (walnut, hazelnut and cashew nut) share structurally related IgE-binding epitopes. *Molecular Immunology*, 45(5), 1231–1240. <https://doi.org/10.1016/j.molimm.2007.09.014>
- Chinnasamy, K., Krishnan, N. K., Balasubramaniam, M., Balamurugan, R., Lakshmanan, P., Karuppasami, K. M., Karuppannan, M. S., Thiagarajan, E., Alagaraswamy, S., & Muthusamy, S. (2025). Nutrient Formulation—A Sustainable Approach to Combat PRSV and Enhance Productivity in Papaya. *Agriculture (Switzerland)*, 15(201). <https://doi.org/10.3390/agriculture15020201>
- Dumitraşcu, L., Stănciuc, N., Grigore-Gurgu, L., & Aprodu, I. (2019). Spectroscopic and molecular modeling investigations on heat induced behaviour of soy proteins.

- Emirates Journal of Food and Agriculture*, 31(8), 569–577.
<https://doi.org/10.9755/EJFA.2019.V31.I8.1984>
- González-Gordo, S., López-Jaramillo, J., Palma, J. M., & Corpas, F. J. (2023). Soybean (Glycine max L.) Lipxygenase 1 (LOX 1) Is Modulated by Nitric Oxide and Hydrogen Sulfide: An In Vitro Approach. *International Journal of Molecular Sciences*, 24(9). <https://doi.org/10.3390/ijms24098001>
- Handoyo, T., & Morita, N. (2006). Structural and functional properties of fermented soybean (Tempeh) by using *Rhizopus oligosporus*. *International Journal of Food Properties*, 9(2), 347–355. <https://doi.org/10.1080/10942910500224746>
- Hartanti, A. T., Rahayu, G., & Hidayat, I. (2015). *Rhizopus* species from Fresh Tempeh Collected from Several Regions in Indonesia. *HAYATI Journal of Biosciences*, 22(3), 136–142. <https://doi.org/10.1016/j.hjb.2015.10.004>
- Hou, Y., Huang, L., Xing, G., Yuan, X., Zhang, X., Dai, D., Yuan, X., Chen, X., & Xue, C. (2025). Structure and Functional Properties of Proteins from Different Soybean Varieties as Affected by the 11S/7S Globulin Ratio. *Foods*, 14(5). <https://doi.org/10.3390/foods14050755>
- Katsube, T., Kurisaka, N., Ogawa, M., Maruyama, N., Ohtsuka, R., Utsumi, S., & Takaiwa, F. (1999). Accumulation of soybean glycinin and its assembly with the glutelins in rice. *Plant Physiology*, 120(4), 1063–1073. <https://doi.org/10.1104/pp.120.4.1063>
- Kim, H.-Y. (2019). Statistical notes for clinical researchers: the independent samples t - test. *Restorative Dentistry & Endodontics*, 44(3). <https://doi.org/10.5395/rde.2019.44.e26>
- Kristiadi, O. H., & Lunggani, A. T. (2022). *Tempe kacang kedelai sebagai pangan fermentasi unggulan khas indonesia: literature review tempeh as indonesian special fermented Food: Literature Review*. 2(2), 48–56.
- Lei, D., Li, J., Zhang, C., Li, S., Zhu, Z., Wang, F., Deng, Q., & Grimi, N. (2022). Complexation of soybean protein isolate with β -glucan and myricetin: Different affinity on 7S and 11S globulin by QCM-D and molecular simulation analysis. *Food Chemistry: X*, 15. <https://doi.org/10.1016/j.fochx.2022.100426>

- Liu, S., Zhou, R., Tian, S., & Gai, J. (2007). A study on subunit groups of soybean protein extracts under SDS-PAGE. *JAOCs, Journal of the American Oil Chemists' Society*, 84(9), 793–801. <https://doi.org/10.1007/s11746-007-1111-z>
- Liu, Z., Fu, Y., Liu, Y., Chen, X., Jiang, M., & Rui, X. (2023). Lactic acid bacteria fermented soy β -conglycinin: Assessment of structural conformational feature and immunoglobulin E reactivity. *LWT*, 173. <https://doi.org/10.1016/j.lwt.2022.114246>
- Makeri, M. U., Mohamed, S. A., Karim, R., Ramakrishnan, Y., & Muhammad, K. (2017). Fractionation, physicochemical, and structural characterization of winged bean seed protein fractions with reference to soybean. *International Journal of Food Properties*, 20, 2220–2236. <https://doi.org/10.1080/10942912.2017.1369101>
- Malik, N. H. A., Simarani, K., & Aziz, M. A. (2022). Soybean as an alternative nutrient medium for bacillus subtilis growth. *Malaysian Applied Biology*, 51(4), 67–74. <https://doi.org/10.55230/mabjournal.v51i4.12>
- Meinlschmidt, P., Ueberham, E., Lehmann, J., Schweiggert-Weisz, U., & Eisner, P. (2016). Immunoreactivity, sensory and physicochemical properties of fermented soy protein isolate. *Food Chemistry*, 205, 229–238. <https://doi.org/10.1016/j.foodchem.2016.03.016>
- Mujianto. (2013). Analisis Faktor Yang Mempengaruhi Proses Produksi Tempe Produk UMKM di Kabupaten Sidoarjo. *REKA Agroindustri*, 1(1).
- Mulalapele, L. T., & Xi, J. (2021). Detection and inactivation of allergens in soybeans: A brief review of recent research advances. In *Grain and Oil Science and Technology* (Vol. 4, Issue 4, pp. 191–200). KeAi Communications Co. <https://doi.org/10.1016/j.gaost.2021.11.001>
- Ngui, S. P., Nyobe, C. E., Bakwo Bassogog, C. B., Nchuaji Tang, E., Minka, S. R., & Mune Mune, M. A. (2021). Influence of pH and temperature on the physicochemical and functional properties of Bambara bean protein isolate. *Heliyon*, 7(8). <https://doi.org/10.1016/j.heliyon.2021.e07824>
- Oludare, A. J., Kioko, J. I., Akeem, A. A., Olumide, A. T., Justina, K. R., Adejoke, I. M., Oyinade, D. A., Moradeke, C. D., & Aderonke, O. (2017). Genetic Diversity in Bambara Groundnut (*Vigna subterranean*) as Revealed by Molecular Weights of the Seeds' Proteins. In *Bangladesh J. Pl. Breed. Genet* (Vol. 30, Issue 2).

- Peres Fabbri, L., Cavallero, A., Vidotto, F., & Gabriele, M. (2024). Bioactive Peptides from Fermented Foods: Production Approaches, Sources, and Potential Health Benefits. In *Foods* (Vol. 13, Issue 21). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods13213369>
- Radiati, A., & Sumarto. (2016). Analisis Sifat Fisik, Sifat Organoleptik, dan Kandungan Gizi pada Produk Tempe dari Kacang Non-Kedelai. *Jurnal Aplikasi Teknologi Pangan*, 5(1). www.jatp.ift.or.id.
- Refwallu, M. L., & Sahertian, D. E. (2020). Identifikasi tanaman kacang-kacangan (papilionaceae) yang ditanam di pulau larat kabupaten kepulauan tanimbar. *Biofaal Journal*, 1(2), 66–73.
- Rizal, S., Kustyawati, M. E., Suharyono, Putri, T. S. K., & Endaryanto, T. (2023). Effect of substrate type and incubation time on the microbial viability of instant starter for premium tempeh. *AIMS Agriculture and Food*, 8(2), 461–478. <https://doi.org/10.3934/AGRFOOD.2023024>
- Rizal, S., Murhadi, Kustyawati, M. E., & Hasanudin, U. (2020). Growth optimization of *saccharomyces cerevisiae* and *rhizopus oligosporus* during fermentation to produce tempeh with high β -glucan content. *Biodiversitas*, 21(6), 2667–2673. <https://doi.org/10.13057/biodiv/d210639>
- Rosidah, R., Azizah, A. S., Megawati, H. P., & Rivaldi, R. (2023). Analisis Morfologi Fungi pada Tempe Kemasan Daun dan Tempe Kemasan Plastik. *Jurnal Pengabdian Masyarakat Biologi Dan Sains*, 2(1), 48–57. <https://doi.org/10.30998/jpmbio.v2i1.1930>
- Saetang, J., Haewphet, T., Nilsuwan, K., & Benjakul, S. (2025). ACE- and DPP-IV-Inhibitory Peptides from Bambara Groundnut Hydrolysate: Elucidation Using Computational Tools and Molecular Docking. *Biology*, 14(5). <https://doi.org/10.3390/biology14050511>
- Satouchi, K., Kodama, Y., Murakami, K., Tanaka, T., Iwamoto, H., & Ishimoto, M. (2002). A Lipase-inhibiting Protein from Lipxygenase-deficient Soybean Seeds. *Bioscience, Biotechnology and Biochemistry*, 66(10), 2154–2160. <https://doi.org/10.1271/bbb.66.2154>
- Schmid, E. M., Farahnaky, A., Adhikari, B., Savadkoohi, S., & Torley, P. J. (2024). Investigation into the physiochemical properties of soy protein isolate and

- concentrate powders from different manufacturers. *International Journal of Food Science and Technology*, 59(3), 1679–1693. <https://doi.org/10.1111/ijfs.16923>
- Surbakti, E. S. P., Duniaji, A. S., & Nocianitri, K. A. (2022). Pengaruh Jenis Substrat Terhadap Pertumbuhan *Rhizopus oligosporus* DP02 Bali dalam Pembuatan Ragi Tempe. *Itepa: Jurnal Ilmu Dan Teknologi Pangan*, 11(1), 92–99.
- Tan, X. L., Azam-Ali, S., Goh, E. Von, Mustafa, M., Chai, H. H., Ho, W. K., Mayes, S., Mabhaudhi, T., Azam-Ali, S., & Massawe, F. (2020). Bambara Groundnut: An Underutilized Leguminous Crop for Global Food Security and Nutrition. In *Frontiers in Nutrition* (Vol. 7). Frontiers Media S.A. <https://doi.org/10.3389/fnut.2020.601496>
- Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S., & Lim, J. J. L. (2024). A review on health benefits and processing of tempeh with outlines on its functional microbes. In *Future Foods* (Vol. 9). Elsevier B.V. <https://doi.org/10.1016/j.fufo.2024.100330>
- Vulin, C., Di Meglio, J. M., Lindner, A. B., Daerr, A., Murray, A., & Hersen, P. (2014). Growing yeast into cylindrical colonies. *Biophysical Journal*, 106(10), 2214–2221. <https://doi.org/10.1016/j.bpj.2014.02.040>
- Wang, F., Gu, X., Lü, M., Huang, Y., Zhu, Y., Sun, Y., & Zhu, X. (2022). Structural Analysis and Study of Gel Properties of Thermally-Induced Soybean Isolate–Potato Protein Gel System. *Foods*, 11(22). <https://doi.org/10.3390/foods11223562>
- Wang, Z., Shea, Z., Rosso, L., Shang, C., Li, J., Bewick, P., Li, Q., Zhao, B., & Zhang, B. (2023). Development of new mutant alleles and markers for KTI1 and KTI3 via CRISPR/Cas9-mediated mutagenesis to reduce trypsin inhibitor content and activity in soybean seeds. *Frontiers in Plant Science*, 14. <https://doi.org/10.3389/fpls.2023.1111680>
- Yamin, B., Rinihapsari, E., Firstania Tirza Diandra, & Raka Pradistya. (2022). Perbandingan Kemampuan Fermentasi Khamir *Saccharomyces cerevisiae* dari Berbagai Media Kultur Bioma, 17(2), 65–73. [https://doi.org/10.21009/bioma17\(2\).3](https://doi.org/10.21009/bioma17(2).3)
- Yang, J., de Wit, A., Diedericks, C. F., Venema, P., van der Linden, E., & Sagis, L. M. C. (2022). Foaming and emulsifying properties of extensively and mildly extracted

- Bambara groundnut proteins: A comparison of legumin, vicilin and albumin protein. *Food Hydrocolloids*, 123. <https://doi.org/10.1016/j.foodhyd.2021.107190>
- Yarlina, V. P., Nabilah, F., Djali, M., Andoyo, R., & Lani, M. N. (2023). Mold characterization in “RAPRIMA” tempeh yeast from LIPI and over-fermented Koro Pedang (Jack Beans) tempeh. *Food Research*, 7, 125–132. [https://doi.org/10.26656/fr.2017.7\(S1\).27](https://doi.org/10.26656/fr.2017.7(S1).27)
- Zhang, Y., Wei, R., Azi, F., Jiao, L., Wang, H., He, T., Liu, X., Wang, R., & Lu, B. (2022). Solid-state fermentation with *Rhizopus oligosporus* RT-3 enhanced the nutritional properties of soybeans. *Frontiers in Nutrition*. <https://doi.org/10.3389/fnut.2022.972860>