

DAFTAR PUSTAKA

- Agustina, R. S., & Haryani, T. S. (2021). Uji kualitas mikrobiologi dan kimiawi sediaan yoghurt berbahan dasar kacang bogor (*Vigna subterranea*). *Ekologia: Jurnal Ilmiah Ilmu Dasar dan Lingkungan Hidup*, 21(1), 8–13.
- Alozie, Y. E., Iyam, M. A., Lawal, O., Udofia, U., & Ani, I. F. (2009). Utilization of bambara groundnut flour blends in bread production.
- Aluko, R. E. (2017). Hemp seed (*Cannabis sativa* L.) proteins: Composition, structure, enzymatic modification, and functional or bioactive properties. In *Sustainable protein sources* (pp. 121–132). Academic Press.
- Alves, A. C., & Tavares, G. M. (2019). Mixing animal and plant proteins: Is this a way to improve protein techno-functionalities? *Food Hydrocolloids*, 97, 105171.
- Amagliani, L., & Schmitt, C. (2017). Globular plant protein aggregates for stabilization of food foams and emulsions. *Trends in Food Science & Technology*, 67, 248–259.
- Arise, A. K., Nwachukwu, I. D., Aluko, R. E., & Amonsou, E. O. (2017). Structure, composition and functional properties of storage proteins extracted from bambara groundnut (*Vigna subterranea*) landraces. *International Journal of Food Science and Technology*, 52(5), 1211–1220.
- Astuti, R. M., Palupi, N. S., & Zakaria, F. R. (2016). Allergic reactivity of bambara groundnut (*Vigna subterranea*) proteins. *Food and Agricultural Immunology*, 27(4), 535–546.
- Astuti, R. M., Palupi, N. S., Suhartono, M. T., Lioe, H. N., Kusumaningtyas, E., & Cempaka, L. (2022). Karakterisasi fisiko-kimia biji dan kulit ari kacang bogor asal Jampang-Sukabumi Jawa Barat. *Jurnal Teknologi dan Industri Pangan*, 33(2), 178–188.
- Astuti, R. M., Palupi, N. S., Suhartono, M. T., Lioe, H. N., Kusumaningtyas, E., & Subekti, D. T. (2023). Effect of extrusion processing and simulated human digestion on the allergenicity of bambara groundnut protein. *International Journal of Food Science & Technology*, 58(9), 4551–4561.
- Busu, N. M., & Amonsou, E. O. (2019). Fractionation pH of bambara groundnut (*Vigna subterranea*) protein impacts the degree of complexation with gum arabic. *Food Hydrocolloids*, 87, 653–660.

- Diedericks, C. F., de Koning, L., Jideani, V. A., Venema, P., & van der Linden, E. (2019). Extraction, gelation and microstructure of bambara groundnut vicilins. *Food Hydrocolloids*, 97, 105226.
- Google Patent. (1997). *Process for purifying proteins by adsorption and elution* (WO1997005159A2).
<https://patents.google.com/patent/WO1997005159A2>
- Heldt, H.-W., & Piechulla, B. (2021). Products of nitrogen fixation and nitrate assimilation are deposited as storage proteins. In *Plant biochemistry* (5th ed., pp. 299–305). Elsevier. <https://doi.org/10.1016/B978-0-12-818631-2.00014-3>
- Hlanga, N. C., Modi, A. T., & Mathew, I. (2021). Evaluating nutritional content among bambara groundnut lines. *Journal of Food Composition and Analysis*, 102, 104053.
- Illahi, Z., & Wiendi, N. M. A. (2016). Keragaman genetik kacang bogor (*Vigna subterranea* L. Verdc.) berdasarkan marka SSR (simple sequence repeat). *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 44(3), 279–285.
- Khan, M. M. H., Rafii, M. Y., Ramlee, S. I., Jusoh, M., & Al-Mamun, M. (2021). Bambara groundnut (*Vigna subterranea* L. Verdc): A crop for the new millennium, its genetic diversity, and improvements to mitigate future food and nutritional challenges. *Sustainability*, 13(10), 5530.
- Kuswanto, W. B., Pramantasari, R. A., & Canda, S. (2012, November). Koleksi dan evaluasi galur-galur lokal kacang bogor (*Vigna subterranea*). In *Prosiding Seminar Nasional Perhimpunan Ilmu Pemuliaan Indonesia (PERIPI)* (Vol. 6).
- Majola, N. G., Gerrano, A. S., & Shimelis, H. (2021). Bambara groundnut (*Vigna subterranea* [L.] Verdc.) production, utilisation and genetic improvement in sub-Saharan Africa. *Agronomy*, 11(7), 1345.
- Mayes, S., Massawe, F. J., Alderson, P. G., Roberts, J. A., Azam-Ali, S. N., & Hermann, M. (2012). The potential for underutilized crops to improve security of food production. *Journal of Experimental Botany*, 63(3), 1075–1079.
- Mazahib, A. M., Nuha, M. O., Salawa, I. S., & Babiker, E. E. (2013). Some Nutritional Attributes of Bambara Groundnut as Influenced by Domestic Processing. *International Food Research Journal*, 20(3), 1165.

- Minor, W., Steczko, J., Stec, B., Otwinowski, Z., Bolin, J. T., Walter, R., & Axelrod, B. (1996). Crystal structure of soybean lipoxygenase L-1 at 1.4 Å resolution. *Biochemistry*, 35(33), 10687–10701.
- Mune Mune, M. A., Minka, S. R., & Henle, T. (2018). Investigation on antioxidant, angiotensin-converting enzyme, and dipeptidyl peptidase IV inhibitory activity of bambara bean protein hydrolysates. *Food Chemistry*, 250, 162–169.
- Mune Mune, M. A., & Sogi, D. S. (2015). Functional properties of protein concentrates of cowpea and bambara bean involving different drying techniques. *Journal of Food Processing and Preservation*, 39(6), 2304–2313.
- Nowakowski, A. B., Wobig, W. J., & Petering, D. H. (2014). Native SDS-PAGE: High resolution electrophoretic separation of proteins with retention of native properties including bound metal ions. *Metallomics*, 6(5), 1068–1078. <https://doi.org/10.1039/c4mt00033a>
- Nwadi, O. M., Uchegbu, N., & Oyeyinka, S. A. (2020). Enrichment of food blends with bambara groundnut flour: Past, present, and future trends. *Legume Science*, 2(1), e25.
- Rahayu, W. E., Destiana, I. D., Fathurohman, F., & Waryudin, W. (2020). Utilization of bambara bean (*Vigna subterranea* L.) flour as a substitution of wheat flour in making cookies.
- Reyes-Jurado, F., Soto-Reyes, N., Dávila-Rodríguez, M., Lorenzo-Leal, A. C., Jiménez-Munguía, M. T., Mani-López, E., & López-Malo, A. (2023). Plant-based milk alternatives: Types, processes, benefits, and characteristics. *Food Reviews International*, 39(4), 2320–2351.
- Sanchez-Monge, R., Lopez-Torrejón, G., Pascual, C. Y., Varela, J., Martin-Esteban, M., & Salcedo, G. (2004). Vicilin and convicilin are potential major allergens from pea. *Clinical & Experimental Allergy*, 34(11), 1747–1753.
- Singh, N., Jain, P., Ujinwal, M., & Langyan, S. (2022). Escalate protein plates from legumes for sustainable human nutrition. *Frontiers in Nutrition*, 9, 977986.
- Singh, V. K., Kumari, P., & Verma, R. (2024). A practical approach to protein separation using SDS-PAGE.
- Song, Y. S., Frías, J., Martínez-Villaluenga, C., Vidal-Valverde, C., & De Mejia, E. G. (2008). Immunoreactivity reduction of soybean meal by fermentation: Effect on amino acid composition and antigenicity of commercial soy products. *Food Chemistry*, 108(2), 571–581.

- Vieira Bard, G. C., Nascimento, V. V., Oliveira, A. E. A., Rodrigues, R., Da Cunha, M., Dias, G. B., ... & Gomes, V. M. (2014). Vicilin-like peptides from *Capsicum baccatum* L. seeds are α -amylase inhibitors and exhibit antifungal activity against important yeasts in medical mycology. *Peptide Science*, 102(4), 335-343.
- Wang, C., Wang, Y., Liu, G., & Fu, L. (2020). Food allergomics based on high-throughput and bioinformatics technologies. *Food Research International*, 130, 108942.
- Wang, F., Robotham, J. M., Teuber, S. S., Tawde, P., Sathe, S. K., & Roux, K. H. (2002). Ana o 1, a cashew (*Anacardium occidentale*) allergen of the vicilin seed storage protein family. *Journal of Allergy and Clinical Immunology*, 110(1), 160–166.
- Yang, J., de Wit, A., Diedericks, C. F., Venema, P., van der Linden, E., & Sagis, L. M. (2022). Foaming and emulsifying properties of extensively and mildly extracted bambara groundnut proteins: A comparison of legumin, vicilin and albumin protein. *Food Hydrocolloids*, 123, 107190.