

## DAFTAR PUSTAKA

- Aji Pranata, Y. (2024). *Metode Elemen Hingga* (EranG Risanto, 1). ANDI.
- Alisjahbana, S. W. (2011). *Dinamika Struktur Pelat II*. UB Press.
- Bedon, C. (2020). Experimental investigation on vibration sensitivity of an indoor glass footbridge to walking conditions. *Journal of Building Engineering*, 29, 101195. <https://doi.org/10.1016/j.jobe.2020.101195>
- Bedon, C., Fasan, M., & Noè, S. (2022). Body Motion Sensor Analysis of Human-Induced Dynamic Load Factor (DLF) for Normal Walks on Slender Transparent Floors. *Journal of Sensor and Actuator Networks*, 11(4), 81. <https://doi.org/10.3390/jsan11040081>
- Blevins, R. D. (1979). *Formulas for Natural Frequency and Mode Shape*.
- Bristogianni, T., Oikonomopoulou, F., & Veer, F. A. (2021). On the flexural strength and stiffness of cast glass. *Glass Structures & Engineering*, 6(2), 147–194. <https://doi.org/10.1007/s40940-021-00151-z>
- Cao, D., Liu, X., Yang, Z., Huang, J., Xu, M., & Wan, D. (2025). The Validation and Discussion of a Comparative Method Based on Experiment to Determine the Effective Thickness of Composite Glass. *Buildings*, 15(14), 2542. <https://doi.org/10.3390/buildings15142542>
- Centelles, X., Castro, J. R., Pelayo, F., Aenlle-López, M., & Cabeza, L. F. (2021). Experimental study and comparison of different fully transparent laminated glass beam designs. *Glass Structures & Engineering*, 6(4), 463–486. <https://doi.org/10.1007/s40940-021-00160-y>
- Chopra, A. K. (2012). *Dynamics of Structures: Theory and Applications to Earthquake Engineering* (4th edition). Pearson.
- Cotter, J., & Guldiken, R. (2020). Theoretical Design Strategies, Strengths, Costs, and Environmental Impacts of Triple Composite Beams Utilizing Glass Compressive Reinforcement. *Journal of Composites Science*, 4(1), 22. <https://doi.org/10.3390/jcs4010022>
- Dairi, W., & Hamidouch, M. (2024). Analysis of the effects of vickers indentation-induced defects on the strength and probability of failure of float glass during biaxial flexure testing. *Engineering Solid Mechanics*, 12(4), 353–362. <https://doi.org/10.5267/j.esm.2024.6.001>

- Deng, D., Wang, Z., Zhang, X., & Lin, H. (2022). Experimental Investigation on Pedestrian Walking Load in Steel Footbridges. *Frontiers in Materials*, 9. <https://doi.org/10.3389/fmats.2022.922545>
- Duarte, E., & Ji, T. (2009). Action of Individual Bouncing on Structures. *Journal of Structural Engineering*, 135(7), 818–827. [https://doi.org/10.1061/\(ASCE\)0733-9445\(2009\)135:7\(818\)](https://doi.org/10.1061/(ASCE)0733-9445(2009)135:7(818))
- Feldmann, M., Kasper, R., Abeln, B., Cruz, P., Belis, J., Beyer, J., Colvin, J., Ensslen, F., Eliasova, M., Galuppi, L., Geßler, A., Grenier, C., Haese, A., Hoegner, H., Kruijs, R., Langosch, K., Louter, C., Manara, G., Morgan, T., ... Denton, S. (2014). *Guidance for European Structural Design of Glass Components*. <https://doi.org/10.2788/5523>
- Galić, J., Stepinac, L., Bošnjak, A., & Zovko, I. (2022). Influence of PVB Interlayer Mechanical Properties on Laminated Glass Elements Design in Dependence of Real Time-Temperature Changes. *Polymers*, 14(20), 4402. <https://doi.org/10.3390/polym14204402>
- Galuppi, L., Franco, A., & Bedon, C. (2023). Architectural Glass under Climatic Actions and Fire: Review of State of the Art, Open Problems and Future Perspectives. *Buildings*, 13(4), 939. <https://doi.org/10.3390/buildings13040939>
- Gong, M., Li, Y., Shen, R., & Wei, X. (2021). Glass Suspension Footbridge: Human-Induced Vibration, Serviceability Evaluation, and Vibration Mitigation. *Journal of Bridge Engineering*, 26(11). [https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0001788](https://doi.org/10.1061/(ASCE)BE.1943-5592.0001788)
- Hibbeler, R. C. (2017). *Mechanics of Materials*. Pearson.
- Jones, R. M. (1999). *Mechanics of Composite Materials* (2nd ed.). Taylor & Francis.
- Joseph Udi, U., Yussof, M. M., Musa Ayagi, K., Bedon, C., & Khairul Kamarudin, M. (2023). Environmental degradation of structural glass systems: A review of experimental research and main influencing parameters. *Ain Shams Engineering Journal*, 14(5), 101970. <https://doi.org/10.1016/j.asej.2022.101970>
- Jóźwik, A. (2024). Glass Beams Used in Steel-glass Roofs for the Adaptive Reuse of Historic Buildings. *Civil and Environmental Engineering Reports*, 34(3), 136–153. <https://doi.org/10.59440/ceer/190880>
- Knight, J. T., El-Sisi, A. A., Elbelbisi, A. H., Newberry, M., & Salim, H. A. (2022). Mechanical Behavior of Laminated Glass Polymer Interlayer Subjected to Environmental Effects. *Polymers*, 14(23), 5113. <https://doi.org/10.3390/polym14235113>

- Kozłowski, M., Zemła, K., Kosmal, M., & Kopyłow, O. (2021). Experimental and FE Study on Impact Strength of Toughened Glass—Retrospective Approach. *Materials*, *14*(24), 7658. <https://doi.org/10.3390/ma14247658>
- Kuraray. (2024). *About our Trosifol® and SentryGlas® Technical Manual: Architecture*.
- Leissa, A. W. (1969). *Vibration of Plates*.
- Máca, J., & Štěpánek, J. (2017). Pedestrian load models of footbridges. *MATEC Web of Conferences*, *107*, 00009. <https://doi.org/10.1051/mateconf/201710700009>
- Megson, T. H. G. (2019). *Aircraft Structures for Engineering Students*. Elsevier. <https://doi.org/10.1016/C2019-0-03113-5>
- Murakami, M. (2018). Water makes glass elastically stiffer under high-pressure. *Scientific Reports*, *8*(1), 11890. <https://doi.org/10.1038/s41598-018-30432-7>
- Nugraha, W., Subrata, B., Sidik Pmadani, I., Sukmara, G., Riza Chairullah, A., Triwibowo, H., & Saripudin, U. (2023). *Evaluasi Performa Jembatan Gantung Tipe Suspended Pejalan Kaki Dengan Lantai Kaca Berdasarkan Uji Pembebanan Statis*. <https://binamarga.pu.go.id/jurnal/index.php/jurnaljalanjembatan/article/view/1163/709>
- Nugraha, W., Triwibowo, H., & Subrata, B. (2024). Studi Eksperimental Perilaku Struktural Lantai Kaca Laminasi Terhadap Beban Lentur. *Jurnal Jalan Jembatan*, *41*(1), 61–70. <https://doi.org/10.58499/jatan.v41i1.1286>
- Peng, T., & Sai, G. (2025). Research on the Bending Mechanical Properties of Laminated Glass Panels Under Concentrated Loads. *Engineering Reports*, *7*(4). <https://doi.org/10.1002/eng2.70118>
- Piscitelli, L. R. (2020). *Serviceability and post-failure behaviour of laminated glass structural elements* (Vol. 80). Firenze University Press. <https://doi.org/10.36253/978-88-6453-985-0>
- Reddy, J. N. (2004). *Mechanics of Laminated Composite Plates and Shells Theory and Analysis* (second).
- Rosso, M. M., Aloisio, A., Bedon, C., & Marano, G. C. (2023). Laminated glass slabs design challenges: dynamic identification of a fractured pedestrian walkway. *Ce/Papers*, *6*(5), 286–291. <https://doi.org/10.1002/cepa.2084>
- Sable, L., Kinsella, D., & Kozłowski, M. (2019). Influence of EVA, PVB and Ionoplast Interlayers on the Structural Behaviour and Fracture Pattern of Laminated Glass. *International Journal of Structural Glass and Advanced Materials Research*, *3*(1), 62–78. <https://doi.org/10.3844/sgamrsp.2019.62.78>

- Samieian, M. A., Cormie, D., Smith, D., Wholey, W., Blackman, B. R. K., Dear, J. P., & Hooper, P. A. (2023). A Study on the Bending of Laminated Glass Under Blast Loading. *Experimental Mechanics*, 63(3), 385–400. <https://doi.org/10.1007/s11340-022-00927-6>
- Septian, D., Sidabutar, Y., Subkhan, & Yuristiary, Y. (2025). Bahan Bangunan Ramah Lingkungan (Penerapan Material Kaca Dalam Arsitektur). *Jurnal Ilmiah S1 Teknik Sipil Universitas Batam*, 15, 10–22. <https://ejurnal.univbatam.ac.id/index.php/Sipil/article/view/1936/1621>
- Setareh, M. (2011). Vibration Studies of a Cantilevered Structure Subjected to Human Activities Using a Remote Monitoring System. *Journal of Performance of Constructed Facilities*, 25(2), 87–97. [https://doi.org/10.1061/\(ASCE\)CF.1943-5509.0000125](https://doi.org/10.1061/(ASCE)CF.1943-5509.0000125)
- Shan, Z. T., Tao, H. Z., Feng, S., & ue, Y. (2017). Crack-resistant calcium aluminosilicate glasses. *Department of Chemistry and BioscienceThe Faculty of Engineering and Science Aalborg Universitet*.
- Timoshenko, S., & Gere, J. M. (1961). *Theory of Elastic Stability*. McGraw-Hill.
- Timoshenko, S., & Woinowsky-Krieger, S. (1959). *Theory of Plates and Shells*. McGraw-Hill.
- Wang, H., Ge, Q., Zeng, D., Zhang, Z., & Chen, J. (2023). Human-Induced Vibration Serviceability: From Dynamic Load Measurement towards the Performance-Based Structural Design. *Buildings*, 13(8), 1977. <https://doi.org/10.3390/buildings13081977>
- Wang, J., & Zhu, J. (2021). Prospects and Applications of Biomass-Based Transparent Wood: An Architectural Glass Perspective. *Frontiers in Chemistry*, 9. <https://doi.org/10.3389/fchem.2021.747385>
- Yang, J., Wang, Y., Er Wang, X., Hou, X., & Ye, H. (2021). *Local bridging effect of fractured laminated glass with EVA based hybrid interlayers under weathering actions*. chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/[https://eprints.lancs.ac.uk/id/eprint/163551/1/Revised\\_Manuscript\\_Yang\\_Wang\\_et\\_al\\_13\\_Oct\\_clean.pdf](https://eprints.lancs.ac.uk/id/eprint/163551/1/Revised_Manuscript_Yang_Wang_et_al_13_Oct_clean.pdf)
- Yi, S., & Chen, S. (2024). Flaw characteristics of architectural glass and long-term strength prediction model. *Glass Structures & Engineering*, 9(2), 131–145. <https://doi.org/10.1007/s40940-024-00253-4>
- Young, W. C., & Budynas, R. G. (2002). *Roark's Formulas for Stress and Strain* (7th edition). McGraw-Hill.

- Yun, L., Li, H., Zhang, N., Shi, W., & Haider, R. (2024). Research on Out-of-Plane Bending Test of PVB Laminated Glass Plate with Different Number of Layers. *Applied Sciences*, *14*(8), 3416. <https://doi.org/10.3390/app14083416>
- Zhang, X., & Bedon, C. (2017). Vulnerability and Protection of Glass Windows and Facades under Blast: Experiments, Methods and Current Trends. *International Journal of Structural Glass and Advanced Materials Research*, *1*(2), 10–23. <https://doi.org/10.3844/sgamrsp.2017.10.23>
- Zhao, B., Xing, J., Cheng, G., & Su, J. (2025). Research on the Design Method of Laminated Glass Bridge Deck for Vehicle Applications. *Buildings*, *15*(19), 3541. <https://doi.org/10.3390/buildings15193541>