

DAFTAR PUSKATA

- Anderson, T., Yusasrini, N. L. A., & Pratiwi, I. D. P. K. (2023). Evaluasi profil sensori kopi Gayo Aceh berbagai merek yang dijual di marketplace menggunakan metode analisis deskriptif kuantitatif. *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 12(2). <https://doi.org/10.24843/itepa.2023.v12.i02.p07>
- Angeloni, G., Guerrini, L., Masella, P., Innocenti, M., Bellumori, M., & Parenti, A. (2020). Characterization and comparison of cold brew and cold drip coffee extraction methods. *Food Research International*, 128, 108803. <https://doi.org/10.1016/j.foodres.2019.108803>
- Asiah, N., Adriati, F., Dewi, D. I., Hidayat, S. G., Apriyantono, A., & Gosal, P. N. (2023). *Cerita dan Sains di Balik Cita Rasa Kopi Arabika Java Preanger*. AE Publishing.
- Beaudor, M., Vauchel, P., Pradal, D., Aljawish, A., & Phalip, V. (2023). Comparing the efficiency of extracting antioxidant polyphenols from spent coffee grounds using an innovative ultrasound-assisted extraction equipment versus conventional method. *Chemical Engineering and Processing - Process Intensification*, 198, 109084. <https://doi.org/10.1016/j.cep.2023.109084>
- Bouhzam, I., Labaki, M., El Hage, R., Chamieh, J., & Brosse, N. (2023). Extraction of bioactive compounds from spent coffee grounds: A review. *Foods*, 12(24), 4400. <https://doi.org/10.3390/foods12244400>
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., & Abert-Vian, M. (2021). Ultrasound assisted extraction of food and natural products: Mechanisms, techniques, combinations, protocols and applications. *Ultrasonics Sonochemistry*, 34, 540–560. <https://doi.org/10.1016/j.ultsonch.2016.06.035>
- Chen, S., Xiao, Y., Tang, W., Jiang, F., Zhu, J., Zhou, Y., & Ye, L. (2023). Evaluation of physicochemical characteristics and sensory properties of cold brew coffees prepared using ultrahigh pressure under different extraction conditions. *Foods*, 12(20), 3857. <https://doi.org/10.3390/foods12203857>
- Dordevic, D., Gablo, N., Zelenkova, L., Dordevic, S., & Tremlova, B. (2024). Utilization of spent coffee grounds as a food by-product to produce edible films based on κ -carrageenan with biodegradable and active properties. *Foods*, 13, 1833. <https://doi.org/10.3390/foods13121833>

- Fuller, M., & Rao, N. Z. (2019). The effect of time, roasting temperature, and grind size on cold brew coffee extraction. *Scientific Reports*, 9(1), 1–9. <https://doi.org/10.1038/s41598-019-44886-w>
- Galanakis, C. M. (2021). Green extraction: Principles, advances and applications. *Current Opinion in Green and Sustainable Chemistry*, 31, 100512. <https://doi.org/10.1016/j.cogsc.2021.100512>
- Imamura, K. (2024). The clean taste of coffee depends on the sodium content of its extraction water. *Food Science and Technology Research*, 30(2), 213–221. <https://doi.org/10.3136/fstr.FSTR-D-23-00196>
- Irmafiyani, A., Nalinda, R., & Puspitojati, E. (2025). Evaluasi hedonik produk kopi biji salak jahe creamy (Salacaffe) dengan variasi konsentrasi jahe. *Jurnal Agroteknologi*, 4(02), 132–142. <https://doi.org/10.53863/agronu.v4i02.1626>
- Ismowoyati, D., Wuryandani, S., & Wijayanti, F. (2023). Millennials' consumer behavior in the coffee agroindustry: The effect of consumer attitudes on purchasing decisions. *AGRITECH*, 43(1), 56–63.
- Khairani, I. J., Mulyana, R., Olivia, E., Riana, & Anisa, H. (2024). Quantitative analysis of phytochemical compounds and antihyperglycemic potential of Robusta coffee from West Lampung. *Jurnal Sumberdaya Hayati*, 10(1), 1–6.
- Kim, J. Y., Lee, H. J., & Kim, K. H. (2021). Chemical and sensory characteristics of cold brew coffee prepared with different brewing conditions. *Food Research International*, 140, 109958. <https://doi.org/10.1016/j.foodres.2021.109958>
- Kurniawan, F., Indrastuti, N., & Kurnianingrum, A. (2024). Analisis profil sensoris dan tingkat kesukaan terhadap teh buah aneka rasa dengan metode CATA (check-all-that-apply). *Agrointek*, 18(2), 256–264.
- Kurniawan, M., Amelia, L., & Hapsari, D. (2024). Karakteristik sensori produk kopi 2 in 1 komersial menggunakan metode Check-All-That-Apply (CATA). *Jurnal Agroindustri Halal*, 10(1), 57–68.
- Lawless, H. T., & Heymann, H. (2010). *Sensory evaluation of food: Principles and practices* (2nd ed.). Springer.
- Lee, Y., & Lee, K.-G. (2025). Effects of ultrasound treatment on physicochemical and sensory properties of cold brew coffee. *Ultrasonics Sonochemistry*, 119, 107401. <https://doi.org/10.1016/j.ultsonch.2025.107401>
- Liang, J., et al. (2024). Sensory analysis of the flavor profile of full immersion hot and cold brew coffee. *Scientific Reports*. <https://doi.org/10.1038/s41598-024-69867-6>

- Liu, C., Yang, Q., Linforth, R., Fisk, I., & Yang, N. (2019). Modifying Robusta coffee aroma by green bean chemical pre-treatment. *Food Chemistry*, 272, 251–257. <https://doi.org/10.1016/j.foodchem.2018.08.037>
- Liu, H., Liu, D., Wang, W., Zhang, X., Tuly, J., & Ma, H. (2024). Dual-frequency countercurrent ultrasonic-assisted extraction of the cold brew coffee and in situ real-time monitoring of extraction process. *Ultrasonics Sonochemistry*, 111, 107118. <https://doi.org/10.1016/j.ultsonch.2024.107118>
- Miladi, M., Boukroufa, M., & Chemat, F. (2024). Carbon footprint assessment of ultrasound-assisted extraction from spent coffee grounds. *Journal of Cleaner Production*, 445, 140231. <https://doi.org/10.1016/j.jclepro.2024.140231>
- Mullen, W., Nemzer, B., Stalmach, A., Sidra, A., & Combet, E. (2013). The polyphenolic and hydroxycinnamate contents of whole coffee fruits from China, India and Mexico. *Journal of Agricultural and Food Chemistry*. ISSN 0021-8561.
- Nabi, B. G., Mukhtar, K., Ansar, S., Hassan, S. A., Hafeez, M. A., Bhat, Z. F., Mousavi Khaneghah, A., Ul Haq, A., & Aadil, R. M. (2024). Application of ultrasound technology for the effective management of waste from fruit and vegetable. *Ultrasonics Sonochemistry*. <https://doi.org/10.1016/j.ultsonch.2023.106744>
- Nadaleti, D. H. S., Sousa, M. M. M., Ribeiro, M. N., Vilela, D. J. M., Pereira, D. R., & Carvalho, G. R. (2024). Sensory perception of coffee consumers as a function of different genotypes and extraction methods. *Revista Brasileira de Ciências Agrárias – Brazilian Journal of Agricultural Sciences*, 19(3), 1–8. <https://doi.org/10.5039/agraria.v19i3a10210>
- Navarini, L., & Rivetti, D. (2010). Water quality for espresso coffee. *Food Chemistry*, 122(2), 424–428. <https://doi.org/10.1016/j.foodchem.2009.04.019>
- Pedersen, L., Bertelsen, A. S., Byrne, D. V., & Kidmose, U. (2023). Sensory interactions between sweetness and fat in a chocolate milk beverage. *Foods*, 12, 2711. <https://doi.org/10.3390/foods12142711>
- Pinsuwan, A., Suwonsichon, S., Chompreeda, P., & Prinyawiwatkul, W. (2022). Sensory drivers of consumer acceptance, purchase intent and emotions toward brewed black coffee. *Foods*, 11, 180. <https://doi.org/10.3390/foods11020180>
- Priohusodo, H., Fibri, D., & Putro, A. (2022). Consumer acceptance and sensory characterization using the Check-All-That-Apply method of Arabika Gunung Halu by using seven brewing methods [Skripsi]. Universitas Gadjah Mada.

- Rahardjo, B., Akbar, B., Iskandar, Y., & Shalehah, A. (2020). Analysis and strategy for improving Indonesian coffee competitiveness in the international market. *BISMA (Bisnis dan Manajemen)*, 12(2), 154–167.
- Rini, D., Pusparini, F., Aulya, N., Ramadhani, A., & Hikmah, A. (2024). Pemanfaatan sampah ampas kopi sebagai media pembelajaran dalam bentuk coffee clay. *Jurnal SOLMA*, 13(3), 2965–2975.
- Roychand, R., Kilmartin-Lynch, S., Saberian, M., Li, J., Zhang, G., & Li, C. Q. (2023). Transforming spent coffee grounds into a valuable resource for the enhancement of concrete strength. *Journal of Cleaner Production*, 419, 1–13.
- Sijko-Szpańska, M., et al. (2025). Influence of brewing methods on the bioactive and mineral content of coffee. *Molecules*, 30(20), 4080. <https://doi.org/10.3390/molecules30204080>
- Skubina, E. C., Pielak, M., Salek, P., Ginter, R. K., & Owczarek, T. (2021). Consumer choices and habits related to coffee consumption by Poles. *International Journal of Environmental Research and Public Health*, 18(8), 39–48.
- Smith, R. L., Kaye, B., & Lee, H. (2023). Impact of dilution ratios on the physicochemical and sensory properties of Americano-style coffee beverages. *Beverages*, 9(3), 72. <https://doi.org/10.3390/beverages9030072>
- Soares, E. A., & Alves, R. F. (2025). Processing and shelf life of cold brew organic coffee. *Processes*, 13(1), 243. <https://doi.org/10.3390/pr13010243>
- Sourial, N., Wolfson, C., Zhu, B., Quail, J., Fletcher, J., Karunanathan, S., Bandeen-Roche, K., Béland, F., & Bergman, H. (2010). Correspondence analysis is a useful tool to uncover the relationships among categorical variables. *Journal of Clinical Epidemiology*, 63(6), 638–646.
- Specialty Coffee Association. (2024). SCA cupping protocols and forms. <https://sca.coffee/research/protocols-best-practices>
- Su, Y., Wang, H., Wu, Z., Zhao, L., Huang, W., Shi, B., He, J., Wang, S., & Zhong, K. (2022). Sensory description and consumer hedonic perception of ultra-high temperature (UHT) milk. *Foods*, 11, 1350. <https://doi.org/10.3390/foods11091350>
- Sunarharum, W. B., Nurminah, M., & Purba, N. G. (2024). Effect of different roasting levels and manual brewing techniques on the sensory profile of Liberica coffee. *Journal of Coffee and Sustainability*.
- Teran, E. (2024). Enhancement of coffee quality attributes by combining processing methods and varieties. *Beverages*, 10(10), 1–18. <https://doi.org/10.3390/beverages10010010>

- Várady, M., Tauchen, J., Klouček, P., & Popelka, P. (2022). Effects of total dissolved solids, extraction yield, grinding, and method of preparation on antioxidant activity in fermented specialty coffee. *Fermentation*, 8(8), 375. <https://doi.org/10.3390/fermentation8080375>
- Wang, X., et al. (2023). Effects of grind size, temperature, and brewing ratio on coffee extraction. <https://doi.org/10.1016/j.afres.2023.100334>
- World Brewers Cup Official Rules and Regulations. (2024). WCE Rules and Regulations Committee. <https://www.anacafe.org/>
- World Coffee Research & Specialty Coffee Association. (2016). Coffee taster's flavor wheel. <https://notbadcoffee.com/flavor-wheel-en/>
- Yang, A., Zhang, Z., Jiang, K., Xu, K., Meng, F., Wu, W., Li, Z., & Wang, B. (2024). Study on ultrasound-assisted extraction of cold brew coffee using physicochemical, flavor, and sensory evaluation. *Food Bioscience*, 61, 104455. <https://doi.org/10.1016/j.fbio.2024.104455>
- Zakaria, N. H., et al. (2023). Optimization of cold brew coffee using central composite design. *Foods*, 12(12), 2412. <https://doi.org/10.3390/foods12122412>
- Zhai, X., Yang, M., Zhang, J., Zhang, L., Tian, Y., Li, C., Bao, L., Ma, C., & Abd El-Aty, A. M. (2022). Feasibility of ultrasound-assisted extraction for accelerated cold brew coffee processing: Characterization and comparison with conventional brewing methods. *Frontiers in Nutrition*, 9, 849811. <https://doi.org/10.3389/fnut.2022.849811>