

DAFTAR PUSTAKA

- Adawiyah, D. R., Azis, M. A., Ramadhani, A. S., & Chueamchaitrakun, P. (2019). Perbandingan Profil Sensori Teh Hijau Menggunakan Metode Analisis Deskripsi Kuantitatif Dan CATA (Check-All-That-Apply). *Jurnal Teknologi Dan Industri Pangan*, 30(2), 161–172. <https://doi.org/10.6066/jtip.2019.30.2.161>.
- Al-Farsi, M., Alasalvar, C., Al-Abid, M., Al-Shoaily, K., Al-Amry, M., & Al-Rawahy, F. (2007). Compositional and functional characteristics of dates, syrups, and their by-products. *Food Chemistry*, 104(3), 943–947. <https://doi.org/10.1016/j.foodchem.2006.12.051>
- Al-Mssallem, S. Hu, X. Zhang, Q. Lin, W. Liu, J. Tan, et al., 2013. *Genome Sequence of The Date Palm Phoenix Dactylifera L*, *Nat. Commun.* 4
- Ardekani, M. R. S., Khanavi, M., Hajimahmoodi, M., Jahangiri, M., & Hadjiakhoondi, A. (2010). Comparison of antioxidant activity and total phenol contents of some date seed varieties from Iran. *Iranian Journal of Pharmaceutical Research*, 9(2), 141–146.
- Ares, G., Dauber, C., Fernández, E., Giménez, A., & Varela, P. (2014). Penalty analysis based on CATA questions to identify drivers of liking and directions for product reformulation. *Food Quality and Preference*, 32, 65–76. <https://doi.org/10.1016/j.foodqual.2013.06.001>
- Ares, G., & Jaeger, S. R. (2013). Check-all-that-apply questions: Influence of attribute order on sensory product characterization. *Food Quality and Preference*, 28(1), 141–153. <https://doi.org/10.1016/j.foodqual.2012.08.016>

- Assirey, E. A. (2015). Nutritional composition of fruit of 10 date palm (*Phoenix dactylifera* L.) cultivars grown in Saudi Arabia. *Journal of Taibah University Science*, 9(1), 75–79. <https://doi.org/10.1016/j.jtusci.2014.07.002>
- Chao, C. T., & Krueger, R. R. (2007). The date palm (*Phoenix dactylifera* L.): Overview of biology, uses, and cultivation. *HortScience*, 42(5), 1077–1082. <https://doi.org/10.21273/HORTSCI.42.5.1077>
- Espitia-López J, Rogelio Flores F, Angel Cuapio A, Flores-Chávez B, Arce- Cervantes O, Hernández-León S, Garza-López PM. 2019. Characterization of sensory profile by the CATA method of Mexican coffee brew considerin two preparation methods: espresso and Frech press. *Int. J. Food Prop.* 22(1):967 973.doi:10.1080/10942912.2019.1619577.
- Fikry, M., Yusof, Y. A., Al-Awaadh, A. M., Rahman, R. A., Chin, N. L., Mousa, E., & Chang, L. S. (2019a). Kinetics modelling of the colour, hardness, grinding energy consumption and oil yield changes during the conventional roasting of palm date seeds. *Food Science and Technology Research*, 25(3), 351–362. <https://doi.org/10.3136/fstr.25.351>
- Fikry, M., Yusof, Y. A., Al-Awaadh, A. M., Rahman, R. A., Chin, N. L., & Ghnimi, S. (2019b). Antioxidative and quality properties of full-fat date seeds brew as influenced by the roasting conditions. *Antioxidants*, 8(7), 226. <https://doi.org/10.3390/antiox8070226>
- Fikry, M., Yusof, Y. A., Al-Husein, M., Abdul Rahman, R., Chin, N. L., Mousa, E., & Chang, L. S. (2019c). Effect of the roasting conditions on the physicochemical, quality and sensory attributes of coffee-like powder and brew from defatted palm date seeds. *Foods*, 8(6), 61. <https://doi.org/10.3390/foods8020061>
- Ghnimi, S., Almansoori, R., Jobe, B., Hassan, M., & Kamal-Eldin, A. (2015). Quality evaluation of coffee-like beverage from date seeds (*Phoenix dactylifera* L.).

Journal of Food Processing and Technology, 6(5), 1–6.
<https://doi.org/10.4172/2157-7110.1000441>

Hamada, J. S., Hashim, I. B., and Sharif, F. A. (2002). Preliminary analysis and potential uses of date pits in foods. *Food chemistry*, 76, 135–137.

Heriana, A. Sukainah & M. Wijaya. (2023). Pengaruh Suhu dan Waktu Penyangaian Terhadap Kadar Kafein dan Mutu Sensori Kopi Liberika (*Coffea liberica*) Bantaeng. PATANI. 6(1):1-10.

Jaeger, S. R., Beresford, M. K., Paisley, A. G., Antúnez, L., Vidal, L., Cadena, R. S., Giménez, A., & Ares, G. (2015). Check-all-that-apply (CATA) questions for sensory product characterization by consumers: Investigations into the number of terms used in CATA questions. *Food Quality and Preference*, 42, 154–164.
<https://doi.org/10.1016/j.foodqual.2015.01.006>

Kurniawan, M. F., Lola, A., & Hapsari, D. R. (2024). *Karakteristik Sensori Produk Kopi 2 In 1 Komersial Menggunakan Metode Check-All-That-Apply (CATA)*. Jurnal Agroindustri Halal.

Lawless, H. T., & Heymann, H. (2010). Sensory evaluation of food: Principles and practices (2nd ed.). Springer Science & Business Media.
<https://doi.org/10.1007/978-1-4419-6488-5>

Maqsood, S., Adiamo, O., Ahmad, M., & Mudgil, P. (2020). Bioactive compounds from date fruit and seed as potential nutraceutical and functional food ingredients. *Food Chemistry*, 308, 125522.
<https://doi.org/10.1016/j.foodchem.2019.125522>

Meilgaard, M.C., Civille, G.V., and Carr, B.T. 2007. *Sensory Evaluation Techniques*. Edisi Keempat. United Kingdom: CRC Press.

- Muñoz-Tebar, N., Viuda-Martos, M., Fernández-López, J., Pérez-Álvarez, J. A., & Lorenzo, J. M. (2023). Strategies for the valorization of date fruit and its co-products: A new ingredient in the development of value-added foods. *Foods*, 12(7), 1456. <https://doi.org/10.3390/foods12071456>
- Qadir, A., Aqil, M., Ali, U., Kazi, N., Warsi, M. H., Akhtar, J., Ahsan, M. N., & Ali, A. (2020). Date seed extract-loaded oil in water nanoemulsion: Development, characterization, and antioxidant activity as a delivery model for rheumatoid arthritis. *Journal of Pharmacy and Bioallied Sciences*, 12(Suppl. 2), 308–315. https://doi.org/10.4103/jpbs.JPBS_236_19
- Saputra RA, Pratiwi IDPK, Yusasrini NLA. 2023. Evaluasi Profil Sensori Produk Kopi Instan Starbucks VIA Ready Brew Unflavored Menggunakan Metode CATA (Check-All-That-Apply). *Itepa J. Ilmu dan Teknologi Pangan* : 491-505.
- Setyani, S., Subeki, & Hidayati, S. (2018). Nilai cacat dan cita rasa kopi robusta (*Coffea canephora*) dari beberapa industri kopi di Kabupaten Tanggamus Provinsi Lampung. *Jurnal Teknologi & Industri Hasil Pertanian*, 23(2), 103–114.
- Setiawan, Y. (2020). Analisis Fisikokimia Gula Aren Cair. *Agroscience*, Jurnal Unsur. <https://jurnal.unsur.ac.id/agroscience/article/view/971>
- Shi, L., Ghafoor, K., Gonzalez Viejo, C., Fuentes Jara, S. A., Ahmadi, F., & Suleria, H. A. R. (2025). Impact of roasting temperature on antioxidant activities and characterization of polyphenols in date seed beverages from different cultivars. *Journal of Food Science*, 90(5), e70242. <https://doi.org/10.1111/1750-3841.70242>
- Somporn, C., Kamtuo, A., Theerakulpisut, P., & Siriamornpun, S. (2011). Effects of roasting degree on radical scavenging activity, phenolics and volatile compounds of Arabica coffee beans (*Coffea arabica* L. cv. Catimor).

International Journal of Food Science & Technology, 46(11), 2287–2296.
<https://doi.org/10.1111/j.1365-2621.2011.02750.x>

Stone, H dan Joel, L. 2004. *Sensory Evaluation Practices*, Edisi Ketiga. Elsevier Academic Press, California, USA

Syahidah, Khansa. (2024). *Produk Minuman Sari Kedelai Bekatul Dengan Penambahan Serai Dan Substitusi Krimer Nabati*. Universitas Bakrie.

Tarwendah, I. P. (2017). Studi komparasi atribut sensoris dan kesadaran merek produk pangan. *Jurnal Pangan dan Agroindustri*, 5(2), 66–73.

Varela, P., & Ares, G. (2012). Sensory profiling, the blurred line between sensory and consumer science. A review of novel methods for product characterization. *Food Research International*, 48(2), 893–908.
<https://doi.org/10.1016/j.foodres.2012.06.037>

Venkatachalam, C. D., & Sengottian, M. (2016). Study on roasted date seed non-caffeinated coffee powder as a promising alternative. *International Journal of Advanced Research in Biological Sciences*, 3(6), 1387–1394.