

DAFTAR PUSTAKA

- Agency for Toxic Substances and Disease Registry (ATSDR). (2026). Toxicological Profile for Xylene. Atlanta, GA: U.S. Department of Public Health and Human Services, Public Health Service.
- Agency for Toxic Substances and Disease Registry (ATSDR). (2024). Toxicological Profile for Benzene. U.S. Department of Public Health and Human Services, Public Health Service.
- Agency for Toxic Substances and Disease Registry (ATSDR). (2017). Toxicological Profile for Toluene. U.S. Department of Public Health and Human Services, Public Health Service.
- Agency for Toxic Substances and Disease Registry (ATSDR). (2010). Toxicological Profile for Ethylbenzene. U.S. Department of Public Health and Human Services, Public Health Service.
- Awang Lukman, K., Jeffree, M. S., & Rampal, K. G. (2019). Lower back pain and its association with whole-body vibration and manual materials handling among commercial drivers in Sabah. *International Journal of Occupational Safety and Ergonomics*, 1–9. <https://doi:10.1080/10803548.2017.1388571>
- Badan Standardisasi Nasional. (2021). *Sistem Harmonisasi Global – Bagian 1: Klasifikasi Bahaya Bahan Kimia (SNI 9030-1:2021)*. Badan Standardisasi Nasional.
- Bahri, Aidil Wal. (2025). Analisis Paparan Karsinogenik Senyawa Benzena, Toluena, Xilena terhadap Pekerja Laboratorium PT X menggunakan Kerangka ARKL. Program Studi Teknik Lingkungan, Fakultas Teknik dan Ilmu Komputer, Universitas Bakrie. Jakarta.
- BPJS Ketenagakerjaan. (2025). Laporan Jumlah Kecelakaan Kerja di Indonesia
- CCOHS. (2023a). Chemicals and Materials. https://www.ccohs.ca/oshanswers/chemicals/how_chem.html
- CCOHS. (2023b). Hazard and Risk . https://www.ccohs.ca/oshanswers/hsprograms/hazard/hazard_risk.html
- CCOHS.(2022).*Hazards*. <https://www.ccohs.ca/topics/hazards/#:~:text=There%20are%20many%20types%20of%20adverse%20effects%20in%20the%20workplace>.
- CDC. (2024). *Hierarchy of Controls* | NIOSH | CDC. U.S. Department of Health & Human Services. <https://www.cdc.gov/niosh/topics/hierarchy/default.html#:~:text=The%20hierarchy%20of%20controls%20is,Substitution> .
- CDPHE. (2007). Garfield County Air Toxics Inhalation: Screening Level Human Health Risk Assessment: Inhalation of Volatile Organic Compounds Measured in Rural,

- Urban, and Oil & Gas Areas in Ambient Air Study (June 2005–May 2007). Environmental Epidemiology Division. Denver, CO.
- CDPHE. (2010). Garfield County Air Toxics Inhalation: Screening Level Human Health Risk Assessment: Inhalation of Volatile Organic Compounds Measured In 2008 Air Quality Monitoring Study. Environmental Epidemiology Division. Denver, CO.
- Coalition for Prevent Chemical Disasters. (2025). Chemical Facility Incidents. <https://preventchemicaldisasters.org/chemical-facility-incidents/>
- Coons, T., & Walker, R. (2008). *Community Health Risk Analysis of Oil and Gas Industry in Garfield County*. Grand Junction, CO: Saccommano Research Institute.
- Daniels, R. D., Gilbert, S. J., Kuppusamy, S. P., Kuempel, E. D., Park, R. M., Pandalai, S. P., Smith, R. J., Wheeler, M. W., Whittaker, C., & Schulte, P. A. (2020). Current intelligence bulletin 69: NIOSH practices in occupational risk assessment. DHHS (NIOSH) Publication No. 2020-106.
- Demoury, C., Aerts, R., Vandeninden, B., Van Schaeybroeck, B., & De Clercq, E. M. (2022). Impact of Short-Term Exposure to Extreme Temperatures on Mortality: A Multi-City Study in Belgium. *International Journal of Environmental Research and Public Health*, 19(7). <https://doi.org/10.3390/ijerph19073763>
- Department of Occupational Safety and Health. (2018). A manual of recommended practice on assessment of the health risks arising from the use of chemicals hazardous to health at the workplace (3rd ed.). Ministry of Human Resources Malaysia.
- Ebi. K. L., Capon, A., Berry, P., Broderick, C., de Dear, R., Havenith, G., Honda, Y., Kovats, R. S., Ma. W., Malik, A., Morris, N. B., Nybo, L., Seneviratne, S. I., Vanos, J. & Jay. O. (2021). Hot weather and heat extremes: health risks. In *The Lancet* (Vol. 398. Issue 10301). [https://doi.org/10.1016/S0140-6736\(21\)01208-3](https://doi.org/10.1016/S0140-6736(21)01208-3).
- Enggran Eko Budianto. (2020). Gas Beracun Ditemukan di Tempat Tewasnya 3 Pekerja Pabrik Mojokerto. https://news.detik.com/berita-jawa-timur/d_4989913/gas-beracun-ditemukan-di-tempat-tewasnya-3-pekerja-pabrik-bioetanol-mojokerto.
- Estevan, C., & Vilanova, E. (2014). Ethyl Acetate. *Encyclopedia of Toxicology*, 506–510. <https://doi.org/10.1016/b978-0-12-386454-3.00502-9>
- Fabian, C. L., Teubl, S., & Binder, C. R. (2014). Evaluation of models for dermal exposure assessment in farming systems in developing countries. *Journal of Environmental Engineering and Ecological Science*, 3(1). doi: 10.7243/2050-1323-3-1
- Fukuoka, K., & Furusho, M. (2022). A new approach for explosion accident prevention in chemical research laboratories at universities. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-07099-2>.
- George D. Clayton & Florence D. Clayton, (1994), *Patty's Industrial Hygiene & Toxicology*. 4th edisi vol. 11 Part B. A Willey_Interscience Publication. John Willey & Sons Inc.

- Grigorieva, E., & Lukyanets, A. (2021). Combined effect of hot weather and outdoor air pollution on respiratory health: Literature review. *Atmosphere*, 12(6). <https://doi.org/10.3390/atmos12060790>
- Halizah, Putri Noer and Tejamaya, Mila (2024) "Kajian Risiko Kesehatan Terkait Paparan Benzene, Toluene dan Xylene pada Pekerja Kilang Minyak PT. X," *National Journal of Occupational Health and Safety*: Vol. 5: No. 1, Article 14. <https://doi.org/10.7454/njohs.v5i1.1048>
- Hisam, A., Mashhadi, S. F., Saqib, A., Naveed, M. S., Sadiq, M. R., Imtiaz, T., & Ashraf, A. (2022). Biological, Physical, Ergonomic, Chemical and Psychological Hazard Awareness among Health care and Non-Healthcare Workers. *Pakistan Armed Forces Medical Journal*, 72(SUPPL-4), S908-13.
- Hosseinizadeh, M., Hemmatjo, R., Sahihazar, Z., Galvani, S., & Hajaghazadeh, M. (2023). Probabilistic health risk assessment of occupational exposure to BTEX in a paint manufacturing plant using Monte-Carlo simulation. *Human and Ecological Risk Assessment: An International Journal*, 29, 859 - 880. <https://doi.org/10.1080/10807039.2023.2196702>.
- Iftime, M.-D., Dumitrascu, A.-E., Dumitrascu, D.-I., & Ciobanu, V. D. (2020). An investigation on major physical hazard exposures and health effects of forestry vehicle operators performing wood logging processes. *International Journal of Industrial Ergonomics*, 80, 103041. <https://doi.org/10.1016/j.ergon.2020.103041>
- International Labour Organization. (2005). ICSC 0113 - Isobutanol. Retrieved May 10, 2026. From https://chemicalsafety.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_card_id=0113
- International Labour Organization. (2007). ICSC 0268 - Ethyl Benzene.. Retrieved May 10, 2026. From https://chemicalsafety.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_version=2&p_card_id=0268
- International Organization for Standardization. (2018). ISO 31000:2018, *Risk management – Guidelines, provides principles, framework and a process for managing risk*. [Www.Iso.Org](http://www.iso.org).
- International Programme on Chemical Safety (IPCS). (2000). Environmental Health Criteria 214 Human Exposure Assessment, WHO, Geneva
- IOSH. (2023). Psychosocial hazards (including stress). <https://iosh.com/health-and-safety-professionals/improve-your-knowledge/occupational-health-toolkit/psychosocial-hazards-including-stress/>
- Isopropyl Alcohol (Value Documentation, 2013a). (2013). The MAK-Collection for Occupational Health and Safety, 1–16. doi:10.1002/3527600418.mb6763
- Kamiya, K., Ozasa, K., Akiba, S., Niwa, O., Kodama, K., Takamura, N., ... Wakeford, R. (2015). Long-term effects of radiation exposure on health. *The Lancet*, 386(9992), 469–478. [https://doi.org/10.1016/S0140-6736\(15\)61167-9](https://doi.org/10.1016/S0140-6736(15)61167-9)

- Kartikasari D, Nurjazuli N, Rahadjo M. (2016). Analisis Risiko Kesehatan Pajanan Benzene Pada Pekerja Di Bagian Laboratorium Industri Pengolahan Minyak Bumi. *J Kesehat Masy*.4(4):892–9.
- Kemenaker. (2018). Perat uran Menteri Ketenagakerjaan Republik Indonesia Nomor 5 Tahun 2018 Tentang Keselamatan dan Kesehatan Kerja Lingkungan Kerja.
- Kitamura, H., Ohishi, W., Kodama, K., & Ohkubo, T. (2022). Epidemiological study of health effects in Fukushima Emergency Workers: Progress report on the Health Examination Study, 2016-2019. *Environmental Advances*, 9. <https://doi.org/10.1016/j.envadv.2022.100275>
- Koteswara Reddy, G., & Yarrakula, K. (2016). Analysis of accidents in chemical process industries in the period 1998-2015. *International Journal of ChemTech Research*, 9(4).
- Kurniawidjaja, L. M. (2010). *Teori dan Aplikasi Kesehatan Kerja*.
- Kurniawidjaja, L. M., Lestari, F., Tejamaya, M., & Ramdhan, D. H. (2021). Konsep Dasar Toksikologi Industri. In Fkm Ui.
- Lestari, F. (2013). Bahaya Kimia Sampling dan Pengukuran Kontaminan di Udara.
- Liu HC, Cheng Y, Ho JJ. (2020). Associations of ergonomic and psychosocial work hazards with musculoskeletal disorders of specific body parts: A study of general employees in Taiwan. *Int. J. Ind. Ergon* 2020; 76: 102935.
- Lusiana, V. (2023). Ini keterangan PPLI terkait tiga pekerja tewas di kontainer limbah. <https://riau.antaranews.com/berita/324759/ini-keterangan-ppli-terkait-tiga-pekerja-tewas-di-kontainer-limbah>.
- Luttrell, W. E., & Peterson, H. R. (2011). Ethylbenzene. *Journal of Chemical Health and Safety*, 18(1), 41–42. <https://doi.org/10.1016/j.jchas.2010.11.005>
- Milosavljevic, S., Bergman, F., Rehn, B., & Carman, A. B. (2010). All-terrain vehicle use in agriculture: Exposure to whole body vibration and mechanical shock. *Applied Ergonomics*, 41(4). <https://doi.org/10.1016/j.apergo.2009.11.002>
- National Institute for Occupational Safety and Health (NIOSH). (2009). Qualitative Risk Characterization and Management of Occupational Hazards: Control Banding (CB)-A Literature Review and Critical Analysis. (DHHS/NIOSH Publication No. 2009- 152), US Department of Health and Human services/National Institute for Occupational Safety and Health: Cincinnati, OH, USA.
- OSHA. (2021). Recommended Practices for Safety and Health Programs: Hazard Identification and Assessment. *Occupational Safety and Health Administration*.
- OSHA. (n.d.-a). *GUIDANCE FOR HAZARD DETERMINATION*. Retrieved May 10, 2026, from [https://www.osha.gov/hazcom/ghd053107#:~:text=The%20HCS%20definitions%20for%20physical,reactive\)%20or%20water%2Dreactive](https://www.osha.gov/hazcom/ghd053107#:~:text=The%20HCS%20definitions%20for%20physical,reactive)%20or%20water%2Dreactive).
- OSHA. (n.d.-b). *Industrial Hygiene*.

- Rachmawan, Ryan and Tejamaya, Mila (2021) "Kajian Penilaian Risiko Kesehatan terkait Paparan BTX Mengacu pada Metode SQRA di Laboratorium Pengujian Migas PT.X," National Journal of Occupational Health and Safety: Vol. 2, Article 2. <https://doi.org/10.59230/njohs.v2i2.5246>
- Rajendran, M., Sajeev, A., Shanmugavel, R., & Rajpradeesh, T. (2021). Ergonomic evaluation of workers during manual material handling. *Materials Today: Proceedings*, 46, 7770–7776. <https://doi.org/10.1016/j.matpr.2021.02.283>
- Reinhold, K., & Tint, P. (2009). Lighting of Workplaces and Health Risks. *Elektronika Ir Elektrotehnika*, 90, 11-14. <https://doi.org/10.5755/J01.EEE.90.2.10280>
- Rühm, W., Laurier, D., & Wakeford, R. (2022). Cancer risk following low doses of ionising radiation – Current epidemiological evidence and implications for radiological protection. *Mutation Research - Genetic Toxicology and Environmental Mutagenesis*, 873. <https://doi.org/10.1016/j.mrgentox.2021.503436>
- Rumalutur, Lilis Lisnawaty (2018). Analisis Risiko Lingkungan Terhadap Konsentrasi Benzene, Toluene, Ethylbenzene, Dan Xylene (BTEX) Pada Sumur Warga Sekitar Spbu Kota Yogyakarta. Program Studi Teknik Lingkungan Fakultas Teknik Sipil dan Perencanaan Universitas Islam Indonesia. Yogyakarta.
- Sahri, M., & Widajati, N. (2013). Evaluation of Toluene Exposure in Workers at Industrial Area of Sidoarjo, Indonesia by Measurement of Urinary Hippuric Acid. *Asia Pacific Journal of Medical Toxicology*, 2(November), 145–149.
- Seltenrich, N. Between extremes: Health effects of heat and cold. *Environ. Health Perspect.* 2015, 123, 275–280.
- Supelco. (2024). Lembar Data Keselamatan Bahan Ethylbenzene (No. Produk 1.09635) 1–14. Merck KGaA.
- Supelco. (2023). Lembar Data Keselamatan Bahan Etil Asetat (No. Produk 1.00789) 1–13. Merck KGaA.
- Supelco. (2022). Lembar Data Keselamatan Bahan Isobutanol (No. Produk 1.00985) 1–13. Merck KGaA.
- Supelco. (2022). Lembar Data Keselamatan Bahan 2-Propanol (No. Produk 1.00998) 1–12. Merck KGaA.
- Susanto, A., Susilowati, S., Riyanto, A., Karyono Putro, E., & Putra Ramadhani, D. (2022). Komparasi Penilaian Risiko Kesehatan Bahan Kimia: Metode CHRA Dan SQRA. *IAKMI Jurnal Kesehatan Masyarakat Indonesia*, 3(1), 1–12. <https://doi.org/10.46366/ijkmi.3.1.1-12>
- Taheri, E., Mollabahrani, F., Farokhzad, M., Ghasemi, F., & Assari, M. J. (2019). *Risk assessment in academic laboratories in the west of Iran: Compare the CHRA and the RSLs methods. International Journal of Environmental Health Research.* <https://doi.org/10.1080/09603123.2019.1588232>
- Tejamaya, M., Budiawan, Nasri, S. M., Hafizah, M. A. E., & Atmajaya, H. (n.d.). Menuju implementasi sistem harmonisasi global klasifikasi dan label bahan kimia (GHS) di Indonesia (p. 8)

- Tian, F., Zhang, M. Zhou, L., Zou, H., Wang, A., & Hao, M. (2018). Qualitative and quantitative differences between common occupational health risk assessment models in typical industries. *Journal of Occupational Health*, 60(5): 337-347.
- United Nations. (2017). Globally Harmonized System of Classification and Labelling of Chemicals; (GHS). (Harmonized System of Classification and Labelling of Chemicals; GHS) , 10(2).
- U.S. Environmental Protection Agency. (2020). Volatile Organic Compounds' Impact on Indoor Air Quality. Diakses dari <https://www.epa.gov/indoor-air-quality-iaq/volatile-organic-compounds-impact-indoor-air-quality#intro>.
- US EPA. (2022). Conducting a Human Health Risk Assessment. <https://www.epa.gov/risk/conducting-human-health-risk-assessment>
- Van-Wendel-De-Joode, B., Brouwer, D. H., Vermeulen, R., Van Hemmen, J. J., Heederik, D., & Kromhout, H. (2003). DREAM: A method for semi-quantitative dermal exposure assessment. *Annals of Occupational Hygiene*, 47(1). <https://doi.org/10.1093/annhyg/meg012>
- Wahlang, B., Gripshover, T. C., Gao, H., Krivokhizhina, T., Keith, R. J., Sithu, I. D., ... & Cave, M. C. (2022). Associations between residential exposure to volatile organic compounds and liver injury markers. *Toxicological Sciences*, 185(1), 50-63. <https://doi.org/10.1093/toxsci/kfab119>
- Wang, D., Yu, H., Shao, X., Yu, H., & Nie, L. (2018). Direct and potential risk assessment of exposure to volatile organic compounds for primary receptor associated with solvent consumption. *Environmental Pollution*, 233, 501-509.
- Work Safe Victoria. (2025). *Psychosocial hazards contributing to work-related stress*. <https://www.worksafe.vic.gov.au/psychosocial-hazards-contributing-work-related-stress>
- Xiang, J.; Bi, P., Pisaniello, D., Hansen, A. (2014). Health impacts of workplace heat exposure: An epidemiological review. *Ind. Health*, 52, 91–101.
- Yang, S. T., Park, M. H., & Jeong, B. Y. (2020). Types of manual materials handling (MMH) and occupational incidents and musculoskeletal disorders (MSDs) in motor vehicle parts manufacturing (MVPM) industry. *International Journal of Industrial Ergonomics*, 77. <https://doi.org/10.1016/j.ergon.2020.102954>
- Yari, S., Asadi, A. F., & Varmazyar, S. (2016). Assessment of SemiQuantitative Health Risks of Exposure to Harmful Chemical Agents in the Context of Carcinogenesis in the Latex Glove Manufacturing Industry. *Asian Pacific Journal of Cancer Prevention*, 17 (S3): 205-211.