

DAFTAR PUSTAKA

- Adel MA, Leila P, Behrouz T, Samira B, Hamid B, Sahar J. 2022. Effect of flour particle size on chemical and rheological properties of wheat flour dough. *J. Chem. Chem. Eng.* 41(2): 682-694
- Adli DN, Sjoftjan O. 2020. Estimasi dan validasi kandungan energi bekatul sebagai pakan unggas dari komposisi kimia pakan. *Jurnal Nutrisi Ternak Tropis.* 3(2): 90-96
- Agustina R, Sunartati R, Ermaya D, Yulia R. 2020. Pemanfaatan abu pelapah kelapa sebagai pengawet alami ikan kembung. *Jurnal Biologica Samudra.* 2(2): 137-144
- Amelia JR, Azni IN, Basriman I, Prasati FNW. 2021. Karakteristik kimia minuman sari tempe-jahe dengan penambahan *Carboxy Metyl Cellulose* dan gom arab pada konsentrasi yang berbeda. *Chimica et Natura Acta.* 9(1): 36-44
- AOAC Association of Official Analytical Chemists. 1995. *Official Methods of Analysis.* 16th Ed. Association of Official Analytical Chemists Inc. Virginia. USA.
- Astawan M, Wresdiyati T, Widowati S, Saputra I. (2013). Aplikasi tepung bekatul fungsional pada pembuatan cookies dan donat yang bernilai indeks glikemik rendah. *Pangan,* 22(4): 385-394
- Begum R, Parvin S, Madok KC, Rashid O, Akter B. 2020. Nutritionally enriched noodle preparation from wheat flour fortified with rice bran. *Pakistan Journal of Nutrition,* 19(4): 172-178
- Bhosale S, Vijayalakshmi D. 2015. Processing and nutritional composition of rice bran. *Current Research in Nutrition and Food Science.* 3(1): 74-80
- Bija S, Luthfiyana N, Rozi A. 2022. The effect of cooking process on nutritional composition of Lais Fish (*Cryptopterus* sp.). *IOP Conference Series: Earth and Environmental Science.* 1083(2022): 1-10
- BPOM Peraturan Badan Pengawasan Obat dan Makanan No. 1. 2022. Pengawasan Klaim Pada Label dan Iklan Pangan Olahan.

- BPOM Peraturan Badan Pengawasan Obat dan Makanan No. 13. 2023. Kategori Pangan.
- BSN Badan Standar Nasional. 1992. SNI 01-2891-1992. Cara Uji Makanan dan Minuman. Badan Standarisasi Nasional.
- BSN Badan Standar Nasional. 2006. SNI 01-2346-2006. Mi Instan. Badan Standarisasi Nasional
- BSN Badan Standar Nasional. 2012 SNI 3551-2012. Petunjuk Pengujian Organoleptik dan atau Sensori. Badan Standarisasi Nasional.
- Budihartini NKS, Permana IDGM, Ina PT. 2018. Pengaruh perbandingan terigu dan bekatul beras merah terhadap karakteristik mie kering. *Jurnal Ilmu dan Teknologi Pangan*. 7(4): 156-164
- Burešová I, Pellerin VL, Červenka L, Mlček J, Šebestíková R, Masaříková L. 2023. The comparison of the effect of flour particle size and content of damaged starch on rice and buckwheat slurry, dough, and bread characteristics. *Foods*. 12(13): 2604
- Caprita R, Caprita A. 2011. Chemical methods for the determination of soluble and insoluble non-starch polysaccharides-review. *Animal Science and Biotechnologies*. 44(2): 73-80
- Chakraborty M, Budhwar S, Pooja, Vinod. 2018. Nutritional and therapeutic value of rice bran. 7(3): 451-461
- Chen JS, Fei MJ, Shi CL, Tian JC, Sun CL, Zhang H, Ma Z, Dong HX. 2011. Effect of particle size and addition level of wheat bran on quality of dry white Chinese noodles. *Journal of Cereal Science*. 53(2011): 217-234
- Darmajana DA, Ekafitri R, Kumalasari R, Indrianti N. 2016. Pengaruh variasi ukuran partikel tepung jagung terhadap karakteristik fisikokimia mi jagung instan. *Pangan*. 5(1): 1-12
- Dianingtyas E, Sulistiastutik, Suwita K. 2018. Formulasi tepung bekatul dan tepung tempe terhadap mutu kimia, nilai energi, dan mutu organoleptik sereal flakes untuk anak obesitas. *Jurnal Informasi Kesehatan Indonesia*. 4(2): 128-135
- Dwiloka B, Pramono YB, Al-Baarri AN. (2022). Peningkatan pangan fungsional chicken nugget dengan substitusi tepung bekatul berdasarkan kandungan

- asam lemak dan vitaminnya. *Science Teknologi dan Management Journal*, 2(2): 38-44
- Estiasih T, Ahmadi K, Santoso V. 2021. Senyawa bioaktif dan potensi bekatul beras (*Oryza sativa*) sebagai bahan pangan fungsional. *Teknologi pangan: media informasi dan komunikasi ilmiah teknologi pangan*. 12(1): 30-43
- Faizah, Kusnandar F, Nurjanah S. 2020. Senyawa fenolik, oryzanol, dan aktivitas antioksidan bekatul yang difermentasikan dengan *Rhizopus oryzae*. *J. Teknol dan Industri Pangan*. 31(1): 86-94
- FDC. 2019. Wheat flour, whole-grain-soft wheat. USDA. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/168944/nutrients>
- Fitriani S, Riftyan E, Yusmarini, Saputra E, Rohmah MC. 2023. Karakteristik dan profil pasta pati sagu modifikasi prigelatinisasi pada suhu yang berbeda. *Jurnal Teknologi Hasil Pertanian*. 16(2): 104-115
- Gajula H, Alavi S, Adhikari K, Herald T. 2008. Precooked bran-enriched wheat flour using extrusion: dietary fibre profile and sensory characteristics. *Journal of Food Science*. 73 (4):173 – 179.
- Gulia N, Khatkar BS. 2015. Quantitative and qualitative assessment of wheat gluten proteins and their contribution to instant noodle quality. *International Journal of Food Properties*. 18(8): 1648-1663
- Hapsari AAT, Sami EY, Fitriana I. 2020. Pengaruh lama penggorengan terhadap uji fisikokimia (kadar lemak, kadar air, tekstur) dan uji organoleptik kripik pisang awak dengan vacuum frying. *Jurnal Teknologi Pangan dan Hasil Pertanian*. 15(1): 1-7
- Hu H, Zhou X, Wang Y, Zhang Y, Zhou W, Zhang L. 2023. Effect of particle size on the structure, cooking quality and anthocyanin diffusion of purple sweet potato noodles. *Food Chemistry*. 18(2023): 100672
- Hustiany R. 2017. *Reaksi Maillard Pembentukan Citarasa dan Warna pada Produk Pangan*. Banjarmasin (ID): Lambung Mangkurat University Press
- Imanningsih N. 2012. Profil gelatinisasi beberapa formulasi tepung-tepungan untuk pendugaan sifat makanan. *Panel Gizi Makan*. 35(1): 13-22

- Jiang C, Wang R, Liu X, Wang J, Zheng X, Zao F. 2012. Effect particle size on physicochemical properties and in vitro hypoglycemic on insoluble dietary fiber from corn bran. *Frontiers in Nutrition*. 9(951821): 1-10
- Li DY, Yuan Z, Liu ZQ, Yu MM, Guo Y, Liu XY, Zhang M, Liu HL, Zhou DY. 2020. Effect of oxidation and maillard reaction on color deterioration of ready-to-eat shrimps during storage. *LWT*. 131(2020): 1-9
- Liandani W, Zubaidah E. 2015. Formulasi pembuatan mie instan bekatul (Kajian penambahan tepung bekatul terhadap karakteristik mi instan). *Jurnal Pangan dan Agroindustri*. 3(1): 174-185
- Luksaiak Km, Zbikowska A, Kupiec M, Brzenzinska M, Szymanska I, Lukasiak P. 2021. The influence of rice protein, hemp protein and transglutaminase addition on the quality of instant fried noodles. *Applied Sciences*. 11(19)
- Manzoor A, Pandey VK, Dar AH, Fayaz U, Dash KK, Shams R, Ahmad S, Bashir I. 2023. Rice bran: Nutritional, phytochemical, and pharmacological profile and its contribution to human health promotion. *Food Chemistr Advances*. 2(100296): 1-12
- MENKES Peraturan Menteri Kesehatan Republik Inonesia. 2019. Angka Kecukupan Gizin yang Dianjurkan untuk Masyarakat Indonesia Nomor 28. Peraturan Menteri Kesehatan Republik Inonesia
- Mukraprasirt A, Domrongpollaphan V, Akkarachaneeyakorn S, Sumonsiri N. 2023. Effect of particle size and concentration of defatted rice bran supplement salad dressing. *Food Sci. Technol, Campinas*. 43(e063422): 1-9
- Murdiati A, Anggrahini S, Supriyanto, 'Alim A. 2015. Peningkatan kandungan protein mie basah dari tapioka dengan substitusi tepung koro pedang putih (*Canavalia ensiformis* L.). *Agritech*. 35(3): 251-260
- Nadia L, Wirakartakusumah MA, Andarwulan N, Purnomo EH, Ishiguro K. 2015. Chemical characterization of flour fractions from five yam (*Dioscorea alata*) cultivars in Indonesia. 47(1): 92-103
- Nura M, Kharidah M, Jamilah B, Roselina K. 2011. Texturan properties of laksa noodle as affected by rice flour particle size. *International Food Research Journal*. 18(4): 1309-1312

- Oktaviya E, Muflihati I, Affandi AR, Umiyati R. 2021. Karakteristik sensoris mi instan tersubstitusi tepung ganyong termodifikasi secara fisik. *Jurnal Sains Terapan*. 7(2): 42-51
- Pangestuti EK, Darmawan P. 2021. Analisis kadar abu dalam tepung terigu dengan metode gravimetri. *Jurnal Kimia dan Rekayasa*. 2(1): 16-21
- Polpuech C, Chavasit V, Srichakwal P, Paniangvait P. 2011. Effect of fortified lysine on the amino acid profile and sensory qualities of deep-fried and dried noodles. *Mal J.Nutr.* 17(2): 237 – 248
- Prasetio PO, Puspita ID, Fatmawati I. 2021. Kadar serat pangan dan sifat organoleptik crackers bekatul jagunng dengan penambahn tepung kacang bambara. *Jurnal Teknologi Pangan dan Gizi*. 20(2): 130-138
- Rohyani Y. 2021. *Analisis Pangan*. Yogyakarta (ID): UII Press.
- Ryan, E.P. (2011). Bioactive food components and health properties of rice bran. *JAVMA* 238(5), 593-600
- Sakhare S, Inamdar AA, Soumya C, Indrani D, Rao GV. 2013. Effect of flour particle size on microstructural, rheological and physico -sensory characteristics of bread and south Indian parotta. *J. Food Sci Technol*. 51(12): 4108-4113
- Sapwarobol S, Saphyakhajorn W, Astina J. 2021. Biological functions and activities of rice bran as a functional ingredient: a review. *Nutrition and Metabolic Insight*. <https://doi.org/10.1177%2F11786388211058559>
- Sari RS, Pato U, Fitriani S. 2018. Karakterisasi mi instan yang dibuat dari terigu dengan substitusi tepung jagung varietas bisi-2. *Sagu*. 17(2): 28-36
- Sethi S, Nanda SK, Bala M. Quality assessment of pasta enriched with anthocyanin-rich black rice bran. *J. Food Process Preserv*. 44(6): 1-12
- Shiau S, Wu T, Liu Y. 2012. Effect of the amount and particle size of wheat fiber on textural and rheological properties of raw, dried and cooked noodles. *Journal of Food Quality*. 35(3): 207-216
- Sikander M, Malik A, Khan MSG, Qurratul-ain, Khan RG. 2017. Instant noodles: are they really good for health? A review. *Electronic Journal Biology*, 13(3): 222-227

- Subarna, Muhandri T, Nurtama B, Firleyanti AS. 2012. Peningkatan mutu mi kering jagung dengan penerapan kondisi optimum proses dan penambahan monogliserida. *J Teknol Industri Pangan*. 23(2): 146-152
- Sumarlin LO. 2010. Identifikasi pewarna sintetis pada produk pangan yang beredar di Jakarta dan Ciputat. *Jurnal Kimia VALENSI*. 1 (6), 274–283
- Sundari D, Almasyuhri, Lamid A. 2015. Pengaruh proses pemasakan terhadap komposisi zat gizi bahan pangan sumber protein. *Media Litbangkes*. 25(4): 235-242
- Tuncel NY, Kaya E, Karaman M. 2017. Rice Bran Substituted Turkish Noodles (Erişte): Textural, Sensorial, and Nutritional Properties. *Journal of Cereal Science*. 94(5):1-6
- Utama IDGD, Wisaniyasa NW, Widarta IWR. 2019. Pengaruh perbandingan terigu dan tepung kecambah jagung (*Zea mays L.*) terhadap karakteristik flakes. *Jurnal Ilmu dan Teknologi Pangan*. 8(2): 140-149
- Wang L, Duan W, Zhou S, Qian H, Zhang H, Qi X. 2017. Effect of rice bran fibre on the quality of rice pasta. *International Journal of Food Science and Technology*. 53(1): 1-7
- Wang YH, Zhang Q, Guo Y, Xu F. 2021. Effect of flour particle size on the qualities of semi-dried noodles and fine dried noodles. *J Food Process Preserv*. 45(7): 1-10
- Weng ZJ, Weng BJ, Weng TM. 2020. Preparation of white salted noodles using rice flour as the principal ingredient and the effects of transglutaminase on noodle qualities. *Food Bioscience*. 22(2020): 1-7
- WINA World Instant Noodles Association. (2022). Global Demand for Instant Noodles. Shinjuku (JP): WINA
- Wisetkomolmat J, Arjin C, Satsook A, Seel-audom M, Ruksiriwanich W, Prom-uthai C, Sringarm K. 2022. Comparative analysis of nutritional components and phytochemical attributes of selected thai rice bran. *Frontiers in Nutrition*. 9(833730): 1-12
- Yang YL, Guan EQ, Li M, Li N, Bian K, Wang TJ, Lu C, Chen M, Xu F. 2022. Effect of transglutaminase on the quality and protein characteristics of

- aleurone-riched fine dried noodles. *LWT-Food Science and Technology*. 154(2022): 1-9.
- Yuliana I, Mahendradatta M, Laga A. 2021. Effects of transglutaminase enzyme on physicochemical properties of milkfish (*Chanos chanos*) surimi gel. *Food Research*. 5(6); 49-57
- Zhang J, Li M, Li C, Liu Y. 2019. Effect of wheat bran insoluble dietary fiber with different particle size on the texture properties, protein secondary structure, and microstructure of noodles. *Grain & Oil Science and Technology*. 2(2019): 97-102
- Zhang Q, Saleh ASM, Chen J, Shen Q. 2012. Chemical alterations taken place during deep-fat frying based on certain reaction products: A review. *Chemistry and Physics of lipids*. 165(2012): 662 – 681
- Zhao G, Zhang R, Dong L, Huang F, Tang X, Wei Z, Zhang M. 2017. Particle size of insoluble dietary fiber from rice bran affects its phenolic profile, bioaccessibility and functional properties. *LWT- Food Science and Technology*.