

DAFTAR PUSTAKA

- Aas, G., Bjerkeng, B., Hatlen, B., & Storebakken, T. (1997). Idoxanthin, a major carotenoid in the flesh of Arctic charr (*Salvelinus alpinus*) fed diets containing astaxanthin. *Aquaculture*, 150, 135-142.
- Abubakar, S., Al-Mansoub, M.A., Murugaiyah, V., & Chan, K.L.(2019). The phytochemical and anti-inflammatory studies of *Dillenia suffruticosa* leaves. *Phytother. Res.* 2019, 33, 660–675.
- Adefegha, S., & Oboh, G. (2011). Enhancement of total phenolics and antioxidant properties of some tropical green leafy vegetables by steam cooking. *Journal of Food Processing and Preservation*, 35, 615-622. <https://doi.org/10.1111/J.1745-4549.2010.00509.X>.
- Andarwulan, N., Batari, R., Sandrasari, D. A., Bolling, B., & Wijaya, H. (2010). Flavonoid content and antioxidant activity of vegetables from Indonesia. *Food chemistry*, 121(4), 1231–1235. <https://doi.org/10.1016/j.foodchem.2010.01.033>.
- Arakelyan, Hayk. (2021). Japanese knotweed, (*Reynoutria japonica*) and health.
- Ardiansyah., Ariffa, F., Astuti, R., David, W., Handoko, D., Budijanto, S., & Shirakawa, H. (2021). Non volatile compounds and blood pressure-lowering activity of Inpari 30 and Cempo Ireng fermented and non-fermented rice bran. *AIMS agriculture and food*. 6. 337-359. 10.3934/agrfood.2021021.
- Ardiansyah., Ruwaida, D.P., Handoko, D., David, W., & Astuti, R.M. (2023). Effects of domestic cooking on the bioactive compounds of Pohpohan leaves (*Pilea trinervia L.*). *Food research*. 7. 60-66. 10.26656/fr.2017.7(2).801.
- Asdhiana, I.M. (2014). Eksplorasi tak bertepi masakan Indonesia. *Retrieved on September 14, 2014 from Kompas* <https://nasional.kompas.com/read/2014/05/18/1348291/Eksplorasi.Tak.Bertepi.Masakan.Indonesia?page=all>[In Bahasa Indonesia].
- Basharat, R., Kotra, V., Loong, L., Mathews, D., Kanakal, M., Dev, C., Nyamathulla, S., Varala, R., Ming, L., Sambasiva, R., & Hari, B. (2021). A Mini-review on ultra performance liquid chromatography. *Oriental Journal of Chemistry*. 37. 847-857. 10.13005/ojc/370411.

- Belghazi, K., Elabbassi, E., Tourneux, P., & Libert, J. (2005). Assessment of whole body and regional evaporative heat loss coefficients in very premature infants using a thermal mannequin: influence of air velocity.. *Medical physics*, 32 3, 752-8 . <https://doi.org/10.1118/1.1862074>.
- Benahmed, A., Gasmi, A., Arshad, M., Shanaida, M., Lysiuk, R., Peana, M., Pshyk-Titko, I., Adamiv, S., Shanaida, Y., & Bjorklund, G. (2020). Health benefits of xylitol. *Applied Microbiology and Biotechnology*, 104, 7225 - 7237. <https://doi.org/10.1007/s00253-020-10708-7>.
- Bennett, R., & Wallsgrove, R. (1994). Secondary metabolites in plant defence mechanisms. *The New Phytologist*, 127 4, 617-633 . <https://doi.org/10.1111/j.1469-8137.1994.tb02968.x>.
- Bindes, M. M. M., Cardoso, V. L., Reis, M. H. M., & Boffito, D. C. (2018). Maximisation of the polyphenols extraction yield from green tea leaves and sequential clarification. *Journal of Food Engineering*, 241, 97-104. <https://doi.org/10.1016/j.jfoodeng.2018.08.006>
- Blankschien, M., Clomburg, J., & Gonzalez, R. (2010). Metabolic engineering of *Escherichia coli* for the production of succinate from glycerol. *Metabolic Engineering*, 12 5, 409-19 . <https://doi.org/10.1016/j.ymben.2010.06.002>.
- Bojko, M., Olchawa-Pajor, M., Goss, R., Schaller-Laudel, S., Strzałka, K., & Latowski, D. (2018). Diadinoxanthin de-epoxidation as important factor in the short-term stabilization of diatom photosynthetic membranes exposed to different temperatures. *Plant, Cell & Environment*, 42 4, 1270-1286 . <https://doi.org/10.1111/pce.13469>.
- Borea, P., Gessi, S., Merighi, S., Vincenzi, F., & Varani, K. (2018). Pharmacology of adenosine receptors: The State of the Art. *Physiological Reviews*, 98 3, 1591-1625 . <https://doi.org/10.1152/physrev.00049.2017>.
- Boutelier, C., Bougues, L., & Timbal, J. (1977). Experimental study of convective heat transfer coefficient for the human body in water.. *Journal of applied physiology: respiratory, environmental and exercise physiology*, 42 1, 93-100 . <https://doi.org/10.1152/JAPPL.1977.42.1.93>.
- Bozó, Eva & Kuszmann, János. (2000). Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and $-\beta$ -D-

- lyxopyranosides possessing antithrombotic activity. *Carbohydrate Research.* 325. 143-9. 10.1016/S0008-6215(99)00320-1.
- Britannica, T. (2024). Hydrolysis. *Encyclopedia britannica.* <https://www.britannica.com/science/hydrolysis>
- Brückner, H., & Westhauser, T. (2003). Chromatographic determination of L- and D-amino acids in plants. *Amino acids*, 24(1-2), 43–55. <https://doi.org/10.1007/s00726-002-0322-8>
- Buanasari., Eden, W.T., & Solichah A.I. (2017). Extraction of phenolic compounds from Petai leaves (*Parkia Speciosa* Hassk.) using microwave and ultrasound assisted method. *Jurnal Bahan Alam Terbarukan* 6(1), 25-31.
- Buzigi, E., Pillay, K., & Siwela, M. (2020). Effect of cooking locally available common bean (Obwel) on iron and zinc retention, and pumpkin (Sweet cream) on provitamin A carotenoid retention in rural Uganda. *Food Science & Nutrition*, 8, 5916 - 5925. <https://doi.org/10.1002/fsn3.1873>.
- Cao, Y., Yang, L., Qiao, X., Xue, C., & Xu, J. (2021). Dietary astaxanthin: An excellent carotenoid with multiple health benefits. *Critical Reviews in Food Science and Nutrition*, 63, 3019 - 3045. <https://doi.org/10.1080/10408398.2021.1983766>.
- Chan, J., Tang, P., Hon, P., Au, S., Tsui, S., Waye, M., Kong, S., Mak, T., & Fung, K. (2006). Pheophorbide a, a major antitumor component purified from *Scutellaria Barbata*, induces apoptosis in human hepatocellular carcinoma cells. *Planta medica*, 72 1, 28-33 . <https://doi.org/10.1055/S-2005-873149>.
- Chandegara, Dr. Vallabh. (2013). Effect of centrifuge speed on gel extraction from Aloe Vera leaves. *Journal of Food Processing & Technology*. 5. 295. 10.4172/2157-7110.1000295.
- Chapman, K., Dyer, J., & Mullen, R. (2013). Commentary: why don't plant leaves get fat?. *Plant science : An international journal of experimental plant biology*, 207, 128-34 . <https://doi.org/10.1016/j.plantsci.2013.03.003>.
- Chen, A., & Chen, Y. (2013). A review of the dietary flavonoid, kaempferol on human health and cancer chemoprevention. *Food chemistry*, 138 4, 2099-107 . <https://doi.org/10.1016/j.foodchem.2012.11.139>.

- Chen, I., Tsai, I., Teng, C., Chen, J., Chang, Y., Ko, F., Lu, M., & Pezzuto, J. (1997). Pyranoquinoline alkaloids from *Zanthoxylum simulans*. *Phytochemistry*, 46, 525-529. [https://doi.org/10.1016/S0031-9422\(97\)00280-X](https://doi.org/10.1016/S0031-9422(97)00280-X).
- Chen, JQ., Chen, YY., & Du, X. Fuzzy. (2022). Identification of bioactive components for different efficacies of rhubarb by the back propagation neural network association analysis of UPLC-Q-TOF/MSE and integrated effects. *Chin Med* 17, 50
- Chenard, B., Bordner, J., Butler, T., Chambers, L., Collins, M., Costa, D., Ducat, M., Dumont, M., Fox, C., & Mena, E. (1995). (1S,2S)-1-(4-hydroxyphenyl)-2-(4-hydroxy-4-phenylpiperidino)-1-propanol: a potent new neuroprotectant which blocks N-methyl-D-aspartate responses. *Journal of Medicinal Chemistry*, 38 16, 3138-45 . <https://doi.org/10.1021/JM00016A017>.
- Cheng, J., Li, B., Ma, P., Liu, M., & Wang, Z. (2013). Synthesis and properties of macrocyclic butanoic acid conjugates as a promising delivery formulation for the nutrition of colon. *The Scientific World Journal*, 2013. <https://doi.org/10.1155/2013/914234>.
- Cheriet, T., Ben-Bachir, B., Thamri, O., Seghiri, R., & Mancini, I. (2020). Isolation and biological properties of the natural flavonoids pectolinarin and pectolinarigenin—A review. *Antibiotics*, 9. <https://doi.org/10.3390/antibiotics9070417>.
- Chigayo, K., Mojapelo, P. E. L., Mnyakeni-Moleele, S., & Misihairabgw, J. M. (2016). Phytochemical and antioxidant properties of different solvent extracts of Kirkia wilmsii tubers. *Asian Pacific Journal of Tropical Biomedicine*, 6(12), 1037-1043. <https://doi.org/10.1016/j.apjtb.2016.10.004>
- Choi, H., Song, H., Lee, J., Ko, H., & Song, J. (2016). Inhibitory effects of norwogonin, Oroxylin A and mosloflavone on *Enterovirus 71*. *Biomolecules & Therapeutics*, 24, 552 - 558. <https://doi.org/10.4062/biomolther.2015.200>.
- Chupeerach, C., Aursalung, A., Watcharachaisoponsiri, T., Whanmek, K., Thiayajai, P., Yosphan, K., Sritalahareuthai, V., Sahasakul, Y., Santivarangkna, C., & Suttisansanee, U. (2021). The effect of steaming and fermentation on nutritive values, antioxidant activities, and inhibitory properties of Tea leaves. *Foods*, 10. <https://doi.org/10.3390/foods10010117>.

- Conte, P., Fadda, C., Del Caro, A., Urgeghe, P. P., & Piga, A. (2020). Table olives: An overview on effects of processing on nutritional and sensory quality. *Foods*, 9(4), 514. <https://doi.org/10.3390/foods9040514>
- Crescenzi, M. A., Piacente, S., & Montoro, P. (2022). UPLC-ESI-QTRAP-MS/MS analysis to quantify bioactive compounds in fennel (*Foeniculum vulgare Mill.*) Waste with potential anti-inflammatory activity. *Metabolites*, 12(8), 701. <https://doi.org/10.3390/metabo12080701>
- Cui, L., Gong, Y., Xue, Z., Zhang, Y., Wang, L., & Wang, H. (2018). A phytochemical and pharmacological review on *Cynomorium songaricum* as functional and medicinal food. *Natural Product Communications*. <https://doi.org/10.1177/1934578X1801300428>
- Dartora, N., De Souza, L. M., Santana-Filho, A. P., Iacomini, M., Valduga, A. T., Gorin, P. A., & Sasaki, G. L. (2011). UPLC-PDA-MS evaluation of bioactive compounds from leaves of *Ilex paraguariensis* with different growth conditions, treatments and ageing. *Food Chemistry*, 129(4), 1453-1461. <https://doi.org/10.1016/j.foodchem.2011.05.112>
- Davison, E. K., & Britton, R. (2023). Synthesis of leading nucleoside Hepatitis C viral NS5B inhibitors. *Comprehensive chirality (Second Edition)*, 435-456. <https://doi.org/10.1016/B978-0-32-390644-9.00051-2>
- Dawid, C., & Hofmann, T. (2014). Quantitation and bitter taste contribution of Saponins in fresh and cooked white asparagus (*Asparagus Officinalis L.*). *Food Chemistry*, 145, 427-436. <https://doi.org/10.1016/j.foodchem.2013.08.057>
- Deepika & Maurya, P. (2022). Health benefits of quercetin in age-related diseases. *Molecules*, 27. <https://doi.org/10.3390/molecules27082498>.
- Devender, T., & Manikyamba, P. (2009). Solvent interactions in the allylation of piperidine. *International Journal of Chemical Kinetics*, 41, 421-425. <https://doi.org/10.1002/KIN.20410>.
- Devi, K.P., Rajavel, T., Habtemariam, S., Nabavi, S.F., & Nabavi, S.M. (2015). Molecular mechanisms underlying anti-cancer effects of myricetin. *Life Sci.* 2015, 142, 19–25.
- Di Stefano, V., Avellone, G., Bongiorno, D., Cunsolo, V., Muccilli, V., Sforza, S., Dossena, A., Drahos, L., & Vékey, K. (2012). Applications of liquid

- chromatography-mass spectrometry for food analysis. *Journal of Chromatography*. A, 1259, 74–85. <https://doi.org/10.1016/j.chroma.2012.04.023>
- Dwijatmoko, Muhammad. (2016). Effect of Cinnamon essential oils addition in the sensory attributes of dark chocolate. *Nusantara Bioscience*. 8. 301-305. 10.13057/nusbiosci/n080227.
- Elshafie, H. S., Camele, I., & Mohamed, A. A. (2023). A comprehensive review on the biological, agricultural and pharmaceutical properties of secondary metabolites based-plant origin. *International Journal of Molecular Sciences*, 24(4), 3266. <https://doi.org/10.3390/ijms24043266>
- Elshamy, A., Mohamed, T., Essa, A., Gawad, A., Alqahtani, A., Shahat, A., Yoneyama, T., Farrag, A., Noji, M., El-Seedi, H., Umeyama, A., Paré, P., & Hegazy, M. (2019). Recent advances in kaempferia phytochemistry and biological activity: a comprehensive review. *Nutrients*, 11. <https://doi.org/10.3390/nu11102396>.
- Espinosa-Garza, Gerardo., Antonyan, Natella & Loera-Hernandez Imelda. (2018). Orange peel dehydration and creation of new edible products. *International Journal of Food Engineering* Vol. 4, No. 4, December 2018; 328-331
- Eylen, D., Bellostas, N., Strobel, B., Oey, I., Hendrickx, M., Loey, A., Sørensen, H., & Sørensen, J. (2009). Influence of pressure/temperature treatments on glucosinolate conversion in broccoli (*Brassica oleraceae L. cv Italica*) heads. *Food Chemistry*, 112, 646-653. <https://doi.org/10.1016/J.FOODCHEM.2008.06.025>.
- Fauziyyah, Ariffa. (2020). Analisis senyawa non volatil bekatul fermentasi dari varietas Inpari 30 dan Cempo Ireng. Universitas Bakrie.
- Feng, S., Lin, L., Xu, H., & Wei, X. (2008). Two new piperidine alkaloids from the leaves of *Microcos paniculata*. *Journal of Asian Natural Products Research*, 10, 1155 - 1158. <https://doi.org/10.1080/10286020802361289>.
- Ferrante, Antonio & Incrocci, Luca & Maggini, Rita & Serra, Giovanni & Tognoni, F. (2004). Colour changes of fresh-cut leafy vegetables during storage. *Journal of Food Agriculture and Environment*. 22. 40-44.

- Fobes, J., Mudd, J., & Marsden, M. (1985). Epicuticular lipid accumulation on the leaves of *Lycopersicon pennellii* (Corr.) D'Arcy and *Lycopersicon esculentum* Mill. *Plant Physiology*, 77 3, 567-70 . <https://doi.org/10.1104/PP.77.3.567>.
- Fratianni, A., D'Agostino, A., Niro, S., Bufano, A., Paura, B., & Panfili, G. (2021). Loss or gain of lipophilic bioactive compounds in vegetables after domestic cooking? Effect of steaming and boiling. *Foods*, 10. <https://doi.org/10.3390/foods10050960>.
- Galili, G., Amir, R., & Fernie, A. (2016). The regulation of essential amino acid synthesis and accumulation in plants. *Annual Review of Plant Biology*, 67, 153-78 . <https://doi.org/10.1146/annurev-arplant-043015-112213>.
- Gawron-Gzella, A., Chanaj-Kaczmarek, J., & Cielecka-Piontek, J. (2021). Yerba mate—A long but current history. *Nutrients*, 13(11). <https://doi.org/10.3390/nu13113706>
- Gill, P., Zelm, M., Muir, J., & Gibson, P. (2018). Review article: short chain fatty acids as potential therapeutic agents in human gastrointestinal and inflammatory disorders. *Alimentary Pharmacology & Therapeutics*, 48: 15-34.
- Giri, K., Gopalkrishnan, K., Radhakrishnan, A., & Vaidyanathan, C. (1952). Proline and hydroxyproline in leaves. *Nature*, 170, 579-580. <https://doi.org/10.1038/170579B0>.
- Hanschen, F., Kühn, C., Nickel, M., Rohn, S., & Dekker, M. (2018). Leaching and degradation kinetics of glucosinolates during boiling of *Brassica Oleracea* vegetables and the formation of their breakdown products. *Food Chemistry*, 263, 240-250 . <https://doi.org/10.1016/j.foodchem.2018.04.069>.
- Hansson, L. (1998). Morbidity and mortality with dihydropyridines.. Blood pressure. *Supplement*, 1, 30-2 . <https://doi.org/10.1080/080370598438582>.
- Hase, J., Edwardsson, S., Rundegren, J., Attström, R., & Kelty, E. (1998). 6-month use of 0.2% delmopinol hydrochloride in comparison with 0.2% chlorhexidine digluconate and placebo (II). Effect on plaque and salivary microflora. *Journal of Clinical Periodontology*, 25 11 Pt 1, 841-9 . <https://doi.org/10.1111/J.1600-051X.1998.TB02380.X>.

- Hashiba, H. (1978). Isolation and identification of Amadori compounds from soy sauce. *Agricultural and biological chemistry*, 42, 763-768. <https://doi.org/10.1271/BBB1961.42.763>.
- Hassan, A., Yoo, S., Lee, K., Yoon, Y., Ryu, H., Jeong, Y., Shin, J., Kang, S., Kim, S., Lee, H., Park, B., Lee, K., & Lee, Y. (2019). Repurposing mosloflavone/5,6,7-trimethoxyflavone-resveratrol hybrids: Discovery of novel p38- α MAPK inhibitors as potent interceptors of macrophage-dependent production of proinflammatory mediators. *European Journal of Medicinal Chemistry*, 180, 253-267. <https://doi.org/10.1016/j.ejmech.2019.07.030>.
- He, L., Fong, J., Zastrow, M., & Whistler, J. (2002). Regulation of opioid receptor trafficking and morphine tolerance by receptor oligomerization. *Cell*, 108, 271-282. [https://doi.org/10.1016/S0092-8674\(02\)00613-X](https://doi.org/10.1016/S0092-8674(02)00613-X).
- He, Manni & Sun, Yanbin & Zou, Dexun & Yuan, Hairong & Zhu, Baoning & Li, Xiujin & Pang, Yunzhi. (2012). Influence of temperature on hydrolysis acidification of food waste. *Procedia Environmental Sciences*. 16. 85–94. 10.1016/j.proenv.2012.10.012.
- Hernández, M., Ventura, J., Castro, C., Boone, V., & Rojas, R. (2018). UPLC-ESI-QTOF-MS2-Based identification and antioxidant activity assessment of phenolic compounds from Red Corn Cob (*Zea mays L.*). *Molecules*, 23(6), 1425. <https://doi.org/10.3390/molecules23061425>
- Hnasme, S., Parasuraman, P., Ranganathan, S., Ampasala, D., Reddy, D., Kumavath, R., Suchiang, K., Mohanty, S., & Busi, S. (2019). Mosloflavone attenuates the quorum sensing controlled virulence phenotypes and biofilm formation in *Pseudomonas aeruginosa* PAO1: In vitro, in vivo and in silico approach. *Microbial Pathogenesis*, 131, 128-134. <https://doi.org/10.1016/j.micpath.2019.04.005>.
- Hussain, M., Fareed, S., Ansari, S., Rahman, M., Ahmad, I., & Saeed, M. (2012). Current approaches toward production of secondary plant metabolites. *Journal of Pharmacy & Bioallied Sciences*, 4, 10 - 20. <https://doi.org/10.4103/0975-7406.92725>.
- Ishii, N., Matsumura, T., Shimoda, S., & Araki, E. (2012). Anti-atherosclerotic potential of dihydropyridine calcium channel blockers. *Journal of*

- Atherosclerosis and Thrombosis*, 19 8, 693-704 .
<https://doi.org/10.5551/JAT.12450>.
- Ishii, N., Matsumura, T., Shimoda, S., & Araki, E. (2012). Anti-atherosclerotic potential of dihydropyridine calcium channel blockers. *Journal of Atherosclerosis and Thrombosis*, 19 8, 693-704 .
<https://doi.org/10.5551/JAT.12450>.
- Ishizaki-Koizumi, S., Sonaka, I., Fujitani, S., & Nishiguchi, S. (2002). Mechanisms of the protective effect of L-alanine to D-galactosamine-induced hepatocellular injury: comparative studies of L-alanine and pyruvate. *Biochemical and Biophysical Research Communications*, 291 4, 738-43 .
<https://doi.org/10.1006/BBRC.2002.6508>.
- Izdebska, M., Hałas-Wiśniewska, M., Adamczyk, I., Lewandowska, I., Kwiatkowska, I., Gagat, M., & Grzanka, A. (2018). The protective effect of niacinamide on CHO AA8 cell line against ultraviolet radiation in the context of main cytoskeletal proteins. *Advances in Clinical and Experimental Medicine : Official organ Wroclaw Medical University*, 27 3, 367-378 .
<https://doi.org/10.17219/acem/68289>.
- Jian, H., Miao, S., Liu, Y., Wang, X., Xu, Q., Zhou, W., Li, H., Dong, X., & Zou, X. (2021). Dietary valine ameliorated gut health and accelerated the development of non-alcoholic fatty liver disease of laying hens. *Oxidative Medicine and Cellular Longevity*. <https://doi.org/10.1155/2021/4704771>.
- Jiang, H., Zhang, D., Aleksandrovich, K., Ye, J., Wang, L., Chen, X., Gao, M., Wang, X., Yan, T., Yang, H., Lu, E., Liu, W., Zhang, C., Wu, J., Yao, P., Sun, Z., Rong, X., Timofeevich, S., Mahmudovich, S., Zheng, Z., Chen, X., & Zhao, S. (2022). RRM2 mediates the anti-tumor effect of the natural product pectolinarigenin on glioblastoma through promoting CDK1 protein degradation by increasing autophagic flux. *Frontiers in Oncology*, 12.
<https://doi.org/10.3389/fonc.2022.887294>.
- Jianyou, G., & Ting-liang, J. (2006). Effect of cinnamyl alcohol on activity of COX and PGE_2 release in cerebral microvascular endothelial cells stimulated by IL-1. *The Chinese Pharmaceutical Journal*.

- Jin, W., Yang, Q., Huang, B., Bao, Z., Su, B., Ren, Q., Yang, Y., & Xing, H. (2016). Enhanced solubilization and extraction of hydrophobic bioactive compounds using water/ionic liquid mixtures. *Green Chemistry*, 18, 3549-3557. <https://doi.org/10.1039/C6GC00584E>.
- Kadiri, Oseni & Olawoye, Babatunde. (2016). Vernonia amygdalina: An underutilized vegetable with nutraceutical potentials – A review. *Turkish Journal of Agriculture-Food Science and Technology*. 4. 763-768. 10.24925/turjaf.v4i9.763-768.570.
- Kałużna-Czaplińska, J., Gątarek, P., Chirumbolo, S., Chartrand, M., & Bjorklund, G. (2019). How important is tryptophan in human health?. *Critical Reviews in Food Science and Nutrition*, 59, 72 - 88. <https://doi.org/10.1080/10408398.2017.1357534>.
- Kang, Y., Yang, I., Morgan, K., & Shin, H. (2012). Cinnamyl alcohol attenuates vasoconstriction by activation of K⁺ channels via NO-cGMP-protein kinase G pathway and inhibition of Rho-kinase. *Experimental & molecular medicine*, 44, 749 - 755. <https://doi.org/10.3858/emm.2012.44.12.083>.
- Karolkowski, A., Belloir, C., Briand, L., & Salles, C. (2023). Non volatile compounds involved in bitterness and astringency of pulses – A review. *Molecules* (Basel, Switzerland), 28(8), 3298. <https://doi.org/10.3390/molecules28083298>
- Khan, N., & Mukhtar, H. (2007). Tea polyphenols for health promotion. *Life Sciences*, 81(7), 519. <https://doi.org/10.1016/j.lfs.2007.06.011>
- Kholida, Mahya. (2018). Studi potensi produksi tanaman kesemek (*Diospyros kaki* L.) Varietas junggo. Skripsi, Jurusan Budidaya Pertanian, Fakultas Pertanian, Universitas Brawijaya, Malang
- Kim, J., & Park, S. (2016). Current results on the potential health benefits of lutein. EXCLI Journal, 15, 308 - 314. <https://doi.org/10.17179/excli2016-278>.
- Kim, K., Kang, M., Kang, N., Kim, S., Hyun, C., Roh, S., Ko, E., Cho, K., Jung, W., Ahn, G., Jeon, Y., & Kim, D. (2015). 2,4,6-Trihydroxybenzaldehyde, a potential anti-obesity treatment, suppressed adipocyte differentiation in 3T3-L1 cells and fat accumulation induced by high-fat diet in C57BL/6 mice.

Environmental Toxicology and Pharmacology, 39 2, 962-8 .
[https://doi.org/10.1016/j.etap.2015.02.007.](https://doi.org/10.1016/j.etap.2015.02.007)

Kiyama, R. (2020). Nutritional implications of ginger: Chemistry, biological activities and signaling pathways. *The Journal of Nutritional Biochemistry*, 108486 . <https://doi.org/10.1016/j.jnutbio.2020.108486>.

Kumar, K., Chu, F., Hsieh, H., Liao, J., Li, W., Lin, J., Shaw, J., Wang, S., & Wang, S. (2011). Antroquinonol from ethanolic extract of mycelium of *Antrodia cinnamomea* protects hepatic cells from ethanol-induced oxidative stress through Nrf-2 activation. *Journal of ethnopharmacology*, 136 1, 168-77 .
<https://doi.org/10.1016/j.jep.2011.04.030>.

Lachowicz, S., Oszmiański, J., & Wojdyło, A. (2019). UPLC-PDA-Q/TOF-MS identification of bioactive compounds and on-line UPLC-ABTS assay in *Fallopia japonica* Houtt and *Fallopia sachalinensis* (F.Schmidt) leaves and rhizomes grown in Poland. *Eur Food Res Technol* 245, 691–706.
<https://doi.org/10.1007/s00217-018-3191-4>

Lakshman, D., & Kumar K. (2022). Metabolite profiling of *Bruguiera Cylindrica* reveals presence of potential bioactive compounds. *PeerJ Analytical Chemistry* 4:e16 <https://doi.org/10.7717/peerj-achem.16>

Lee, H., Saralamma, V., Kim, S., Ha, S., Raha, S., Lee, W., Kim, E., Lee, S., Heo, J., & Kim, G. (2018). Pectolinarigenin induced cell cycle arrest, autophagy and apoptosis in gastric cancer cell via PI3K/AKT/SMOR signaling pathway. *Nutrients*, 10. <https://doi.org/10.3390/nu10081043>.

Lee, S., Lee, D., Kim, J., Um, B., Sung, S., Jeong, L., Kim, Y., & Kim, S. (2017). Pectolinarigenin, an aglycone of Pectolinarin, has more potent inhibitory activities on melanogenesis than Pectolinarin.. *Biochemical and biophysical research communications*, 493 1, 765-772 .
<https://doi.org/10.1016/j.bbrc.2017.08.106>.

Lee, Y., Tang, T., Phuah, E., Tan, C., Wang, Y., Li, Y., Cheong, L., & Lai, O. (2019). Production, safety, health effects and applications of diacylglycerol functional oil in food systems: A review. *Critical Reviews in Food Science and Nutrition*, 60, 2509 - 2525. <https://doi.org/10.1080/10408398.2019.1650001>.

- Lei, M., Wang, L., Olatunde, O. O., Singh, S., Ovatlarnporn, C., Basit, A., & Olatunji, O. J. (2023). UPLC–ESI–QTOF–MS profiling, antioxidant, antidiabetic, antibacterial, anti-inflammatory, antiproliferative activities and in silico Molecular docking analysis of *Barleria Strigosa*. *Chemical and Biological Technologies in Agriculture*, 10(1), 1-25. <https://doi.org/10.1186/s40538-023-00451-2>
- Li, X., Sdiri, M., Peng, J., Xie, Y., & Yang B.B. (2020). Identification and characterization of chemical components in the bioactive fractions of *Cynomorium coccineum* that possess anti-cancer activity. *Int J Biol Sci 2020*; 16(1):61-73. doi:10.7150/ijbs.38475. <https://www.ijbs.com/v16p0061.htm>
- Li, Y., Deli, W., & Guankui, D. (2021). Analysis of bioactive components in the fruit, roots, and leaves of *Alpinia oxyphylla* by UPLC-MS/MS. *Evidence-Based Complementary and Alternative Medicine*, vol. 2021, Article ID 5592518, 11 pages. <https://doi.org/10.1155/2021/5592518>
- Lin, H., Tello, E., Simons, C. T., & Peterson, D. G. (2021). Identification of non-volatile compounds generated during storage that impact flavor stability of ready-to-drink coffee. *Molecules*, 27(7), 2120. <https://doi.org/10.3390/molecules27072120>
- Lobine, D., & Mahomoodally, M. F. (2020). *Uncaria Rhynchophylla (Miq.) Jacks.* Naturally occurring chemicals against Alzheimer's disease, 437-452. <https://doi.org/10.1016/B978-0-12-819212-2.00048-7>
- Lola, A. (2009). The effect of boiling on the nutrients and anti-nutrients in two non-conventional vegetables. *Pakistan Journal of Nutrition*, 8, 1430-1433. <https://doi.org/10.3923/PJN.2009.1430.1433>.
- Lorizola, I., Crivelin, V., Bezerra, R., Ferla, L., Francischini, N., Machado, L., & Capitani, C. (2020). Bioactive compounds and antioxidant activity during food processing of Beet stalks and leaves (*Beta vulgaris L.*). *Boletim do Centro de Pesquisa de Processamento de Alimentos*, 36. <https://doi.org/10.5380/BCEPPA.V36I2.59225>.
- Ma, Q., Zhou, X., Sun, Y., Hu, L., Zhu, J., Shao, C., Meng, Q., & Shan, A. (2020). Threonine, but not lysine and methionine, reduces fat accumulation by

- regulating lipid metabolism in Obese Mice. *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/acs.jafc.0c01023>.
- Maleš, I., Jerković, I., Zorić, Z., Pedisić, S., Repajić, M., Garofulić, I. E., & Dobrinčić, A. (2022). Non-volatile and volatile bioactives of *Salvia Officinalis L.*, *Thymus Serpyllum L.* And *Laurus Nobilis L.* Extracts with potential use in the development of functional beverages. *Antioxidants*, 11(6), 1140. <https://doi.org/10.3390/antiox11061140>
- Marella, A., Tanwar, O., Saha, R., Ali, M., Srivastava, S., Akhter, M., Shaquizzaman, M., & Alam, M. (2013). Quinoline: A versatile heterocyclic. *Saudi Pharmaceutical Journal*, 21 (1), 1-12. <https://doi.org/10.1016/j.jsps.2012.03.002>.
- Marsiati, H., Endrini, S., Ashari, A., Abu Bakar, F., & Abu Bakar, M. (2019). Acute toxicity study and antioxidant activities of Pohpohan leaves (*Pilea trinervia (Roxb.) Wight*) and Kenikir (*Cosmos caudatus*). 10.4108/eai.13-11-2018.2283642.
- Marso, S., Bain, S., Consoli, A., Eliaschewitz, F., Jódar, E., Leiter, L., Lingvay, I., Rosenstock, J., Seufert, J., Warren, M., Woo, V., Hansen, O., Holst, A., Pettersson, J., & Vilsbøll, T. (2016). Semaglutide and cardiovascular outcomes in patients with Type 2 Diabetes. *The New England Journal of Medicine*, 375 19, 1834-1844. <https://doi.org/10.1056/NEJMoa1607141>.
- Martakos, I., Katsianou, P., Koulis, G., Efstratiou, E., Nastou, E., Nikas, S., Dasenaki, M., Pentogennis, M., & Thomaidis, N. (2020). Development of analytical strategies for the determination of Olive fruit bioactive compounds using UPLC-HRMS and HPLC-DAD. chemical characterization of *Kolovi Lesvos* variety as a case study. *Molecules*, 26(23), 7182. <https://doi.org/10.3390/molecules26237182>
- Maulidiani, M., Abdul-Hamid, N. A., Abas, F., Park, Y. S., Park, Y., Kim, Y. M., & Gorinstein, S. (2019). Detection of bioactive compounds in persimmon (*Diospyros kaki*) using UPLC-ESI-Orbitrap-MS/MS and fluorescence analyses. *Microchemical Journal*, 149, 103978. <https://doi.org/10.1016/j.microc.2019.103978>

- Maypole, J., & Woolf, A. D. (2006). Essential oils. Haddad and Winchester's Clinical Management of Poisoning and Drug Overdose (Fourth Edition), 1435-1442. <https://doi.org/10.1016/B978-0-7216-0693-4.50106-7>
- Megumi, Sarah & Al Khairi, Yuhan. 2021. Pohon Tanjung, Semerbak Wangi Flora Senjata Reboisasi. Artikel Flora dan Fauna. Diakses pada 3 Februari 2024. <https://www.greeners.co/flora-fauna/pohon-tanjung/>
- Mehmood, A., & Zeb, A. (2020). Effects of different cooking techniques on bioactive contents of leafy vegetables. *International Journal of Gastronomy and Food Science*, 22, 100246. <https://doi.org/10.1016/j.ijgfs.2020.100246>
- Michels, N., Aart, C., Morisse, J., & Huybrechts, I. (2018). Chronic inflammation toward cancer incidence: An epidemiological systematic review. *Journal of Global Oncology*. <https://doi.org/10.1200/JGO.18.56200>.
- Miglio, C., Chiavaro, E., Visconti, A., Fogliano, V., & Pellegrini, N. (2008). Effects of different cooking methods on nutritional and physicochemical characteristics of selected vegetables.. *Journal of Agricultural and Food Chemistry*, 56 (1) 139-47 . <https://doi.org/10.1021/JF072304B>.
- Mills, F., Baker, B., & Hodge, J. (1969). Amadori compounds as nonvolatile flavor precursors in processed foods. *Journal of Agricultural and Food Chemistry*, 17, 723-727. <https://doi.org/10.1021/JF60164A027>.
- Mills, S., White, M., Brown, H., Wrieden, W., Kwasnicka, D., Halligan, J., Robalino, S., & Adams, J. (2017). Health and social determinants and outcomes of home cooking: A systematic review of observational studies. *Appetite*, 111, 116–134. <https://doi.org/10.1016/j.appet.2016.12.022>
- Milo, S., Ansonoff, M., King, M., Rossi, G., Zuckerman, A., Pintar, J., & Pasternak, G. (2006). Codeine and 6-Acetylcodeine analgesia in Mice. *Cellular and Molecular Neurobiology*, 26, 1009-1017. <https://doi.org/10.1007/s10571-006-9101-5>.
- Mitra, S., Anand, U., Jha, N., Shekhawat, M., Saha, S., Nongdam, P., Rengasamy, K., Proćkow, J., & Dey, A. (2022). Anti-cancer applications and pharmacological properties of Piperidine and piperine: A comprehensive review on molecular mechanisms and therapeutic perspectives. *Frontiers in Pharmacology*, 12. <https://doi.org/10.3389/fphar.2021.772418>.

- Mkhonto, C., Makananise, V., Sagbo, I., Mashabela, M., Ndhlovu, P., Kubheka, B., & Otang-Mbeng, W. (2023). UPLC–QTOF/MS tentative identification of phytochemicals from Vernonia amygdalina Delile acetone and ethanol leaf extracts. *Journal of Medicinal Plants for Economic Development*, 7(1), 8 pages. doi:<https://doi.org/10.4102/jomped.v7i1.181>
- Mohammed, D., Crowther, J., Matts, P., Hadgraft, J., & Lane, M. (2013). Influence of niacinamide containing formulations on the molecular and biophysical properties of the *Stratum corneum*. *International Journal of Pharmaceutics*, 441 1-2, 192-201 . <https://doi.org/10.1016/j.ijpharm.2012.11.043>.
- Nabillah, I., Kencana Putra, I., & Suparthyana, I. (2021). Pengaruh waktu pasteurisasi terhadap cemaran mikrobiologis dan aktivitas antioksidan loloh daun Pohpohan (*Pilea trinervia* Wight.). *Jurnal Ilmu dan Teknologi Pangan* (ITEPA), 10(4), 602-611. doi:10.24843/itepa.2021.v10.i04.p06
- Nair, Kodoth. (2019). Ginger as a spice and flavorant. 10.1007/978-3-030-29189-1_26.
- Nathaniel, J., Karen, A. (2014). Quantitative evaluation of E1 endoglucanase recovery from Tobacco leaves using the vacuum infiltration-centrifugation method. *BioMed Research International*, vol. 2014, Article ID 483596, 10 pages, 2014. <https://doi.org/10.1155/2014/483596>
- Nielsen, S. (2010). Food analysis: Fourth edition. Springer, New York. 501-507.
- Noda, M., Katsura, I., & Tanaka, K. (1965). Lipids of leaves and seeds. *Agricultural and Biological Chemistry*, 29, 70-76. <https://doi.org/10.1271/BBB1961.29.70>.
- Noguchi, S., Mori, N., Kuwahara, Y., & Sato, M. (1997). Chemical Ecology of Astigmatid Mites. Part XLVIII. Facile synthesis of 2-Hydroxy-6-methylbenzaldehyde, an alarm and sex pheromone component of Astigmatid mites. *Bioscience, Biotechnology and Biochemistry*. <https://doi.org/10.1271/BBB.61.1546>.
- Nogueira, T. (2022). Characterization of bioactive compounds profile of Pineapple crown (*Ananas comosus*) determined by GC-MS and UPLC-MS-MS. *Trabalho apresentado em Proceedings of 1st International Congress on Bioactive Compounds and 2nd International Workshop on Bioactive Compounds* - Vol. 1 - 2018.

- Oikawa, A., Otsuka, T., Nakabayashi, R., Jikumaru, Y., Isuzugawa, K., Murayama, H., Saito, K., & Shiratake, K. (2015). Metabolic profiling of developing pear fruits reveals dynamic variation in primary and secondary metabolites, including plant hormones. *PLoS ONE*, 10(7), e0131408. <https://doi.org/10.1371/journal.pone.0131408>
- Oladimeji, O., & Onu, N. (2017). Isolation of ethyl cinnamate and a substituted fluorene from *Pycnanthus angolensis* (Welw.) Warb. *European Chemical Bulletin*, 6, 421-423. <https://doi.org/10.17628/ecb.2017.6.421-423>.
- O'Leary, B.M., Rico, A., McCraw, S., Fones, H.N., Preston, G.M. (2014). The infiltration-centrifugation technique for extraction of apoplastic fluid from plant leaves using *Phaseolus vulgaris* as an example. *J Vis Exp.* Dec 19;(94):52113. doi: 10.3791/52113. PMID: 25549068; PMCID: PMC4396939.
- Oliveira, Fabíola & Coimbra, Jane & De Oliveira, Eduardo Basilio & Giraldo-Zuniga, Abraham & Rojas, Edwin. (2016). Food Protein-Polysaccharide Conjugates obtained via the Maillard Reaction: A Review. *Critical reviews in food science and nutrition*. 56. 10.1080/10408398.2012.755669.
- Olmo, A., Calzada, J., & Nuñez, M. (2017). Benzoic acid and its derivatives as naturally occurring compounds in foods and as additives: Uses, exposure, and controversy. *Critical Reviews in Food Science and Nutrition*, 57, 3084 - 3103. <https://doi.org/10.1080/10408398.2015.1087964>.
- Orlando, P., Nartea, A., Silvestri, S., Marcheggiani, F., Cirilli, I., Dludla, P., Fiorini, R., Pacetti, D., Loizzo, M., Lucci, P., & Tiano, L. (2022). Bioavailability Study of Isothiocyanates and Other Bioactive Compounds of *Brassica oleracea* L. var. Italica Boiled or Steamed: Functional Food or Dietary Supplement?. *Antioxidants*, 11. <https://doi.org/10.3390/antiox11020209>.
- Othman, R., Ibrahim, H., Mohd, M., Awang, K., Gilani, A., & Mustafa, M. (2002). Vasorelaxant effects of ethyl cinnamate isolated from *Kaempferia galanga* on smooth muscles of the rat aorta. *Planta Medica*, 68 7, 655-7 . <https://doi.org/10.1055/S-2002-32900>.
- Pagare, S., Bhatia, M., Tripathi, N., Pagare, S., & Bansal, Y. (2015). Secondary metabolites of plants and their role: A overview. *Current Trends in Biotechnology and Pharmacy*, 9, 293-304.

- Pan, M., Lei, Q., Zang, N., & Zhang, H. (2018). A strategy based on GC-MS/MS, UPLC-MS/MS and virtual molecular docking for analysis and prediction of bioactive compounds in *Eucalyptus globulus* leaves. *International Journal of Molecular Sciences*, 20(16), 3875. <https://doi.org/10.3390/ijms20163875>
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5. <https://doi.org/10.1017/jns.2016.41>
- Patel, D., & Patel, K. (2023). Biological importance, pharmacological activities and nutraceutical potential of capsanthin: A review of capsicum plant capsaicinoids. Current drug research reviews. <https://doi.org/10.2174/2589977515666230331093712>.
- Patiño, L. O. J., Prieto, R. J. A., & Cuca, S. L. E. (2012). *Zanthoxylum* genus as potential source of bioactive compounds. *Bioactive Compounds in Phytomedicine*, 10, 184-218.
- Peng, F., Xu, R., Wang, X., Xu, C., Liu, T., & Chen, J. (2016). Effect of the steaming process on quality of postharvest *Cistanche deserticola* for medicinal use during sun drying. *Biological & Pharmaceutical Bulletin*, 39 12, 2066-2070 . <https://doi.org/10.1248/BPB.B16-00250>.
- Peraturan Menteri Pertanian Republik Indonesia Nomor 24/Permentan/SR.140/4/2011 tentang Syarat dan Tatacara Pendaftaran Pestisida.
- Peraturan Menteri Pertanian Republik Indonesia Nomor 53/Permentan/KR.040/12/2018 tentang Keamanan dan mutu Pangan Segar Asal Tumbuhan.
- Piasecka, A., Jedrzejczak-Rey, N., & Bednarek, P. (2015). Secondary metabolites in plant innate immunity: conserved function of divergent chemicals.. *The New phytologist*, 206 3, 948-64 . <https://doi.org/10.1111/nph.13325>.
- Putriani, N., Perdana, J., Meiliana & Nugrahedi, P. (2020). Effect of Thermal Processing on Key Phytochemical Compounds in Green Leafy Vegetables: A Review. *Food Reviews International*, 38, 783-811.
- Premkumar, T. & Govindarajan, Sivasuriya. (2005). Antimicrobial study of pyrazine, pyrazole and imidazole carboxylic acids and their hydrazinium salts.

- World Journal of Microbiology and Biotechnology.* 21. 479-480.
10.1007/s11274-004-2041-7.
- Priyanto, A dan Hendrawati, T. (2018). Pengaruh kecepatan sentrifugasi terhadap karakteristik ekstrak *Aloe chinensis baker*. *Prosiding Semnastek 2018; Fakultas Teknik Universitas Muhammadiyah Jakarta*.
- Rahayuningsih, N., & Shinta. A. (2015). Uji aktivitas anti-diabetes infusa daun Pohpohan (*Pilea Trinervia Wight*) pada Mencit Jantan Galur Swiss Webster. *Jurnal Kesehatan Bakti Tunas Husada*, 13(1):89-94.
- Rahmawati, E dan Cahyana, A. (2016). Identifikasi senyawa non-volatile pada Cengkeh (*Syzygium aromaticum*) asal Jawa. *Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia*. Diakses pada 6 Desember 2023.
- Rajput, Jayesh & Nandre, Dhanshri & Pawar, Bhagyashri. (2022). A comprehensive review on advanced chromatographic techniques and spectroscopic techniques in pharmaceutical analysis. 7:53-62. 10.35629/7781-07035362.
- Ramesh, B., Viswanathan, P., & Pugalendi, K. (2007). Protective effect of Umbelliferone on membranous fatty acid composition in streptozotocin-induced diabetic rats. *European Journal of Pharmacology*, 566 1-3, 231-9 .
<https://doi.org/10.1016/J.EJPHAR.2007.03.045>.
- Rathi, A., Syed, R., Shin, H., & Patel, R. (2016). Piperazine derivatives for therapeutic use: A patent review (2010-present). *Expert Opinion on Therapeutic Patents*, 26, 777 - 797.
<https://doi.org/10.1080/13543776.2016.1189902>.
- Razay, G., & Wilcock, G. (2008). Galantamine in Alzheimer's disease. *Expert Review of Neurotherapeutics*, 8, 17 - 9.
<https://doi.org/10.1586/14737175.8.1.9>.
- Razzak, A., Mahjabin, T., Khan, M. R. M., Hossain, M., Sadia, U., & Zzaman, W. (2023). Effect of cooking methods on the nutritional quality of selected vegetables at Sylhet City. *Heliyon*, 9(11).
- Rennie, C., & Wise, A. (2010). Preferences for steaming of vegetables.. *Journal of human nutrition and dietetics : the official journal of the British Dietetic Association*, 23 1, 108-10 . <https://doi.org/10.1111/j.1365-277X.2009.01018.x>.

- Rungapamestry, Vanessa & Duncan, Alan & Fuller, Zoë & Ratcliffe, Brian. (2007). Effect of cooking Brassica vegetables on the subsequent hydrolysis and metabolic fate of glucosinolates. *The Proceedings of the Nutrition Society*. 66. 69-81. 10.1017/S0029665107005319.
- Rodrigues-Corrêa, K. C. da S., & Fett-Neto, A. G. (2019). Abiotic Stresses and non-protein amino acids in plants. *Critical Reviews in Plant Sciences*, 38(5–6), 411–430. <https://doi.org/10.1080/07352689.2019.1707944>
- Rowan, A., Moughan, P., & Wilson, M. (1992). Effect of hydrolysis time on the determination of the amino acid composition of diet, ileal digesta and feces samples and on the determination of dietary amino acid digestibility coefficients. *Journal of Agricultural and Food Chemistry*, 40, 981-985. <https://doi.org/10.1021/JF00018A013>.
- Sączewski, F., & Balewski, Ł. (2009). Biological activities of guanidine compounds. *Expert Opinion on Therapeutic Patents*, 19, 1417 - 1448. <https://doi.org/10.1517/13543770903216675>.
- Sairanen, J., Tammela, T., Leppilahti, M., Multanen, M., Paananen, I., Lehtoranta, K., & Ruutu, M. (2005). Cyclosporine A and pentosan polysulfate sodium for the treatment of interstitial cystitis: A randomized comparative study. *The Journal of Urology*, 174, 6, 2235-8. <https://doi.org/10.1097/01.JU.0000181808.45786.84>.
- Salma, U., Shahjalal, H., Ahmmmed, T., Ansary, M., Khalil, M., & Karim, N. (2020). Effect of boiling on the nutritional value, phytochemical contents and antioxidant activity of Commonly consumed potato (*Solanum tuberosum L.*) varieties in Bangladesh. *Journal of Food and Nutrition Research*. <https://doi.org/10.12691/jfnr-8-8-1>.
- Sanches, V.L., Cunha, T.A., Viganó, J., de Souza Mesquita, L.M., Faccioli, L.H., Breitkreitz, M.C., & Rostagno, M.A. (2022). Comprehensive analysis of phenolics compounds in citrus fruits peels by UPLC-PDA and UPLC-Q/TOF MS using a fused-core column. *Food Chemistry*: X, 14.
- Sansone, C., Pistelli, L., Calabrone, L., Mondo, A., Fontana, A., Festa, M., Noonan, D., Albini, A., & Brunet, C. (2023). The carotenoid diatoxanthin modulates

- inflammatory and angiogenesis pathways in vitro in prostate cancer cells. *Antioxidants*, 12. <https://doi.org/10.3390/antiox12020359>.
- Santos, J., Cirino, J., Carvalho, P., & Ortega, M. (2021). The pharmacological action of kaempferol in central nervous system diseases: A review. *Frontiers in Pharmacology*, 11. <https://doi.org/10.3389/fphar.2020.565700>.
- Sanz, M., Castillo, M., Corzo, N., & Olano, A. (2001). Formation of Amadori compounds in dehydrated fruits. *Journal of Agricultural and Food Chemistry*, 49 11, 5228-31 . <https://doi.org/10.1021/JF010580Z>
- Seyfang, B. C., Klein, A., & Grützner, T. (2019). Extraction centrifuges—Intensified equipment facilitating modular and flexible plant concepts. *Chem Engineering*, 3(1), 17. <https://doi.org/10.3390/chemengineering3010017>
- Sharma, D., Shree, B., Kumar, S., Kumar., V., Sharma, S & Sharma, S. (2022). Stress induced production of plant secondary metabolites in vegetables: Functional approach for designing next generation super foods. *Plant physiology and Biochemistry*, 192: 252-272.
- Shi, M., He, N., Li, W., Li, C., & Kang, W. (2018). Simultaneous determination of myricetin, quercitrin and afzelin in leaves of Cercis chinensis by a fast and effective method of ionic liquid microextraction coupled with HPLC. *Chemistry Central Journal*, 12. <https://doi.org/10.1186/s13065-018-0391-8>
- Shim, S. M. , Yoo, S. H. , Ra, C. S. , Kim, Y. K. , Chung, J. O. , & Lee, S. J. (2012). Digestive stability and absorption of green tea polyphenols: Influence of acid and xylitol addition. *Food Research International*, 45(1), 204–210. 10.1016/j.foodres.2011.10.016
- Shiraiwa, M., Kitakaze, T., Yamashita, Y., Ukawa, Y., Mukai, K., & Ashida, H. (2022). Pectolinarigenin induces antioxidant enzymes through Nrf2/ARE pathway in HepG2 cells. *Antioxidants*, 11. <https://doi.org/10.3390/antiox11040675>.
- Singh, A., Bajpai, V., Kumar, S., Singh Rawat, A.K., & Kumar, B. (2016). Analysis of isoquinoline alkaloids from Mahonia leschenaultia and Mahonia napaulensis roots using UHPLC-Orbitrap-MSn and UHPLC-QqQLIT-MS/MS. *Journal of Pharmaceutical Analysis*, 7, 77 - 86.

- Škrovánková, S., Mišurcová, L., & Machů, L. (2011). Antioxidant activity and protecting health effects of common medicinal plants. *Advances in Food and Nutrition Research*, 67, 75-139. <https://doi.org/10.1016/B978-0-12-394598-3.00003-4>
- Smyth, H. E., Sanderson, J. E., & Sultanbawa, Y. (2012). Lexicon for the sensory description of Australian native plant foods and ingredients. *Journal of Sensory Studies*, 27(6), 471-481. <https://doi.org/10.1111/joss.12012>
- Su, H., He, M., Li, H., Liu, Q., Wang, J., Wang, Y., Gao, W., Zhou, L., Liao, J., Young, A., & Wang, M. (2008). Boc5, a non-peptidic glucagon-like Peptide-1 receptor agonist, invokes sustained glycemic control and weight loss in diabetic mice. *PLoS ONE*, 3. <https://doi.org/10.1371/journal.pone.0002892>.
- Suhendy, H., Mutafifaah, S., & Novianti, T. (2021). Uji aktivitas anti-diabetes ekstrak N-Heksana, Etil Asetat, Etanol daun Pohpohan (*Pilea Trinerva Wight.*) Pada mencit yang diinduksikan aloksan. *Journal of Pharmacopolium*, Volume 4, 16 -21.
- Sui, W., Xiao, Y., Liu, R., Wu, T., & Zhang, M. (2019). Steam explosion modification on tea waste to enhance bioactive compounds extractability and antioxidant capacity of extracts. *Journal of Food Engineering*. <https://doi.org/10.1016/J.JFOODENG.2019.03.015>.
- Sui, Y., Zhao, L., Wang, Z., Zhao, Y., Xiao, W., & Xiong, Z. (2016). Simultaneous determination of seven bioactive components in Guizhi Fuling capsule by microwave-assisted extraction combined with ultra performance liquid chromatography tandem mass spectrometry. *Natural Product Research*, 30, 354 - 357. <https://doi.org/10.1080/14786419.2015.1052068>.
- Suleria, H. A. R., Barrow, C. J., & Dunshea, F. R. (2020). Screening and characterization of Phenolic compounds and their antioxidant capacity in different fruit peels. *Foods* (Basel, Switzerland), 9(9), 1206. <https://doi.org/10.3390/foods9091206>
- Su-Rong He, Chong-Bo Zhao, Jing-Xia Zhang, Jing Wang, Bo W & Chun-Jie Wu. (2020). Botanical and traditional uses and phytochemical, pharmacological, pharmacokinetic and toxicological characteristics of *Ziziphi spinosae* semen:

- A review. *Evidence-based complementary and Alternative medicine*, vol. 2020, Article ID 5861821, 21 pages, 2020. <https://doi.org/10.1155/2020/5861821>
- Sutandi, I. A., Rahayu, A., & Rochman, N. (2018). Growth and production of Pohpohan *Pilea melastomoides* (Poir.) wedd dan Reundeu (*Staurogyne elongate* Kuntze) and on various shading levels. *Jurnal Agronida*, 3(1). <https://doi.org/10.30997/jag.v3i1.1013>
- Sutour, S., Doan, V. C., Mateo, P., Züst, T., Hartmann, E. R., Glauser, G., & Robert, C. A. M. (2024). Isolation and structure determination of Drought-induced multihexose menzoxazinoids from Maize (*Zea mays*). *Journal of Agricultural and Food Chemistry*, 72(7), 3427–3435. <https://doi.org/10.1021/ACS.JAFC.3C09141>
- Taleuzzaman, M., Ali, S., Gilani, S.J., Imam, S.S., & Hafeez, A. (2015). Ultra Performance Liquid Chromatography (UPLC) - A review. *Austin J Anal Pharm Chem.* 2015; 2(6): 1056. ISSN : 2381-8913
- Tâm, V., Hiếu, P., Chappe, B., Roblot, F., Laprévote, O., Figadère, B., & Cavé, A. (1994). Four new acetogenins from the seeds of *Annona reticulata* L. Natural Product Letters, 4, 255-262. <https://doi.org/10.1080/10575639408043915>.
- Tamanna, N., & Mahmood, N. (2015). Food processing and Maillard reaction products: Effect on human health and nutrition. *International Journal of Food Science*, 2015.
- Teekaraman, D., Elayapillai, S.P., Viswanathan, M.P., Jagadeesan, A.(2019). Quercetin inhibits human metastatic ovarian cancer cell growth by modulating intrinsic apoptotic pathway in PA-1 cell line. *Chem. Interact.* 2019,300, 91–100.
- Thangam, R., Gokul, S., Sathuvan, M., Suresh, V., & Sivasubramanian, S. (2019). A novel antioxidant rich compound 2-hydroxy 4-methylbenzaldehyde from Decalepis arayalpathra induces apoptosis in breast cancer cells. *Biocatalysis and Agricultural Biotechnology*. <https://doi.org/10.1016/j.bcab.2019.101339>.
- Vasilean, I., Aprodu, I., Garnai, M., Munteanu, V., & Patrășcu, L. (2021). Preliminary investigations into the use of amylases and lactic acid bacteria to obtain fermented vegetable products. *Foods*, 10(7), 1530. <https://doi.org/10.3390/foods10071530>

- Vinatoru, M. (2001). An overview of the ultrasonically assisted extraction of bioactive principles from herbs. *Ultrasonics Sonochemistry*, 8 (3) 303-13 . [https://doi.org/10.1016/S1350-4177\(01\)00071-2](https://doi.org/10.1016/S1350-4177(01)00071-2).
- Vinha, A., Vinha, A., Alves, R., Alves, R., Barreira, S., Costa, A., & Oliveira, M. (2015). Impact of boiling on phytochemicals and antioxidant activity of green vegetables consumed in the Mediterranean diet. *Food & Function*, 6 4, 1157-63 . <https://doi.org/10.1039/c4fo01209g>.
- Walsh, M., Truitt, E., & Davis, V. (1970). Acetaldehyde mediation in the mechanism of ethanol-induced changes in norepinephrine metabolism. *Molecular Pharmacology*, 6 4, 416-24 .
- Wang, H., Wen Qi., Lin Zhang., & Dan Yuan. (2014). Qualitative and quantitative analyses of alkaloids in *Uncaria* species by UPLC-ESI-Q-TOF/MS. *Chemical and Pharmaceutical Bulletin*, 2014, Volume 62, Issue 11, Pages 1100-1109, Released on J-STAGE November 01, 2014, Online ISSN 1347-5223, Print ISSN 0009-2363, <https://doi.org/10.1248/cpb.c14-0048>
- Wang, Y. C., Wang, V., & Chen, B. H. (2023). Analysis of bioactive compounds in Cinnamon leaves and preparation of nanoemulsion and byproducts for improving Parkinson's disease in Rats. *Frontiers in Nutrition*, 10, 1229192. <https://doi.org/10.3389/fnut.2023.1229192>
- Wellner, A., Huettl, C., & Henle, T. (2011). Formation of Maillard reaction products during heat treatment of carrots.. *Journal of Agricultural and Food Chemistry*, 59 14, 7992-8 . <https://doi.org/10.1021/jf2013293>.
- Wesnes, K., McKeith, I., Edgar, C., Emre, M., & Lane, R. (2005). Benefits of rivastigmine on attention in dementia associated with Parkinson disease. *Neurology*, 65, 1654 – 1656 <https://doi.org/10.1212/01.wnl.0000184517.69816.e9>.
- Wohlrab, J., & Kreft, D. (2014). Niacinamide - mechanisms of action and its topical use in dermatology. *Skin Pharmacology and Physiology*, 27, 311 - 315. <https://doi.org/10.1159/000359974>.
- Wu, D., He, J., Jiang, Y., & Yang, B. (2015). Quality analysis of *Polygala tenuifolia* root by ultrahigh performance liquid chromatography–tandem mass

- spectrometry and gas chromatography–mass spectrometry. *Journal of Food and Drug Analysis*, 23(1), 144-151. <https://doi.org/10.1016/j.jfda.2014.07.009>
- Wu, Q.; Yu, C.; Yan, Y.; Chen, J.; Zhang, C.; Wen, X.(2010). Antiviral flavonoids from *Mosla scabra*. *Fitoterapia* 2010, 81, 429–433.
- Yaglioglu, A., Şahin, Gurbuz., Duygu Gunes., Dolarslan, Melda., & Demirtas, İbrahim. (2022). First determination of anti-cancer, cytotoxic and in silico ADME evaluation of secondary metabolites of endemic *Astragalus leucothrix* Freyn & Bornm. *Turkish Journal of Chemistry*: Vol. 46: No. 1, Article 11.
- Yahya, N., Mohd Arshad, Z., Mudalip, S., Sulaiman, S., Man, R., Md Shaarani, S., & Ab. Rahim, M. (2019). Comparative evaluation of protease extraction from leaves of *Syzygium polyanthum*. *Indonesian Journal of Chemistry*, 19(2), 503-510. /*doi:<http://dx.doi.org/10.22146/ijc.40860>*/
doi:<https://doi.org/10.22146/ijc.40860>
- Yang, P.-W.; Lu, Z.-Y.; Pan, Q.; Chen, T.-T.; Feng, X.-J.; Wang, S.-M.; Pan, Y.-C.; Zhu, M.-H.; Zhang, S.-H.(2019). MicroRNA-6809-5p mediates luteolin-induced anti-cancer effects against hepatoma by targeting flotillin 1. *Phytomedicine* 2019, 57, 18–29.
- Yu, J., Zhang, S., & Zhang, L. (2018). Evaluation of the extent of initial Maillard reaction during cooking some vegetables by direct measurement of the Amadori compounds. *Journal of The Science of Food and Agriculture*, 98 1, 190-197 . <https://doi.org/10.1002/jsfa.8455>.
- Yu, M., Zhao, X., Cai, H., Yi, J., & Hua, G. (2020). Dihydropyridine enhances the antioxidant capacities of lactating dairy cows under heat stress conditions. *Animals: An Open Access Journal from MDPI*, 10. <https://doi.org/10.3390/ani10101812>.
- Yu, Q., Tang, C., Chen, Z., & Kuo, J. (1999). Extraction of apoplastic sap from plant roots by centrifugation on JSTOR. *The New Phytologist*, 299. <https://doi.org/2588579>
- Yunjia, Y., Hairong, H., Zeying, C., Jun, C., & Guankui, D. (2021). UPLC–MS/MS and network pharmacology-based analysis of bioactive anti-depression compounds in Betel Nut, Drug Design, *Development and Therapy*. 15:, 4827-4836, DOI: 10.2147/DDDT.S335312

- Zabalza, A., Orcaray, L., Gaston, S., & Royuela, M. (2004). Carbohydrate accumulation in leaves of plants treated with the herbicide chlorsulfuron or imazethapyr is due to a decrease in sink strength. *Journal of Agricultural and Food Chemistry*, 52 25, 7601-6 . <https://doi.org/10.1021/JF0486996>.
- Zhai, Z., Gomez-Mejiba, S. E., Zhu, H., Lupu, F., & Ramirez, D. C. (2012). The spin trap 5,5-dimethyl-1-pyrroline N-oxide inhibits lipopolysaccharide-induced inflammatory response in RAW 264.7 cells. *Life Sciences*, 90, 432. <https://doi.org/10.1016/j.lfs.2011.12.018>
- Zhang, W., Chen, J., Lam, K., Zhan, J., Yao, P., Dong, T., & Tsim, K. (2014). Hydrolysis of Glycosidic Flavonoids during the Preparation of Danggui Buxue Tang: An outcome of moderate boiling of Chinese herbal mixture. *Evidence-based Complementary and Alternative Medicine : eCAM*, 2014. <https://doi.org/10.1155/2014/608721>.
- Zhang, B., Jiang, M., Zhao, J., Song, Y., Du, W., & Shi, J. (2022). The mechanism underlying the influence of Indole-3-Propionic acid: A relevance to metabolic disorders. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.841703>.
- Zhang, J., Zhao, T., Zhang, P., Shi, Z., Da, Q., Ma, H., & Jing, L. (2023). Moslosoolavone protects against brain injury induced by hypobaric hypoxic via suppressing oxidative stress, neuroinflammation, energy metabolism disorder and apoptosis. *The Journal of Pharmacy and Pharmacology*. <https://doi.org/10.1093/jpp/rgad109>.
- Zhang, M., Zhao, G., Zhang, G., Wei, X., Shen, M., Liu, L., Ding, X., & Liu, Y. (2020). A targeted analysis of flavonoids in asparagus using the UPLC-MS technique. *Czech Journal of Food Sciences*, 38(2), 77-83. doi: 10.17221/168/2019-CJFS
- Zhao, J., Davis, L., & Verpoorte, R. (2005). Elicitor signal transduction leading to production of plant secondary metabolites.. *Biotechnology advances*, 23 4, 283-333 . <https://doi.org/10.1016/J.BIOTECHADV.2005.01.003>.
- Zhao, X., Xie, L., Wu, H., Kong, W., & Yang, M. (2014). Analysis of six bioactive components in *Semen ziziphi spinosae* by UPLC-ELSD and UPLC-Q/TOF-MS. *Analytical Methods*. 6. 5856. 10.1039/C4AY00800F.

Zhen, A., Piao, M., Kang, K., Fernando, P., Kang, H., Koh, Y., Yi, J., & Hyun, J. (2019). Niacinamide protects skin cells from oxidative stress induced by particulate matter. *Biomolecules & Therapeutics*, 27, 562 - 569.
<https://doi.org/10.4062/biomolther.2019.061>.